

The copy filmed here has been reproduced thanks to the generosity of:

National Library of Canada

The images appearing here are the best quality possible considering the condition and legibility of the original copy and in keeping with the filming contract specifications.

Original copies in printed paper covers are filmed beginning with the front cover and ending on the last page with a printed or illustrated impression, or the back cover when appropriate. All other original copies are filmed beginning on the first page with a printed or illustrated impression, and ending on the last page with a printed or illustrated impression.

The last recorded frame on each microfiche shall contain the symbol \longrightarrow (meaning "CONTINUED"), or the symbol ∇ (meaning "END"), whichever applies.

Maps, plates, charts, etc., may be filmed at different reduction ratios. Those too large to be entirely included in one exposure are filmed beginning in the upper left hand corner, left to right and top to bottom, as many frames as required. The following diagrams illustrate the method:

| | | |
|---|---|---|
| 1 | 2 | 3 |
|---|---|---|

| | |
|---|---|
| 1 | 2 |
| 4 | 5 |

L'exemplaire filmé fut reproduit grâce à la générosité de:




Bibliothèque nationale du Canada

Les images suivantes ont été reproduites avec le plus grand soin, compte tenu de la condition et de la netteté de l'exemplaire filmé, et en conformité avec les conditions du contrat de filmage.

Les exemplaires originaux dont la couverture en papier est imprimée sont filmés en commençant par le premier plat et en terminant soit par la dernière page qui comporte une empreinte d'impression ou d'illustration, soit par le second plat, selon le cas. Tous les autres exemplaires originaux sont filmés en commençant par la première page qui comporte une empreinte d'impression ou d'illustration et en terminant par la dernière page qui comporte une telle empreinte.

Un des symboles suivants apparaît sur la dernière image de chaque microfiche, selon le cas: le symbole ➞ signifie "A SUIVRE", le symbole ▼ signifie "FIN".

Les cartes, planches, tableaux, etc., peuvent être filmés à des taux de réduction différents. Lorsque le document est trop grand pour être reproduit en un seul cliché, il est filmé à partir de l'angle supérieur gauche, de gauche à droite, et de haut en bas, en prenant le nombre d'images nécessaire. Les diagrammes suivants illustrent la méthode.



QUOTATIONS

Catalogue "F"

Name

Address

This Loose Leaf Price Book contains market prices on *Standard*
Ideal Enameled Iron Ware and Brass Goods.

For your convenience, the articles, in addition to the Plate Numbers, are both illustrated and described, and we believe this book contains the most complete information, of its kind, ever issued.

We wish particularly to call your attention to the Sheets on the subject of "How and How Not to Treat" the articles described and illustrated herein.

As changes, additions or eliminations occur, new sheets will be issued promptly.


Respectfully,

The Standard Ideal Company Limited

Port Hope, Ont., August 15th, 1911

Copyright, Canada, 1914, by The Standard Ideal Company, Limited.

INDEX AND CLASSIFICATION



ENAMELED IRON WARE.

White Sheets— Selling Terms, Grading Regulations, General Information, Brns. Goods, Freight Allowances.

Light Blue Sheets— How and How Not to Handle Enameled Ware.

Schedule No. 1— "Alexandra Ware"—all types.

Schedule No. 2— "Green and Gold" Label Baths—all patterns, including Foot, Sitz and Childs' Baths and Receptors, "Blue and Red" Label Baths.

Schedule No. 3— Lavatories.

Schedule No. 4— Drinking Fountains.

Schedule No. 5— Sinks and Sink Combinations, Slop Sinks, Laundry Trays, Tray and Sink Combinations, Drain-Boards, Grease Traps, Trap Standards, Flat Rim Sinks, Sink Backs, Wash Sinks.

Schedule No. 6— Range Closets and Urinals; Tanks and Hoppers.

Schedule No. 7— Freight Classifications and Tariff Rates.

12900

SELLING TERMS

(1) All "STANDARD IDEAL" Ware is sold subject to our Grading Regulations (given on page 4). It is produced in a Factory whose reputation for making especially fine Ware has been long established, and the name, "STANDARD IDEAL," on our Labels, and in raised letters on the bottom of the Castings, is our guarantee of Quality and Durability.

(2) Should defects develop, due to imperfect material or workmanship, duplicate fixtures will be furnished without charge; but our agreement to do this will be completely filled by our furnishing new goods, or parts, in place thereof, and does not cover any claims for damages, or cost of time and labor for replacement.

(3) What constitutes a "Factory Defect" must necessarily be determined by the Manufacturer, who, by experience, is best qualified to say whether a "defect" is due to imperfect workmanship, material, or other causes beyond control, or whether a piece of Ware has been damaged in transit or by careless handling. It has been and will be the policy of this Company to be absolutely fair in such matters, and where any doubt exists, it will give the benefit of the doubt to the purchaser; but it cannot undertake to unqualifiedly accept the opinion of the purchaser in claims for defective Ware. The Company, therefore, reserves the right to determine the status of its responsibility in these matters, and our Ware is sold subject to this condition. (See pages 1 to 6 of the Agure Sheets, illustrating the treatment Enamelled Iron Ware is subject to, over which we have no control.)

ALL OTHER QUALITIES:

(2) The same general Grading Rules apply to this grade as to "GREEN AND GOLD" LABEL BATH, but on the less important or cheaper patterns the inspection will not be as close or as exacting.

THE ABOVE GRADING RULES ARE IN ACCORD WITH THOSE ADOPTED BY THE ENAMELED SANITARY WARE MANUFACTURERS' ASSOCIATION OF THE UNITED STATES AND CANADA OF WHICH WE ARE MEMBERS.

AUG. 15, 1914

Aug. 15, 1914

GRADING REGULATIONS UNDER WHICH



PORCELAIN ENAMELED IRON SANITARY WARE IS SOLD.

"PURPLE AND GOLD" LABEL BATHS AND LAVATORIES

"GREEN AND GOLD" LABEL BATHS AND LAVATORIES.

(1) High-Grade Baths and Lavatories bearing our "Purple and Gold" Label, and High-Grade Baths and Lavatories bearing our "Green and Gold" Label, are well coated with Enamel of uniform color and tint, as smoothly applied as the limitations of the art, with the best skill, will permit.

Ware shall not be rejected for mere unimportant blemishes that do not impair the usefulness, durability or life of the Fixture. Absolute perfection is not guaranteed, or commercially possible.

"BLUE AND RED" LABEL BATHS, LAUNDRY TRAYS, SLOP SINKS AND FLAT RIM SINKS.

(2) Ware bearing our "Blue and Red" Label comes under the same general grading as our "GREEN AND GOLD" LABEL BATHS, except that the Enamel may not be as heavy or as smooth a coating, and it may be less uniform in color and tint.

Unimportant blemishes, such as two or three pinholes, minute scratches or lines, or small specks of foreign matter in the Enamel (which cannot be entirely prevented) will not be a valid cause for rejection.

ALL OTHER SMALLWARES:

(3) The same general Grading Rule applies to this grade as to our "GREEN AND GOLD" LABEL BATHS, but on the less important or cheaper patterns the inspection will not be as close or as exacting.

THE ABOVE GRADING RULES ARE IN ACCORDANCE WITH THOSE ADOPTED BY THE ENAMELED SANITARY WARE MANUFACTURERS' ASSOCIATION OF THE UNITED STATES AND CANADA, OF WHICH WE ARE MEMBERS.

Aug. 15, 1914

GENERAL INFORMATION

PRICES:

(1) Prices named herein are Consumers' Prices, which supersede all previous quotations, verbal or written, and are subject to change without notice. We aim to notify the Trade promptly of any change in prices, etc., but we do not guarantee the enclosed information through failure to receive revised sheets or other notifications of revisions or changes.

(2) The price always applies to the fixtures as described in these sheets, irrespective of illustrations or descriptions in other catalogues or printed matter.

(3) All prices quoted apply to the Fixtures with regular drillings. Special drillings will be charged for extra at the prices quoted.

(4) The Brass Fittings or Fitting Combination quoted on, in most cases, are the same or similar to the Fittings shown in the "F" Catalogue; but on certain items changes in the style of faucets, traps, etc., were considered necessary or advisable. Therefore, Fittings or Fitting Combinations herein specified and described for various Enameled fixtures are what we will hereafter consider as our "Regular Fitting," which we will furnish on all orders specifying fixtures complete with fittings, unless other styles of fitting are ordered.

(5) Prices are quoted separately for both the bare Enamel Ware Fixtures and Brass Goods, except where otherwise specified. Prices on Brass Goods are quoted in two ways, i.e., for the separate parts, and the complete Brass Trimmings as regularly furnished for each fixture. A complete description and price of each Brass Fitting is given in front of each Schedule of Enameled Iron Ware.

(6) Prices on Brass Goods are F.O.B. cars, Port Hope, unless shipped with Enameled Ware from Port Hope, in which event they take the same freight allowance.

(7) **SPECIAL NOTE.**—In quoting prices care should be taken to add freight charges to other than full delivery points as listed on freight sheets herewith.

(8) **Terms**—2%, 10 days.
60 days net.

Aug. 15, 1914

GENERAL INFORMATION

WEIGHTS:

(9) The weights given herein are approximate shipping weights and are not guaranteed to be exact.

SHIPMENTS:

(10) When goods have been delivered to, and signed for by, the Transportation Company, such material immediately becomes the property of the Consignee. We cannot accept any responsibility for breakage or damage resulting from accidents, negligence or carelessness on the part of the Carriers. Claim for damages must be made immediately upon receipt of damaged goods by Consignee, and notation made on the Bill of Lading before accepting the Goods from the Transportation Company.

ORDERS AND CONTRACTS

(11) Accepted by us are always subject to Strikes, Accidents, or any other causes beyond our control.

CANCELLATIONS

(12) Of Orders specifying Special Goods or other Fixtures, such as Wash Sinks, Range Closets, etc., which require considerable "fitting up" or assembling, will not be accepted after execution has been started.

RETURNED GOODS:

(13) Any material defective or otherwise will not be accepted by us unless our permission in writing has been previously secured. In such cases, each package must be clearly labeled or marked for Identification Purposes. Special Forms and Shipping Tags will be furnished for this purpose. It should also be remembered that when material in good condition is returned the Sender must assume all Freight Charges, and in addition must guarantee arrival in good condition. Our Show Rooms are not prepared to receive returned goods and all such shipments must be returned to the Factory at Port Hope.

(8) Terms—20 to 30 days net

BRASS GOODS:

Notwithstanding the efforts of the various manufacturers to standardise their staple line of products, and contrary to the opinion prevalent in certain quarters, the ordinary type of Ball Supply Fitting is not interchangeable, but must, in most instances, be altered and changed in order to make it fit perfectly any of the various styles and makes of so-called "staple" baths. As a matter of fact, the extreme difference in dimensions, depth and style practically necessitates a separate and distinctly different set of fittings for each individual type of bath.

To provide the Trade with brass fittings of correct dimensions, etc., to fit perfectly the fixtures for which they are intended, and to supply the constantly increasing demand for our Enameled Iron Ware, fitted up complete with fittings, we have illustrated on the pages following, and are, accordingly, prepared to furnish, a complete assortment of Brass Fittings to meet these requirements.

All of our Brass Combination Fittings for Baths, Lavatories, etc., are manufactured especially for us, either from our own patterns, or in accordance with the requirements of our own blueprints. They are, so to speak, made to order, and are designed with a view of providing not only a perfect fit, but they embody, also, the other essentials of good Brass Fittings, viz., a standard of quality for materials and workmanship capable of durability and service far in excess of the average fixture now on the market.

The Brass Fittings supplied with our Aluminum Ware are particularly high-grade. They are extra heavy, elaborate and massive in design and appearance, and are undoubtedly the best fittings made by any manufacturer.

BRASS GOODS:

Notwithstanding the efforts of the various manufacturing establishments their staple line of products, and contrary to the opinion prevalent in certain quarters, the ordinary type of Bell Fitting is not interchangeable, but must, in most instances, be fitted and changed in order to make it fit perfectly any of the various styles and makes of so-called "standard" pipes. As a matter of fact, the extreme difference in dimensions, depth and style make it practically impossible to have a separate and distinctly different set of fittings for each individual type of pipe.

IMPORTANT:

The Fitting number alone is not sufficient to enable us to accurately execute orders for Brass Fittings. Purchaser should, therefore, bear in mind that on all orders for Brass Fittings, the Fitting Number, together with the Name or Plate Number of the fixture for which it is intended, should always be specified.

Thus, the fitting can be made up in accordance with the dimensions and requirements of that particular fixture, and properly fitted and tested before shipment.

Prices on Brass Goods are F.O.B. case, Port Hope, unless shipped with Enamelled Ware from Port Hope, in which event they take the same freight allowances.

These Brass Fittings supplied with our standard are particularly high-grade. They are extra heavy, elaborate and massive in design and appearance, and are undoubtedly the best fittings made by any manufacturer.

FREIGHT ALLOWANCES

ALL "STANDARD IDEAL" Enameled Ware is sold on the basis of the enclosed prices, subject to the regularly established terms, conditions and freight allowances.

Architects, Plumbers and Jobbers should bear in mind that these prices include freight charges only to such jobbing points that are within the immediate range of our Factory at Port Hope. Therefore, when any material is wanted for delivery to other than these jobbing points, as mentioned below, sufficient allowance should be made for delivery charges.

ALL "STANDARD IDEAL" Ware that is regularly carried in stock by Jobbers may be obtained through them at the prices quoted herein in any of the following Jobbing Points:

| | |
|--------------------|------------------|
| Galt, Ont. | Ottawa, Ont. |
| Halifax, N.S. | Quebec, Que. |
| Hamilton, Ont. | St. John, N.B. |
| London, Ont. | Sherbrooke, Que. |
| Montreal, Que. | Toronto, Ont. |
| North Sydney, N.S. | Windsor, Ont. |

In order to estimate freight charges on our products, we have given in Schedule 7 the freight rates from nearest Jobbing and Manufacturing Points to the principal cities and towns in Canada. These rates, together with the approximate shipping weights shown for each fixture, will enable the purchaser to estimate delivered costs.

FREIGHT ALLOWANCES

On Shipments to Plumbers' Stocks in Towns adjacent to the following cities:

Galt, Ontario
Hamilton, Ontario
London, Ontario
Windsor, Ontario
Toronto, Ontario

freight will be equalized with the lowest rate obtainable from nearest Jobbing Point.

On Shipments to Plumbers' Stocks in Towns adjacent to the following cities:

Montreal, Que.
Ottawa, Ontario
Quebec, Que.
Sherbrooke, Que.

no freight will be allowed.

On Shipments to Towns adjacent to the following cities:

Halifax, N.S.
North Sydney, N.S.
St. John, N.B.

freight will be equalized with the lowest rate obtainable from nearest Jobbing Point.

Aug. 15, 1914

HOW AND HOW NOT TO TREAT PORCELAIN ENAM- ELED IRON SANITARY WARE

There appears to be a general impression that enameled ware can withstand any amount of abuse because the base is composed of cast iron. While the casting part can withstand considerable shock without breaking, the enamel coating is of porcelain composition and is fragile, and, if the article is subjected to strains or shocks, this coating will craze or crack in the same manner as will china.


To correct this erroneous impression, and to prevent existing abuses, we are issuing this information showing how and how not to handle and treat porcelain enameled iron sanitary ware.

1. **Handling**—Enameled ware should be handled carefully and no more than necessary.




2. **Examining Ware**—Enameled ware should be examined through the crates for defects in this manner. [See sketch.]

3. Dealers should not uncrate and recrate, as crating should be done at the factory by experienced men.



4. Ware should always be placed under cover in clean, dry, weatherproof storage. [See sketch.]




5. Do not leave it outside exposed to the weather. [See sketch.] We will not be responsible for ware not properly housed.



6. Do not handle enameled ware like ordinary iron castings. [See sketch.] A china dish will break if dropped.


an
pi
ve
co

7. Do not rack or "walk" enameled ware. [See sketch.] Use a truck for transporting from place to place.



8. Do not deliver ware to job until ready for installation.

9. In delivering ware, send out in clean, original package or crate. [See sketch.]



10. Do not dray enameled ware piled on pipe and fittings so it can roll around, and do not pile anything on top of it. [See sketch.] To prevent jars and strains in carting, load enameled ware compactly and carefully.

11. Be careful in uncrating. Do not come in contact with the article with a hammer or other tool used in opening the crate.



12. Install ware after the plastering is done so that it does not become mussed up with mortar and sand. If necessary to install before plastering, protect the article in this manner. [See sketch.]




13. Do not use as a receptacle for tools. [See sketch.]

14. Use extreme care in connecting fittings on decorated tube so the decoration will not become soiled.

[See sketch.]





15. Do not hammer bath tub legs into position. [See sketch.]

16. Do not permit anyone to stand in ware. [See sketch.]




17. Do not permit ware to be used as a scaffolding. [See sketch.]



18. Do not use coarse, gritty scouring soap to clean enameled ware as it destroys the gloss. One would not clean fine glass or china in that manner.

19. Do not use acid on enameled sanitary ware. This enamel is not intended for laboratory use.



20. Do not drill enameled ware. [See sketch.] This should be done by the manufacturer before the article is enameled.

21. Do not cut out with saw the openings for supply pipes in flat rim sinks. [See sketch.] This should be done at the factory before the ware is enameled.



22. Do not be hypercritical in inspecting. Be fair, and remember that absolute perfection is not guaranteed or commercially possible.

The Standard Ideal Company Inc.

Standard
Ideal

TIN ENAMELS

(1) THE OLD RELIABLE ENAMELS MADE WITH TIN OXIDE ARE MORE DURABLE, MORE ABLE TO RESIST SUDDEN CHANGES IN TEMPERATURE, AND ARE MORE UNIFORM IN COLOR THAN THOSE CONTAINING TIN OXIDE SUBSTITUTES.

(2) ALL "STANDARD IDEAL" ENAMELS CONTAIN OXIDE OF TIN.

(3) The Art of Enameling or covering Metals with Glass, is a very old one. The earliest applications of Enamel to Metal was in the formation of Art Objects. The first Enamellers made up various Enamels in very small quantities, ground in mortars, and fused to the Metals by means of Blow-Pipes. Some very famous examples of such Art are still in existence.

(4) The Enameling of Metal is very different from the Enameling of objects made of Clay, and while Enameled Clay Ware is found among Egyptian Ruins, the enameling of Metal did not start until the Middle Ages.

(5) The Enamels used for the formation of Art Objects consisted almost entirely of Lead Silicate, colored with various Metallic Oxides. The covering of Metal Articles for sanitary and culinary purposes was inaugurated by the Germans. They were the "Pioneers" in the Enameling of Iron and Steel. On account of lightness, steel articles, with a silicious coating, offered a very attractive proposition, and from the impetus given the Art by the Germans there has grown up an enormous business.

(6) The covering of Cast Iron Articles used for Sanitary purposes presents a very different problem from that of the Steel Industry. It is comparatively recently that the Art of covering Cast Iron

Aug. 15, 1914

has been brought to a high degree of excellence, BUT THIS PERFECTION SHOULD NOT BE EXPERIMENTED WITH IN THE ATTEMPT TO REDUCE THE COST OF PRODUCTION.

(7) The Enamel used on Cast Iron is a complex silicate and borate of metallic oxide, colored white, with a suitable clouding media, and the requirements as to lustre, color, smoothness, etc., are extremely rigorous.

(8) In the formation of Enamels, the raw materials are mixed and introduced into a Reverberatory Furnace, and melted to a homogeneous mass, at a temperature approximating 1800 degrees Fah. Quantities of 1,000 to 2,000 pounds are melted at one time.

(9) When the Enamel Mass is melted into a Fluid, it is run into water, which granulates it. It is then ground in Ball Mills to fineness sufficient to allow all of it to pass through a screen of 70 mesh to the inch. It is then ready for the Enameling of Metal.

(10) Generally speaking, the Enameling of Cast Iron Ware starts in the Foundry. The production of smooth, homogeneous castings of definite chemical composition is necessary. Castings uneven in thickness, having improper curves, or abrupt projections, are unfitted for enameling. After leaving the Foundry, the castings are cleaned by being subjected to the action of a stream of Steel Shot or Sand, projected from a nozzle by a jet of air of fifty pounds pressure per square inch. This pulverizes and removes all dirt and sand from the Castings. They are then ground and rubbed with Abrasive Stones, taking off all small bits of adhering metal.

(11) The next process consists in covering the surfaces of the enamel with a neutral first coat of enamel. This is applied wet, and after drying, it is burned on to the Ware at a temperature of about 1700 degrees Fah. THE PURPOSE OF THIS ENAMEL COATING IS TO ACT AS A BOND FOR THE FINAL COATS, AND ALSO AS A PROTECTION AGAINST CHEMICAL ACTION APT TO BE SET UP BETWEEN THE SENSITIVE WHITE ENAMEL AND THE METAL. After fusing the First Coat, the pulverized White Enamel is sifted on to the Ware while red hot, the hot casting fusing the Powder as it falls upon it.

(12) The Ware is reintroduced into the Furnace, and the Enamel fused to a smooth finish. Numerous layers are applied in this way, and fused on at a temperature of 1700 deg. Fah. After cooling, the Ware is subjected to several tests to determine durability.

(13) THE FIRST IDEA IN COVERING METAL OBJECTS WITH GLASS COATING WAS TO OBTAIN A DURABLE, PROTEC-

Aug. 15, 1914

TIVE COAT FOR THE METAL. THE CLEANLINESS AND LIGHTNESS OF SUCH ARTICLES WAS, OF COURSE, A CONSIDERABLE FACTOR. OF LATE YEARS, THE DESIRE FOR COMPLICATED DESIGNS, FANTASTIC CURVES AND IMPOSIBLE SHAPES HAS STRAINED THE SKILL OF THE ENAMEL TECHNOLOGIST TO THE LIMIT IN THE ENDEAVOR TO FORMULATE AN ENAMEL WHICH WOULD MEET THESE REQUIREMENTS.

(14) As stated before, Cast Iron Enamel is essentially a compound of Oxides with Silica, colored white, with some suitable clouding media. THE OLD RELIABLE MATERIAL FOR MAKING ENAMEL WHITE IS TIN OXIDE. THE PRICE OF THIS INGREDIENT IS IN THE NEIGHBORHOOD OF 450. PER POUND. This price has caused a very earnest attempt to be made by many Manufacturers to FIND SUBSTITUTES. TIN IS A VERY SOFT METALLIC METAL, WITH A HIGH SPECIFIC GRAVITY. ITS OXIDE IS HEAVY, AND IMPARTS TO ENAMELS A PECULIAR METALLIC TOUGHNESS, WHICH NONE OF THE SUBSTITUTES ARE ABLE TO IMPART. THE OLD RELIABLE ENAMELS MADE WITH TIN OXIDE ARE MORE DURABLE, MORE ABLE TO RESIST SUDDEN CHANGES, AND ARE MORE UNIFORM IN COLOR. POUND FOR POUND, THERE IS NO CLOUDING MEDIA THAT EQUALS TIN OXIDE, AND ALLOWS THE APPLYING OF A THIN COAT OF ENAMEL TO THE WARE.

(15) THE THINNER THE COAT OF ENAMEL, THE MORE ELASTIC IT IS, AND THE LESS DANGER THERE IS OF DEFECTS DEVELOPING. As a matter of fact, a piece of Ware which is slightly rough is oft-times more durable than a piece which has been covered heavily, and burned hard to obtain a smooth surface.

(16) ENAMELS CLOUDED WITH TIN SUBSTITUTES NEED TO BE USED HEAVIER THAN THE GENUINE TIN ENAMELS, IN ORDER TO COVER THE METAL PROPERLY.

(17) "STANDARD IDEAL" WARE IS MADE WITH HIGH-GRADE PIG IRON SMELTED FROM THE BEST LAKE SUPERIOR ORES. WE USE NO SCRAP IRON. Our Pig Iron is smelted with extra selected Coke, made in especially designed Coke Ovens. The materials used in our Enamels are of the highest grade obtainable. WE USE NO SECOND QUALITY OR CHEAP SUBSTITUTES IN THE CONSTRUCTION OF OUR CASTINGS OR COMPOSITION OF OUR ENAMEL.

Aug. 15, 1914

(18) Our Ware is burned in special Furnaces, so built that the Ware is kept free from contaminating influences of gases or fumes.

(19) OUR OBJECT IS TO TURN OUT A PRODUCT WHICH IS NOT ONLY A COMMERCIAL PRODUCT, BUT ALSO A CREDIT TO THE ENAMELERS' ART, AND THIS CAN ONLY BE ACCOMPLISHED BY THE LIBERAL USE OF OXIDE OF TIN.


The Standard Sdeal Company Ltd.

Aug. 15, 1914

The Standard Book Company, Inc.

The Standard Ideal Company Ltd.

Page 1



Alexander
Ware

"Purple and Gold"
Label Grade.

Clay (frequently termed Solid Porcelain) Baths are merely a solid mass of porous clay, and process of enamel, applied in liquid form. Owing to their composition of strength and durability as iron fixtures besides they are extremely heavy and cumbersome to handle, and on account of their thickness require time and quantities of hot water to heat. They are very UNSANITARY in that the slightest defect in the enamel coating will instantly permit the porous fire clay to gradually absorb water and remain damp long after draining, become discolored, eventually emitting unsanitary and objectionable odors resulting from their damp and waterlogged condition.

Alexander Ware Baths are equally as massive and elaborate in design and appearance, and, in addition, they are absolutely sanitary. Made in two parts, the tub body (enameled inside) is encased in a one-piece outer casing (enameled outside) thus providing a space for the circulation of pure air. They are constructed of cast iron heavily covered with porcelain enamel applied in powder form and burned into the pores of the iron, providing a smooth, hard, impervious white enameled surface far superior to any finish obtainable by wet process. They are lighter in weight, easier to handle and heat, durable and absolutely sanitary—they cannot become damp or waterlogged, because the iron could not absorb water even without any enamel coating.

Alexander Ware is distinctly a superior quality line, not sold on price, but bearing all the attributes usually considered when selecting material for a finely appointed home, hotel, etc.

NOTE.—Alexander Ware Levatories, except F067, are all made in one piece.

Schedule 1
Aug. 15, 1914

The Standard Ideal Company Ltd.

Page 2

Drillings for *Alexandra Marc* will be designated on the ensuing pages as follows:

Bath Tube.

| | |
|--|---|
| LOW BELL Supply and Waste Fitting OUTSIDE of Rim AT END..... | B |
| LOW BELL Supply and Waste Fitting THRU RIM AT END..... | F |
| LOW BELL Supply and Waste Fitting THRU RIM AT CENTER..... | G |
| TOP BELL Supply and Waste Fitting THRU WALL and Open Standing Waste..... | I |
| TOP BELL Supply and Waste Fitting OUTSIDE of Rim AT END..... | J |
| TOP BELL Supply and Waste Fitting for FO19..... | K |
| Special Supply and Waste Fitting OUTSIDE AT SIDE NEAR END..... | L |
| LOW BELL Supply and Waste Fitting OUTSIDE AT CENTER OF SIDE..... | M |
| LOW BELL Supply and Waste Fitting OUTSIDE AT END..... | N |

Lavatories.

| | |
|--|---|
| Patent Overflow or Depressed Overflow..... | L |
| "Ideal" Waste..... | M |
| Combined Supply and Waste Fitting..... | N |
| "Perfection" Lift Waste..... | O |
| "Pop-up" Waste at Back of Overflow..... | F |
| "Open" Standing Waste..... | R |

Bath Tub
Drillings

*Alexandra
Marc*

Lavatory
Drillings

Schedule 1
Aug. 15, 1914

The Standard Ideal Company Ltd.

The Standard Ideal Company Ltd.

Page 3

BRASS FITTINGS

For

Alexandra
Mar


BATHS

| Fitting Number | Alexandra Mar Bath Fittings | Price |
|----------------|---|---------|
| B-100 | LOW BELL Supply and Waste Fitting, with 3/4" Supplies and 1" COMPRESSION VALVES, for use OUTSIDE, at END. | \$28.75 |
| L-101 | *SAME, except for use OUTSIDE, at SIDE NEAR END. | \$28.75 |
| M-102 | *SAME, except for use OUTSIDE, at CENTER OF SIDE. | \$30.36 |
| B-105 | *Same as B-100, except with 1" FULLER VALVES. | \$30.00 |
| L-106 | *Same as L-101, except with 1" FULLER VALVES. | \$30.00 |
| M-107 | *Same as M-102, except with 1" FULLER VALVES. | \$31.60 |
| J-110 | *TOP BELL Supply and Waste Fitting with 3/4" Supplies and 1" COMPRESSION VALVES, for use Outside of Rim, at End. | \$26.75 |
| B-111 | *LOW BELL and OVER-RIM Supply and Waste Fitting with 3/4" Supplies, 1" COMPRESSION VALVES, Shampoo Hose and Sprinkler, for use Outside of Rim, at End (F704). | \$39.25 |

* Fittings marked with asterisk (*) are made up especially for us from our own blue prints and patterns. See White Sheet No. 7.
See notes about Handles and Valves on page 4.

Schedule 1

Aug. 15, 1914



The Standard Ideal Company Ltd.

Page 4

BRASS
FITTINGS

For

Alexandra

Wart

BATHS

| Fitting Number | Alexandra Ware Bath Fittings | Price |
|----------------|---|---------|
| I-112 | *TOP BELL Supply Fitting, THRU WALL, at End with $\frac{1}{4}$ " COMPRESSION VALVES and Open Standing Waste (For F09 and F010). | \$24.30 |
| J-115 | *Same as J-110, except with 1" FULLER VALVES. | \$28.00 |
| B-116 | *Same as B-111, except with 1" FULLER VALVES. | \$40.50 |
| K-120 | *SPECIAL Supply and Waste Fitting with $\frac{1}{4}$ " Supplies, 1" COMPRESSION VALVES for F019 Bath. | \$29.55 |
| K-125 | *Same, except with 1" FULLER VALVES. | \$30.80 |
| W-130 | *Bell Supply and Waste Fitting with $\frac{1}{4}$ " Supplies, $\frac{1}{4}$ " COMPRESSION VALVES, Liver Spray and Bidet for F081 Sitz Bath. | \$49.60 |
| W-131 | *Bell Supply and Waste Fitting with $\frac{1}{4}$ " Supplies and $\frac{1}{4}$ " COMPRESSION VALVES for F035 Foot Bath. | \$23.30 |
| W-135 | *Same as W-130, except with $\frac{1}{4}$ " FULLER VALVES. | \$50.85 |
| W-136 | *Same as W-131, except with $\frac{1}{4}$ " FULLER VALVES. | \$24.55 |

Fuller Bath Fittings are supplied with China Lever Handles. Compression Valves have Four-arm (N. P. Center) China Handles. CHINA WASTE KNOB is supplied with all "Alexandra Ware" Bath Fittings.

QUICK-OPENING COMPRESSION VALVES can be furnished instead of Regular Compression or Fuller Valves, at same prices as quoted above for Compression Fittings.

* Fittings marked with asterisk (*) are made up especially for us from our own blue prints and patterns. See White Sheet No. 7.

Schedule 1
Aug. 15, 1914

The Standard Ideal Company Ltd.

| Fitting Number | Alexander Ware Lavatory Fitting Combinations | | | | Price |
|---------------------|--|-------------|----------------------------|----------------------------|---------|
| | Waste | Faucets | Supplies | Trap | |
| L-175 | | F793 | F742— $\frac{1}{2}$ " | F740— $1\frac{1}{2}$ " | \$ 9.15 |
| L-176 | | F766 (L.S.) | F742— $\frac{3}{4}$ " | F740— $1\frac{1}{2}$ " | \$ 7.75 |
| L-177 | | F766 (L.S.) | F741— $\frac{1}{2}$ " | F740— $1\frac{1}{2}$ " | \$ 6.10 |
| M-180 | *F729 (O.K.). | F-793 | F742— $\frac{1}{2}$ " | F736— $1\frac{1}{2}$ " | \$16.60 |
| M-181 | *F729 (O.K.). | F 793 | F741— $\frac{1}{2}$ " | F736— $1\frac{1}{2}$ " | \$14.95 |
| N-185 | *FULLER Comb. S. and W. Ftg. | | F742— $\frac{1}{2}$ " | F736— $1\frac{1}{2}$ " | \$22.05 |
| N-185 $\frac{1}{2}$ | *Same. | | F742— $\frac{1}{2}$ " | F736— $1\frac{1}{2}$ " | \$21.35 |
| N-186 | *Same (2 sets). | | F742— $\frac{1}{2}$ "(2pr) | F736— $1\frac{1}{2}$ " (2) | \$44.10 |
| N-187 | *Same (Double, F084). | | | F737— $1\frac{1}{2}$ " | \$41.45 |
| N-190 | *Same as N-185, except with COMPRESSION VALVES. | | | | \$22.05 |
| N-190 $\frac{1}{2}$ | *Same as N-185 $\frac{1}{2}$, except with COMPRESSION VALVES. | | | | \$21.35 |
| N-191 | *Same as N-186, except with COMPRESSION VALVES. (2) | | | | \$44.10 |
| N-192 | *Same as N-187, except with COMPRESSION VALVES. | | | | \$41.45 |

China Lever Handles for Fuller and Four-arm (N. P. Center) Handles for Compression Valves and China Waste Knob supplied with Comb. S. and W. Ftg.

(O.K.) China Knob. (L.S.) Long Spout.

* Fittings marked with asterisk (*) are made up especially for us from our own blue prints and patterns. See White Sheet No. 7.


The Standard Ideal Company Ltd.

Page 4

BRASS
FITTINGS

INDIVIDUAL PARTS *Alexandra Ware* LAVATORY FITTINGS

Prices



* Combined Supply and Waste Fitting with Compression Valves.
Four-arm (N.P. Center), China Handles and China Waste Knob.
Less Supply Pipes and Trap, FOR SINGLE BOWLS.

\$16.20

Same for TWO BOWLS (F080-F082).


\$32.40

Same for TWO-BOWLS (F084).

\$38.90 For

FULLER VALVES, with China Lever Handles, same price as Compression Valves.

*Alexandra
Ware*
LAVATORIES



"Ideal" Waste, 1 1/4", with China Knob.

\$ 6.75

F729*

* Fittings marked with asterisk (*) are made up especially for us from our own blue prints and patterns. See White Sheet No. 7.

Schedule 1
Aug. 15, 1914

The Standard Ideal Company Ltd.

The Standard Ideal Company Ltd.

Page 7

BRASS FITTINGS



| Plate | INDIVIDUAL PARTS Alexandra Ware LAVATORY FITTINGS | Prices |
|-------|---|----------------------------------|
| F734 | Close Connection Trap, Vented, Less Plug. | 1 1/4" \$ 3.50 1 1/2" \$ 4.30 |
| F736 | Same, without Vent. | 1 1/4" \$ 2.25 1 1/2" \$ 2.95 |
| | If with Plug, add | .55 |
| F7 7 | "G" Trap, Vented, with Plug. | 1 1/4" \$ 2.50 1 1/2" \$ 2.95 |
| F738 | Same, without Vent. | 1 1/4" \$ 2.10 1 1/2" \$ 2.45 |
| | If without Plug, deduct | \$.40 |
| F739 | "P" Trap, Vented, with Plug. | 1 1/4" \$ 2.15 1 1/2" \$ 2.65 |
| F740 | Same, without Vent. | 1 1/4" \$ 1.85 1 1/2" \$ 2.25 |
| | If without Plug, deduct | \$.40 |

For
**Alexandra
Ware**
LAVATORIES

NOTE—1 1/2" Trap should be used with all "Alexandra Ware" Lavatories, except F089 and F090.

Fittings marked with asterisk () are made up especially for us from our own blue prints and patterns. See White Sheet No. 7.

Schedule 1
Aug. 15, 1914



The Standard Ideal Company Ltd.

| INDIVIDUAL PARTS | | | |
|------------------------------------|---|----------------------|---------|
| <i>Alexandra</i> LAVATORY FITTINGS | | | |
| Plate | | | Prices |
| F741 | Supply Pipe, TO WALL, Plain. | Pair $\frac{3}{4}$ " | \$ 1.25 |
| F742 | Same, with Stop | Pair $\frac{3}{4}$ " | \$ 2.90 |
| F747 | Supply Pipe, TO FLOOR, Plain. | Pair $\frac{3}{4}$ " | \$ 1.35 |
| F748 | Same, with Stop. | Pair $\frac{3}{4}$ " | \$ 3.00 |
| F766 | Compression Faucet, with S.B. Four-ball Handle, China Index, Long or Short Spout. | Pair | \$ 2.60 |
| F766 $\frac{1}{2}$ | Same, with 4-arm (N.P. Center), China Handle. | Pair | \$ 3.10 |
| F769 $\frac{1}{2}$ | MIDGET Pattern Compression Faucet, Four-ball Handle, China Index. | Pair | \$ 2.00 |


For

*Alexandra**Mart*

LAVATORIES

Schedule 1
Aug. 15, 1914

* Fittings marked with asterisk (*) are made up especially for us from our own blue prints and patterns. See White Sheet No. 7.



The Standard Ideal Company Ltd.

Part II

BRASS
FITTINGS

| INDIVIDUAL PARTS | | Prices |
|------------------|--|-------------------|
| Plate | Alexandra Bath LAVATORY FITTINGS | |
| F780 | No. 0 Fuller Faucet, Brass Handle. | Pair \$2.15 |
| F780 1/2 | Same, with China Handle and Index. | Pair \$3.50 |
| F792 | TORRANCE Pattern Fuller Faucet with CHINA BASE, Handles and Index. | China Pair \$5.50 |
| F793 | Same, with China Handles and Index. | Pair \$4.00 |



For

Alexandra

Bath

LAVATORIES

* Fittings marked with asterisk (*) are made up especially for us from our own blue prints and patterns. See White Sheet No. 7.

Schedule 1
Aug. 15, 1914

The Standard Sdeal Company Ltd.

Page 10

BATHS

Alexandra
Marc

| Plate | Rim | Width | Depth | Outlet | Drilling and Fittings | Ensm. Ext. | |
|------------------|----------------|------------------|------------------|----------------------------|-----------------------|-----------------|------------------------------|
| | | | | | | 5' | 5 1/2' |
| F01 F02 | 3 1/2 3 1/2 | 32 1/2 32 1/2 | 18 1/4 18 3/4 | Center Center Weight | M-107 M-107* | | \$144.95 \$144.95 1040 |
| F03 F04 | 3 1/2 3 1/2 | 32 1/2 32 1/2 | 18 1/4 18 3/4 | Center Center Weight | M-107 M-107* | | \$144.95 \$144.95 1040 |
| F05 F06 | 3 1/2 3 1/2 | 32 1/2 32 1/2 | 18 1/4 18 3/4 | Center Center Weight | M-107 M-107* | | \$144.95 \$144.95 1040 |
| F09 F08 1/2 | 3 1/4 3 1/4 | 31 31 | 19 1/8 19 1/8 | End End Weight | I-112 L-106 | \$ 88.60 725 | \$ 94.95 \$ 94.95 800 |
| F010 F010 1/2 | 3 1/4 3 1/4 | 30 1/4 30 1/4 | 18 3/4 18 3/4 | End End Weight | I-112 L-106 | | \$133.20 \$133.20 900 |

Open
Pattern

Recess

R. or L. Cor.

Schedule 1
Aug. 15, 1914

■ Showers not included. Prices of showers are quoted on page 19 (Schedule 2).
All prices include packing.
For Schedule of Drilling and Fitting prices, see pages 2-4.
F09 and F010 have Recessed Outlet for Open Standing Waste.
Zinc White Finished Exterior, instead of Enameled All-Over, can be furnished if desired. Prices on application



The Standard Sdeal Company Ltd.

F09 and F010 have Recessed Outlet for Open Standing Waste.
Zinc White Finished Exterior, instead of Enameled All-Over, can be furnished
if desired. Prices on application

Aug. 15, 1914

The Standard Ideal Company Ltd.

Page 11

BATHS

**Alexander
Ware**

R. or L. Cor.

On Round
Block Feet

On Base

On Round
Block Feet


R. or L. Cor.

Schedule 1

Aug. 15, 1914

| Plate | Rim | Width | Depth | Outlet | Drilling and Fittings | Enam. Ext. |
|----------------------|-------------------------|----------------------------|----------------------------|-----------------------------|-----------------------------|---|
| F011 | 3 1/4 | 30 3/8 | 18 1/2 | End Weight | B-105 | 5' 5 1/2' \$127.35 900 \$135.20 1000 |
| F012 | 3 1/4 | 32 1/4 | 20 1/4 | End Weight | J-115 | \$123.80 910 \$129.30 1025 |
| F013 F014 | 3 1/4 3 1/2 | 32 1/4 32 1/2 | 20 1/4 20 1/4 | End End Weight | J-115 J-115* | \$133.20 975 \$130.45 1075 |
| F015 F016 F017 | 2 3/4 2 3/4 2 3/4 | 30 1/4 30 1/4 30 1/4 | 17 1/4 17 1/4 17 1/4 | End End End Weight | J-115 B-116 J-115* | \$98.05 \$105.85 \$98.05 \$105.85 \$98.05 \$105.85 750 860 |
| F019 | 3 3/4 | 31 1/2 | 20 1/4 | End Weight | K-125 | \$123.80 850 \$131.60 950 |

* Showers not included. Prices of showers are quoted on page 19 (Schedule 2).
All prices include packing.
For Schedule of Drilling and Fitting prices, see page 2-4.
Zinc White finished Exterior, instead of Enameled All-Over, can be furnished,
if desired. Prices upon application.



Alexandra
Marc

The Standard Ideal Company Ltd.

| Plate | Rim | Length | Width | Depth | Drilling and Fittings | Weight | Price, Enam. Exterior |
|-------|-------|--------|--------|--------|-----------------------------|--------|-----------------------------|
| F031 | 2 1/4 | 29 | 26 1/4 | 10 1/4 | W-136 | 326 | \$51.95 |
| F035 | 2 1/4 | 23 1/4 | 19 1/4 | 11 | W-136 | 230 | \$32.50 |



Sitz Bath

Foot Bath

All Prices include packing.

For Schedule of Drilling and Fitting prices, see page 4.

Zinc White Finished Exterior can be furnished instead of Enameled All-Over,
if desired. Prices upon application.

Schedule 1
Aug. 15, 1914

The Standard Ideal Company Ltd.

| Plate | Rim | Length | Width | Depth | Furnished with | Weight | Prices, Enam. Ex. |
|-------|-------|--------|--------|-------|------------------------|--------|----------------------|
| F041 | 3 1/4 | 36 1/4 | 38 1/4 | 6 1/2 | Strainer and Coupling. | 240 | \$ 51.95 |
| F040 | 3 | 39 1/4 | 38 3/4 | 6 | Shower and Receptor. | | \$169.60 |
| F042 | 3 | 39 1/4 | 38 3/4 | 6 | Strainer and Coupling. | 250 | \$ 48.10 |
| F043 | 3 1/4 | 36 1/4 | 38 1/4 | 6 1/4 | Strainer and Coupling. | 275 | \$ 51.95 |

Shower
Receptors

All prices include packing.

For prices on other styles of Showers, see page 19 of Schedule 2.

Fittings marked with asterisk () are made up especially for us from our own blue prints and patterns. See White Sheet No. 7.

Schedule 1
Aug. 15, 1914



The Standard Ideal Company Ltd.

Alexandra
Ware

Pedestal
Bidets
With
Fittings

| Plate | Length | Width | Height | Type | With Fittings | Weight | Prices, Enam. Ex. |
|-------|------------------|------------------|------------------|----------------------------|--------------------------------------|--------|----------------------|
| F050 | 24 $\frac{1}{4}$ | 16 $\frac{1}{4}$ | 16 $\frac{1}{4}$ | Flushing Rim. | *Compression at Side and Rear. | 185 | \$85.50 |
| F051 | 24 $\frac{1}{4}$ | 16 $\frac{1}{4}$ | 16 $\frac{1}{4}$ | Flushing Rim. | *Fuller at Side and Rear. | 185 | \$93.00 |
| F052 | 30 | 17 | 16 $\frac{1}{4}$ | Flushing Rim, Ext. End. | *Compression through Ext. End. | 200 | \$93.00 |

Prices include Fittings.

All prices include packing.

Fittings marked with asterisk () are made up especially for us from our own blue prints and patterns. See White Sheet No. 7.

Schedule 1
Aug. 15, 1914



The Standard Ideal Company Ltd.

The Standard Ideal Company Ltd.

Page 15

LAVATORIES

Alexandra
Mare




| Plate | Nominal Size | Supported On | Bowl | Drillings and Fittings | Weight | Prices, Enameled Exterior |
|----------|--------------|--------------|--------------------|------------------------|--------|---------------------------|
| F077 | 24x30 | Pedestal. | OB-14 1/2 x 18 1/4 | M-180 | 260 | \$49.25 |
| F077 1/2 | 24x30 | Pedestal. | OB-14 1/2 x 18 1/4 | N-185 | 260 | \$49.25 |
| F078 | 24x27 | Cen. Leg. | D-12 1/2 x 17 1/4 | M-180 | 200 | \$38.30 |
| F078 1/2 | 24x27 | Cen. Leg. | D-12 1/2 x 17 1/4 | N-185 | 200 | \$38.30 |
| F079 | 24x27 | Cen. Leg. | D-13 1/2 x 19 1/4 | M-180 | 190 | \$36.75 |
| F079 1/2 | 24x27 | Cen. Leg. | D-13 1/2 x 19 1/4 | N-185 | 190 | \$36.75 |

Prices include packing.

NOTE—F077, F078, F079, F087, F088 Patterns have been changed to accommodate "Ideal" Waste. Hereafter these lavatories will be furnished with this drilling regularly instead of "L" drilling or Depressed Overflow.

For Schedule of Drilling and Fitting prices, see pages 2-9.

Schedule 1
Aug. 15, 1914



The Standard Ideal Company Ltd.

Alexandra Ware

| Plate | Nominal Size | Supported on | Bowl | Drillings and Fittings | Weight | Prices, Enameled Exterior |
|-------|--------------|--------------|-----------|------------------------|--------|---------------------------|
| F080 | 27x61 | Ena. Legs. | O-14½x19½ | N-186 | 440 | \$87.85 |
| F081 | 24x43 | Ena. Legs. | O-14½x19 | N-186 | 300 | \$45.70 |
| F082 | 25x48 | Ena. Legs. | O-14x19 | N-186 | 370 | \$56.60 |
| F082½ | 25x48 | Pedestal. | O-14x19 | N-186 | | \$84.00 |

Schedule 1
Aug. 15, 1914

Prices include packing.
For Schedule of Drilling and Fitting prices, see pages 2-9.



The Standard Ideal Company Ltd.

Page 17
LAVATORIES


Alexandra
Hall

| Plate | Nominal Size | Supported on | Bowl | Drillings and Fittings | Weight | Prices. Enameled Exterior |
|-------|--------------|--------------|--------------------------------------|------------------------|--------|---------------------------|
| F083 | 25x33 | Ena. Legs. | O-14 $\frac{1}{4}$ x18 $\frac{1}{4}$ | N-185 | 270 | \$40.60 |
| F084 | 25x45 | Pedestal. | D-12 $\frac{1}{4}$ x17 $\frac{1}{4}$ | N-187 | 400 | \$58.60 |
| F085 | 25x48 | Ena. Legs. | O-14 $\frac{1}{4}$ x19 $\frac{1}{4}$ | N-185 | 360 | \$56.60 |

Prices include packing.

For Schedule of Drilling and Fitting prices, see pages 2-9.

Schedule 1
Aug. 15, 1914



The Standard Ideal Company Ltd.

Alexandra Mare



Schedule 1
Aug. 15, 1914

| Plate | Nominal Size | Supported on | Bowl | Drillings and Fittings | Weight | Prices. Enameled Exterior |
|-------|--------------|--------------|-----------|------------------------|--------|---------------------------|
| F086 | 27x29 | Ena. Legs. | O-14½x18½ | N-185 | 260 | \$38.70 |
| F087 | 22x25x6½ | Cen. Leg. | O-12x16 | M-180 | 215 | \$30.00 |

Prices include packing.

NOTE—F077, F078, F079, F087, F088 Patterns have been changed to accommodate "Ideal" Waste. Hereafter these lavatories will be furnished with this drilling regularly instead of "L" drilling or Depressed Overflow.

For Schedule of Drilling and Fitting prices, see pages 2-9.



The Standard Ideal Co.

The Standard Ideal Company Ltd.

Page 19

LAVATORIES

Alexandra
Bare



| Plate | Nominal Size | Supported on | Bowl | Drillings and Fittings | Weight | Prices, Enameled Exterior |
|-------|----------------|--------------|-------------------|------------------------|--------|---------------------------|
| F088 | 24 1/4 x 5 1/4 | Con. Leg. | O-12x16 | M-180 | 1100 | \$26.80 |
| F089 | 24x34 | Pedestal. | D-13 1/4 x 17 1/4 | N-186 1/4 | 550 | \$34.35 |
| F090 | 24x34 | Ena. Brkts. | D-13 1/4 x 17 1/4 | N-186 1/4 | 200 | \$28.10 |

Prices include packing.

NOTE—F077, F078, F079, F087, F088 Patterns have been changed to accommodate "Ideal" Waste. Hereafter these lavatories will be furnished with this drilling regularly instead of "L" drilling or Depressed Overflow.

For Schedule of Drilling and Fitting prices, see pages 2-3.

Schedule 1
Aug. 15, 1914



The Standard Ideal Company Ltd.

Page 20

LAVATORIES

Alexandra
Ware

Toilet
Tables





Toilet
and
Manicure
Tables

Schedule 1
Aug. 15, 1914

| Plate | Size | Supported on | Fittings | Height | Prices |
|----------|-------|--------------|--|--------|-------------------------------|
| F091 | 25x48 | Ena. Legs. | | 315 | \$55.05 |
| F092 | 24x34 | Pedestal. | | 240 | \$40.25 |
| F092 1/2 | 18x33 | Brass Legs. | | 140 | \$39.25 |
| F093 | 18x33 | Brass Legs. | *Compression, thru Slab. 1 1/2" F736 Trap, extra Table and Legs only | 140 | \$63.45 \$ 2.25 \$39.25 |
| F094 | 18x33 | Brass Legs. | *Compression, thru Slab. 1 1/2" F736 Trap, extra Table and Legs only | 150 | \$74.00 \$ 2.25 \$41.60 |

All prices include packing.
F092 1/2, F093 and F094 can be supplied with Enameled Legs and Wall
Supports instead of Brass Legs. If so desired, deduct for F092 1/2 and F093
\$6.30; for F094 \$10.70.

Fittings are included in F093 and F094 prices.
* Fittings marked with asterisk (*) are made up especially for us from our
own blue prints and patterns. See White Sheet No. 7.
F092 1/2 Toilet Table same as F093 except without bowl.



The Standard Ideal Company Ltd

Page 1
BATHS

DRILLINGS

"Blue and Red" Label Grade

| | |
|--|--------|
| Baths for Ball Supply Fittings, extra per tub | \$1.50 |
| " for Standing Waste, " " " | |
| " with Cock Holes other than $3\frac{1}{4}$ " C. to C., extra per tub | \$.75 |
| Special Drillings for "Green and Gold" Label Grade Baths, no extra charge. | \$1.50 |

Drilling

Boxing and Crating

All prices quoted in these sheets INCLUDE REGULAR PACKING. On Bath Tubs that are regularly shipped Crated, an extra charge will be made if ordered with Exterior Finish, in which case they must be Boxed. The amounts of these extra charges and the Baths to which these charges apply are given immediately after changes for Exterior Finishes on page 3.

Packing

Grinding

For Grinding and Smoothing the exterior of any Bath Tub, Sits Tub, Foot Tub or Receptor, extra per tub, \$2.25.

Schedule 2
Aug. 15, 1914

The Standard Ideal Company Ltd.

| | |
|---|--------|
| ENAMELED BALL FEET, as shown and priced with Monarch, Baroness, Imperial, Oriental and Victoria Baths, can also be supplied with Empress, Emperor, Empire, Majestic and Mojeeka Baths. Extra per Tub | \$5.00 |
| ENAMELED ROUND BLOCK FEET, as shown and priced with Monarch, Baroness, Imperial and Victoria Baths, can also be supplied with Empress, Emperor, Empire, Majestic, Mojeeka and Oriental Baths. Extra per Tub | \$5.00 |
| ENAMELED SQUARE BLOCK FEET, as priced with Monarch, Baroness, Imperial, Oriental Baths, can also be supplied with Empress, Emperor, Empire, Majestic, Mojeeka and Victoria Baths. Extra per Tub | \$7.10 |

Enameled
FeetSchedule 2
Aug. 15, 1914

The Standard Ideal Company Ltd.

Page 3

BATHS

The Exterior of all Bath Tubs, Sitz and Foot Baths and Receptores, except where herein otherwise described, is furnished with one coat of common paint only. If ZINC WHITE FINISHED EXTERIOR is wanted, add extra. as follows:

| Type of Bath | No. 1 Z.W. Finish | No. 2 Z.W. Finish | Gold Lines or Bands Extra |
|--------------------------------|----------------------|----------------------|------------------------------|
| Regular Patterns..... | \$14.60 | \$10.10 | \$3.35 |
| Recess Patterns..... | 11.25 | 7.85 | 3.35 |
| Corner Patterns..... | 14.60 | 10.10 | 3.35 |
| Back to Wall Patterns..... | 18.00 | 13.50 | 3.35 |
| "Open" Patterns..... | 18.75 | 14.25 | 3.35 |
| Sitz Baths..... | 21.00 | 18.00 | 3.35 |
| Foot Baths and Receptores..... | 9.85 | 6.75 | 2.25 |
| | 7.85 | 5.10 | 1.70 |

Exterior
Finish

All Baths with Exterior Finish MUST BE BOXED.

For BOX INSTEAD OF ORATE, Add:

| Type of Bath | No. 1 Z.W. Finish | No. 2 Z.W. Finish | Gold Lines or Bands Extra |
|--------------------------------|----------------------|----------------------|------------------------------|
| Regular Patterns..... | \$14.60 | \$10.10 | \$3.35 |
| Recess Patterns..... | 11.25 | 7.85 | 3.35 |
| Corner Patterns..... | 14.60 | 10.10 | 3.35 |
| Back to Wall Patterns..... | 18.00 | 13.50 | 3.35 |
| "Open" Patterns..... | 18.75 | 14.25 | 3.35 |
| Sitz Baths..... | 21.00 | 18.00 | 3.35 |
| Foot Baths and Receptores..... | 9.85 | 6.75 | 2.25 |
| | 7.85 | 5.10 | 1.70 |

Extra

Charge

BOXING

Instead of

CRATING

Bath Tubs

Schedule 2

Aug. 15, 1914

NOTE—No additional charge is to be made for Boxing if exterior finish is furnished on bath not mentioned above, inasmuch as these baths are always shipped boxed for either plain or finished exterior.

The Standard Ideal Company Ltd.

Drillings for "VICTOR," "INTERCHANGEABLE PANEL" and "TILING"
Baths will be designated on the ensuing pages as follows:

| | At Outlet End | Side near End | Center of Side |
|---|---------------------|---------------------|----------------------|
| Double Bath Cock (Cock Holes, 3 1/4" C. to C.) and Combined Waste and Overflow. | A2 | | |
| Double Bath Cock (Cock Holes, 3 1/4" C. to C.) and Standing Waste OUTSIDE OF RIM. | B2 | | |
| Same, Standing Waste THRU RIM. | C2 | | |
| LOW BELL Supply and Waste Fitting OUTSIDE OF RIM. | D2 | D3 | D4 |
| Same, THRU RIM. | E2 | | E4 |
| Top Supply and Waste Fitting OUTSIDE OF RIM. | F2 | F3 | F4 |
| Same, THRU RIM. | H2 | | H4 |
| Concealed Fitting, Spout Supply, THRU WALL. | J2 | J3 | J4 |
| Concealed Fitting, Low Bell Supply, THRU WALL. | K2 | K3 | K4 |
| Concealed Fitting, Spout Supply, THRU WALL, with Combined Waste and Overflow. | L2 | | |
| Top Supply Fitting, thru wall at end with "Open" Standing Waste for FO9TB and FO10TB. | M2 | | |
| Special Supply and Waste Fitting for FO19TB. | N2 | | |

Drillings for
"VICTOR,"
"INTER-
CHANGE-
ABLE
PANEL"
and
"TILING"
Baths

Schedule 2

Aug. 15, 1914


"g" Drilling designates Special Drillings for Fittings or Showers. The Style and Location of fittings and shower or other essential drilling directions should always be specified.

"S" Drilling designates special Drilling for other essential drilling directions should always be specified.
of fittings and shower or other

The Standard Ideal Company Ltd

Page 5
BATHS
"Green and Gold"
Label Grade

The Ideal Bath—a High-Grade Fixture at a Low Price



The principle of the Victor Bath is a tub body with Base and Wing Plates CAST INTEGRAL, these plates being placed at various positions on the tub body to make any of six combinations.

In addition to the regular 3 1/2" Flat Rim type, an EXTENSION RIM can be furnished—5" Extension at the END or 6" Extension ALONG THE BACK.

FEATURES

ENAMELED ALL-OVER—Plain Exterior or Zinc White Finish.


A LOW TUB—With same inside dimensions as the regular patterns.

DRAIN—Outlet, Strainer and Waste Parts of Fitting are 2" size. Slope in bottom is 1 1/4", thus assuring QUICK DRAIN.

DIMENSIONS

| | Recess | Corner | Back to Wall | End to Wall | Open |
|----------------------------|--------------------|--------------------|--------------------|--------------------|--------------------|
| Length Over-all, 5', 5 1/2 | 60 1/2" 66 1/2" | 61 1/2" 67 1/2" | 62 1/2" 68 1/2" | 61 1/2" 67 1/2" | 62 1/2" 68 1/2" |
| Width Over-all, | 30 1/2" | 30 1/2" | 30 1/2" | 31 1/2" | 31 1/2" |

For 5" Extension Rim at End, add to Over-all Length 1 1/2".
For 6" Extension Rim along Back, add to Over-all Width 3 1/2".
Length inside, 5' 55 1/4"; 5 1/2', 61 1/2". Width inside, 24 1/4".
Width of Rim, 3 1/2". Base, 2 1/2".
Finished Floor to top of Rim, 18". Tile Strip, 1/2".
Depth inside at Outlet, 17 1/4".



Victor
BATHS

Schedule 2
Aug. 15, 1914

The Standard Ideal Company Ltd.

Page 6

BRASS FITTINGS

| FITTINGS FOR THE BATHS | China Lever Handles | | 4-Arm China Handles | |
|--|---------------------|---------|---------------------|---------|
| | Fitting No. | Price | Fitting No. | Price |
| 4 1/4 Fuller Bath Cock (3 1/4" O. to O.), 1/2" Supplies and *2" Combined Waste and Overflow, AT END. | A-500† | \$12.15 | A-505† | \$12.15 |
| Bath Cock only, as above | | \$ 2.80 | | \$ 2.80 |
| 1/2" Supplies only, as above | | \$ 1.70 | | \$ 1.70 |
| *2" C.W. & O. only, as above | | \$ 7.65 | | \$ 7.65 |
| 4 1/4 Fuller Bath Cock (3 1/4" O. to O.), 1/2" Supplies and *2" Standing Waste, OUTSIDE AT END. | B-501† | \$14.50 | B-506† | \$14.50 |
| *2" Standing Waste only, as above | | \$10.00 | | \$10.00 |
| Same, with *Standing Waste THRU RIM. | C-502† | \$15.00 | C-507† | \$15.00 |
| *2" Standing Waste only, as above. | | \$10.50 | | \$10.50 |
| *LOW BELL Supply and Waste Fitting, with 3/4" Supplies, Quick-opening Compression Valve for OUTSIDE, AT END. | D-510 | \$29.70 | D-515 | \$29.70 |
| *Same, for OUTSIDE, AT SIDE NEAR END. | D-511 | \$30.35 | D-516 | \$30.35 |
| *Same, for OUTSIDE, AT CENTER OF SIDE. | D-512 | \$31.25 | D-517 | \$31.25 |
| *Same, THRU RIM, AT EXPOSED END. | E-520 | \$31.05 | E-525 | \$31.05 |
| *Same, Exposed parts only, Nickel-plated, CENTER SIDE (Rear). | E-522 | \$31.05 | E-527 | \$31.05 |

* Fittings marked with asterisk (*) are made up especially for us from our own blue prints and patterns. See White Sheet No. 7.
1 1/4 Fuller Bath Cock, Brass Handle.
10 Compression Bath Cock, 4-Arm Indexed Handle.

NOTE—Fittings for "Victor" Baths require special waste connection to fit below finished floor. This is included as a part of the fitting, but will not be sold separately.

For

Victor
BATHS

Schedule 2
Aug. 15, 1914

NOTE—Fittings for "Victor" Baths require special waste connection to fit below finished floor. This is included as a part of the fitting, but will not be sold separately.

Aug. 15, 1914

Page 7

BRASS FITTINGS

The Standard Ideal Company Ltd.

FITTINGS FOR VICTOR BATHS

| | China Lever Handles | | 4-Arm China Handles | |
|---|---------------------|---------|---------------------|---------|
| | Fitting No. | Price | Fitting No. | Price |
| *CONCEALED FITTING, with Quick-opening Compression Valves, No Supply Pipes, SPOUT SUPPLY THRU-WALL AT END. | J-530 | \$33.30 | J-535 | \$33.30 |
| *Same, THRU-WALL AT SIDE NEAR END. | J-531 | \$33.95 | J-536 | \$33.95 |
| *Same, THRU-WALL AT CENTER OF SIDE. | J-532 | \$34.85 | J-537 | \$34.85 |
| *Same, except LOW BELL SUPPLY, THRU-WALL AT END. | K-540 | \$33.30 | K-545 | \$33.30 |
| *Same, except LOW BELL SUPPLY, THRU-WALL AT SIDE NEAR END. | K-541 | \$33.95 | K-546 | \$33.95 |
| *Same, except LOW BELL SUPPLY, THRU-WALL AT CENTER OF SIDE. | K-542 | \$34.85 | K-547 | \$34.85 |
| *CONCEALED FITTING, SPOUT SUPPLY with Quick-opening Compression Valves (No Supply Pipes), and Combined Waste and Overflow AT END. | L-550 | \$23.80 | L-555 | \$23.80 |

* Fittings marked with asterisk (*) are made up especially for us from our own blue prints and patterns. See White Sheet No. 7.

NOTE—Fittings for "Victor" Baths require special waste connection to fit below finished floor. This is included as a part of the fittings, but will not be sold separately.

For

Victor
BATHS

Schedule 2

Aug. 15, 1914

The Standard Ideal Company Ltd.

Page 8

BATHS

"Green and Gold"
Label Grade

3 1/2 in.
Flat Rim

Victor
Overhead

BATHS

| Plate | Type | Outlet at | Drilling and Fittings | Plain Exterior | | Enameled All-over | |
|--------------------------------------|--|---|----------------------------------|---|---|---|---|
| | | | | 5' | 5 1/2' | 5' | 5 1/2' |
| G-1600 G-1601 | Recess. Recess. | R.H. End L.H. End Weight. | J-535 D-516 | \$44.25 \$44.25 410 | \$49.65 \$49.65 470 | \$58.65 \$58.65 425 | \$64.05 \$64.05 485 |
| G-1610 G-1611 G-1620 G-1621 | R.H. Corner. R.H. Corner. L.H. Corner. L.H. Corner. | R.H. End R.H. End L.H. End L.H. End Weight. | K-541 D-515 D-515 J-535 | \$44.25 \$44.25 \$44.25 \$44.25 410 | \$49.65 \$49.65 \$49.65 \$49.65 470 | \$62.25 \$62.25 \$62.25 \$62.25 425 | \$67.65 \$67.65 \$67.65 \$67.65 485 |
| G-1630 G-1631 | Back to Wall Back to Wall | R.H. End L.H. End Weight | K-542 D-515 | \$44.25 \$44.25 410 | \$49.65 \$49.65 470 | \$65.85 \$65.85 425 | \$71.25 \$71.25 485 |
| G-1640 G-1641 | End to Wall. End to Wall. | Wall End Exp. End Weight. | K-545 D-515 | \$44.25 \$44.25 410 | \$49.65 \$49.65 470 | \$67.20 \$67.20 440 | \$72.60 \$72.60 500 |
| G-1650 | Open. | End Weight. | D-510 | \$44.25 380 | \$49.65 440 | \$70.80 400 | \$76.20 460 |

For schedule of Drilling and Fitting prices, see pages 4, 6, 7.

For Zinc White Finish, see page 3.

Enameled All-over Finish will be furnished unless otherwise ordered.

*Includes Crating Charge. †Includes Boxing Charge.

NOTE:—The description in the "Victor" Bath Booklet specifies D-3 Drilling for G-1601-D. This should read D-3 Drilling.

Schedule 2

Aug. 15, 1914

The Standard Ideal Company Ltd.

Page 9

The Standard Ideal Company Ltd.

Page 9

BATHS

"Green and Gold"
Label Grade

3½ in.
Flat Rim
5 in.
Extension
Rim at End

Victor
Overhead

BATHS

3½ in.
Flat Rim
6 in.
Extension
Rim Along
Brck

Schedule 2
Aug. 15, 1914


| Plate | Type | Outlet | Drilling and Fittings | *Plain Exterior | | †Enameled All-over | |
|--------------------------------------|--|---|-----------------------------|---|---|---|---|
| | | | | 8' | 5½' | 8' | 5½' |
| G-1613 G-1622 | R.H. Corner. L.H. Corner. | L.H. End R.H. End Weight. | 525 525 | \$54.75 \$54.75 435 | \$60.15 \$60.15 495 | \$72.75 \$72.75 450 | \$78.15 \$78.15 510 |
| G-1632 G-1633 | Back to Wall Back to Wall | R.H. End L.H. End Weight. | 525 525 | \$54.75 \$54.75 435 | \$60.15 \$60.15 495 | \$76.35 \$76.35 450 | \$81.75 \$81.75 510 |
| G-1643 | End to Wall. | Exp'd End Weight. | 525 | \$54.75 435 | \$60.15 495 | \$77.70 466 | \$83.10 525 |
| G-1652 | Open. | End Weight. | 525 | \$54.75 405 | \$60.15 465 | \$81.30 426 | \$86.70 485 |
| G-1604 G-1605 | Recess. Recess. | R.H. End L.H. End Weight. | † † | \$70.50 \$70.50 485 | \$75.90 \$75.90 545 | \$84.90 \$84.90 500 | \$90.30 \$90.30 560 |
| G-1614 G-1615 G-1624 G-1625 | R.H. Corner. R.H. Corner. L.H. Corner. L.H. Corner. | R.H. End L.H. End R.H. End L.H. End Weight. | † † † † | \$70.50 \$70.50 \$70.50 \$70.50 485 | \$75.90 \$75.90 \$75.90 \$75.90 545 | \$88.50 \$88.50 \$88.50 \$88.50 500 | \$93.90 \$93.90 \$93.90 \$93.90 560 |
| G-1634 G-1635 | Back to Wall Back to Wall | R.H. End L.H. End Weight. | † † | \$70.50 \$70.50 485 | \$75.90 \$75.90 545 | \$92.10 \$92.10 500 | \$97.50 \$97.50 560 |

For schedule of Drilling and Fitting prices, see pages 4, 6, 7.
For Zinc White Finish, see page 3.

Enameled All-over Finish will be furnished unless otherwise ordered.
* Includes crating charge.

† Styles of drillings and fittings desired should always be specified.

Note—The above plate numbers for "Victor" Baths with extension rim along back supersede those given on page 15 of the "Victor" Bath Booklet.



The Standard Ideal Company Ltd


Page 10.

BATHS

"Green and
Gold"
Label Grade

THE "INTERCHANGEABLE PANEL" BATH

A High Grade Fixture, beautiful in design and massive in appearance, that is purchasable at a medium price owing to its type of construction.



The principal feature of this bath is its adaptability to the various styles of installations. The same tub body is used to make any of six different combinations. Only two styles of Panels are required—End and Side—and these are interchangeable. The outlet is at the end. By simply reversing the tub it can be used for either right or left hand outlet.

Any style drilling can be furnished—for exposed or concealed fittings.

DIMENSIONS

Length, over Rims, 5', 63 $\frac{1}{4}$ "; 5 $\frac{1}{2}$ ', 60 $\frac{1}{2}$ ".
Length inside, 5', 58"; 5 $\frac{1}{2}$ ', 62".
Width of rim, 3 $\frac{3}{4}$ ".
Height to top of rim, 23 $\frac{1}{2}$ ".
Depth inside at outlet, 17 $\frac{1}{8}$ ".

Width over rims, 32 $\frac{1}{4}$ ".
Width inside, 24 $\frac{1}{4}$ ".
Rims tile, 1 $\frac{1}{4}$ " into wall.
Panels tile, $\frac{1}{2}$ " into floor.

"Interchange-
able Panel"
Baths

Schedule 2
Aug. 15, 1914

The Standard Ideal Co

The Standard Ideal Company Ltd.

Page 11

BRASS

FITTINGS

| | China Lever Handles | | 4-Arm China Handles | |
|--|---------------------|---------|---------------------|---------|
| | Fitting No. | Price | Fitting No. | Price |
| 1 FITTINGS FOR "INTERCHANGEABLE PANEL" AND "TILING" BATHS. | | | | |
| *LOW BELL Supply and Waste Fitting, with X" Supplies, Quick-opening Compression Valves, for OUTSIDE, AT END. | D-610 | \$27.45 | D-615 | \$27.45 |
| AT SIDE NEAR END. | D-611 | \$27.90 | D-616 | \$27.90 |
| AT CENTER OF SIDE. | D-612 | \$28.55 | D-617 | \$28.55 |
| *CONCEALED FITTING, with Quick-opening Compression Valves, No Supply Pipes, SPOUT SUPPLY, Thru Wall, AT END. | J-630 | \$30.40 | J-635 | \$30.40 |
| AT SIDE NEAR END. | J-631 | \$30.85 | J-636 | \$30.85 |
| AT CENTER OF SIDE. | J-632 | \$31.50 | J-637 | \$31.50 |
| *Same, except LOW BELL Supply, Thru Wall, AT END. | K-640 | \$30.40 | K-645 | \$30.40 |
| AT SIDE NEAR END. | K-641 | \$30.85 | K-646 | \$30.85 |
| AT CENTER OF SIDE. | K-642 | \$31.50 | K-647 | \$31.50 |

For
"INTER-
CHANGE-
ABLE
PANEL"
and
"TILING"
Baths

* Fittings marked with asterisk (*) are made up, especially for us from our own blue prints and patterns. See White Sheet No. 7.

Schedule 2

Aug. 15, 1914



The Standard Ideal Company Ltd.

| FITTINGS FOR "INTERCHANGEABLE PANEL" AND "TILING" BATHS | China Lever Handles | | 4-Arm China Handles | |
|--|------------------------|---------|------------------------|---------|
| | Fitting No. | Price | Fitting No. | Price |
| *Concealed Fitting, Spout Supply, Quick-opening Compression Valves, and Combined Waste and Overflow, less Supply Pipes, Thru Wall, at End. | L-650 | \$26.35 | L-655 | \$26.35 |
| *Supply and Waste Fitting, with $\frac{1}{2}$ " Compression Valves, Thru Wall at End, and Open Standing Waste for F09TB-F010TB. | | | M-665 | \$24.30 |
| *Supply and Waste Fitting, with $\frac{1}{2}$ " Supplies, $\frac{1}{4}$ " Quick-opening Compression Valves, for F019TB. | N-561 | \$24.30 | N-666 | \$24.30 |



For
"INTER-
CHANGE-
ABLE
PANEL"
and
"TILING"
Baths

* Fittings marked with asterisk (*) are made up especially for us from our own blue prints and pattern. See White Sheet No. 7.

The Standard Ideal Company Ltd.

"INTER-CHANGE-ABLE PANEL" Baths

| Plate | Type | Drilling and Fittings | 5' | 5 1/2' |
|---------|--|-----------------------|-----------------|-----------------|
| F021-IP | B.H. or L.H. CORNER, with Panels for Front and Side. Weight | D-610 | \$ 80.75 635 | \$ 86.90 680 |
| F022-IP | RECESS, with Front Panel. Weight | J-635 | \$ 72.30 565 | \$ 78.45 610 |
| F023-IP | END TO WALL, with Panels for Sides and Exposed End. Weight | J-635 | \$ 97.80 780 | \$105.05 850 |
| F024-IP | BACK TO WALL, with Panels for Side and Ends. Weight | D-610 | \$ 89.25 705 | \$ 95.40 750 |
| F027-IP | OPEN, with Panels for both Sides and Ends. Weight | D-610 | \$106.25 850 | \$113.55 920 |

For Schedule of Drilling and Fitting prices see pages 4-11-12.
Above prices include regular packing charges.



BATHS

"Green and
Gold"
Label Grade

The Standard Ideal Company Ltd.

"TILING"

BATHS

| Plate | Type | Rim | Wth. | Dth. | O. Jet | Drilling and Fittings | 5' | 5 1/4' |
|-------------|------------------|-------|--------|--------|-------------------|-----------------------------|----------------|----------------|
| F09-TB | Recess. | 3 1/2 | 31 | 19 1/2 | Recess. Weight | M-665 | | \$67.55 485 |
| F09 1/4-TB | Recess. | 3 1/2 | 31 | 19 1/2 | End. Weight | D-616 | \$61.50 420 | \$67.55 500 |
| F010-TB | R. or L. Corner. | 3 1/2 | 30 1/2 | 18 1/2 | Recess. Weight | M-665 | | \$67.55 450 |
| F010 1/4-TB | R. or L. Corner. | 3 1/2 | 30 1/2 | 18 1/2 | End. Weight | D-616 | | \$67.55 485 |
| F011-TB | R. or L. Corner. | 3 1/2 | 30 1/2 | 18 1/2 | End. Weight | D-615 | \$61.50 400 | \$67.55 450 |
| F019-TB | R. or L. Corner. | 3 1/2 | 31 1/2 | 20 1/2 | End. Weight | M-666 | \$61.50 400 | \$67.55 475 |

For Schedule of Drilling and Fitting prices, see pages 4-11-12.
Above prices include crating charge.

Schedule 2
Aug. 15, 1914

The Standard Ideal Company Ltd.

Page 16

BATHS

"Green and
Gold"
Label Grade

Drillings for
Regular
Bath Tubs

Schedule Z

Aug. 15, 1914

Drillings for Regular Baths will be designated on the ensuing pages as follows:

| | |
|--|---|
| Double Bath Cock and Combined Waste and Overflow, Cock Holes $3\frac{1}{2}$ " C. to C. | A |
| Double Bath Cock and Standing Waste OUTSIDE OF RIM, Cock Holes $3\frac{1}{2}$ " C. to C. | A |
| LOW BELL Supply and Waste Fitting OUTSIDE OF RIM AT END | B |
| Double Bath Cock and Standing Waste THRU RIM | B |
| LOW BELL Supply and Waste Fitting THRU RIM AT END | F |
| Same THRU RIM AT CENTER OF SIDE | G |
| TOP BELL Supply and Waste Fitting OUTSIDE AT END | J |
| LOW BELL Supply and Waste Fitting OUTSIDE AT SIDE NEAR END | L |
| Same OUTSIDE AT CENTER OF SIDE | M |
| OVER-RIM Supply and Waste Fitting OUTSIDE AT END | N |

NOTE—These drillings do not apply to "VICTOR," "INTERCHANGEABLE PANEL," or "TILING" BATHS. Drillings for these are given on page 4.

The Standard Ideal Company Ltd.

| Fitting Number | BATH TUB FITTINGS | Prices |
|----------------|---|---------------------------------|
| A-200 | COMPRESSION Double Bath Cock (3 1/4" O. to O.), 1/4" Supplies and Combined Waste and Overflow. Bath Cock, only, as above. 1/4" Supplies only, as above. O. W. & O. only, as above. | \$ 6.15 2.80 1.70 1.65 |
| A-201 | COMPRESSION Double Bath Cock (3 1/4" O. to O.), 1/4" Supplies and *Standing Waste, OUTSIDE. *Standing Waste only, as above. | \$11.90 7.40 |
| E-202 | Same, with *Standing Waste, THRU RIM. *Standing Waste only, as above. | \$12.40 7.90 |
| A-205 | Same as A-200, except with No. 4 1/4 FULLER Bath Cock. | \$ 6.15 |
| A-206 | Same as A-201, except with No. 4 1/4 FULLER Bath Cock. | \$11.90 |
| E-207 | Same as E-202, except with No. 4 1/4 FULLER Bath Cock. | \$12.40 |

For
Regular
Bath Tubs

* Fittings marked with asterisk (*) are made up especially for us from our own blue prints and patterns. See White Sheet No. 7.
For prices on Fittings for "Interchangeable Panel," Victor" and "Tiling" Baths, see pages 6-7 and 11-12.

Schedule 2
Aug. 15, 1914



The Standard Ideal Company Ltd.

Page 17




BRAES FITTINGS

| Fitting Number | BATH TUB FITTINGS | Prices |
|----------------|---|---------|
| *B-210 | LOW BELL Supply and Waste Fitting, $\frac{1}{4}$ " Supplies, COMPRESSION VALVES, Six-ball Handles, China Index for OUTSIDE AT END. | \$19.35 |
| *L-211 | Same for OUTSIDE AT SIDE NEAR END. | \$19.80 |
| *M-212 | Same OUTSIDE AT CENTER OF SIDE. | \$20.70 |
| *T-213 | Same THRU RIM, AT END. | \$21.15 |
| *G-214 | Same for THRU RIM, AT CENTER OF SIDE. | \$21.60 |
| *J-220 | TOP BELL Supply and Waste Fitting, with $\frac{1}{4}$ " Supplies, Compression Valves, Six-ball Handles, O.I. OUTSIDE AT END. | \$19.35 |
| *B-232 | (F706)—FOUR-VALVE LOW BELL Supply and Waste Fitting, $\frac{1}{4}$ " Supplies Compression Valves, Six-ball Handles, O.I., for OUTSIDE AT END. | \$36.00 |
| *W-260 | (For F92)—Bell Supply and Waste Fitting, $\frac{1}{4}$ " Supplies to Floor, Compression Valves, Six-ball Handles, O.I. | \$19.35 |
| | 1 $\frac{1}{4}$ " "S" Trap, Vented, extra | \$ 2.10 |

* Fittings marked with asterisk (*) are made up especially for us from our own blue prints and patterns. See White Sheet No. 7.
For prices on Fittings for "Interchangeable Panel," "Victor" and "Tiling" Baths, see pages 6-7 and 11-12.

For
Regular
Bath Tubs

Schedule 2
AUG. 15, 1914



The Standard Ideal Company Ltd.

Page 18

BRASS

FITTINGS

| Fitting Number | BATH TUB FITTINGS | Prices |
|--------------------------|--|---------|
| *W-251 | (For F98)—Supply and Waste Fitting with $\frac{1}{4}$ " Supplies to Wall, Compression Valves, Six-ball Handles, O.I. | \$20.25 |
| | 1 $\frac{1}{4}$ " "P" Trap, No Vent, extra. | \$ 1.45 |
| *W-252 | (For F87-88)—Bell Supply and Waste Fitting, Thru Rim, $\frac{1}{4}$ " Supplies, Compression Valves, Six-ball Handles, O.I. | \$18.00 |
| *W-253 | (For F89-89 $\frac{1}{2}$)—Bell Supply and Waste Fitting, $\frac{1}{4}$ " Supplies, Compression Valves, Liver Spray, Bidet, Six-ball Handles, O.I., Thru Rim. | \$64.80 |
| *W-254 | (F91-91 $\frac{1}{2}$)—Bell Supply and Waste Fitting, $\frac{1}{4}$ " Supplies, Compression Valves, Six-ball Handles, O.I. | \$17.55 |
| *S-260 | (F65)—Low Bell Supply and Shower, Compression Valves, Six-ball Handles, O.I., Thru Rim at Center of Side. | \$66.95 |
| *S-261 | (F57)—Fuller Bath Cock, Supplies, Standing Waste and Shower, Thru Rim at End. | \$58.30 |
| ADDITIONS AND DEDUCTIONS | | |
| * | For FOUR-ARM CHINA Handles (N.P. Center) and CHINA WASTE KNOB instead of Six-ball Handles and China indexes, add per set (2 Valves—1 Waste). | \$ 2.25 |
| * | For FULLER VALVES, with China Lever Handles and China Waste Knob, instead of Compression Valves, with Six ball Handles, O.I., add per set (2 Valves—1 Waste). | \$ 2.25 |
| * | For QUICK-OPENING COMPRESSION VALVES, same price as regular Compression Fitting. | |

For
Regular
Bath Tubs

Schedule 2

Aug. 15, 1914

* Fittings marked with asterisk (*) are made up especially for us from our own blue prints and patterns. See White Sheet No. 7.

The Standard Ideal Company Ltd.

Page 19

The Munciana Sodal Company Ltd.

Page 19

BRASS FITTINGS

| Plate | SHOWERS | Price |
|----------|----------------------|----------|
| *F02 | Shower only. | \$ 48.60 |
| *F04 | Shower only. | \$178.20 |
| *F06 | Shower only. | \$ 97.20 |
| *F014 | Shower only. | \$ 45.85 |
| *F017 | Shower only. | \$ 64.80 |
| *F040 | Shower only... | \$121.50 |
| *F040 | Shower and Receptor. | \$169.60 |
| *F40 | Shower only. | \$ 97.20 |
| *F57 | Shower and Fittings. | \$ 58.30 |
| *F64 | Shower only. | \$178.20 |
| *F66 | Shower only. | \$ 45.35 |
| *F66 | Shower and Fittings. | \$ 66.95 |
| *F94 | Shower only. | \$227.00 |
| *F95 | Shower only. | \$194.40 |
| *F96 | Shower only. | \$ 45.35 |
| *F97 | Shower only. | \$ 38.90 |
| *F98 | Shower only. | \$ 45.35 |
| *F99 | Shower only. | \$ 53.45 |
| *F99 1/4 | Shower only. | \$ 43.75 |

Showers

Schedule 2

Aug. 15, 1914

* Fittings marked with asterisk (*) are made up especially for us from our own blue prints and patterns. See White Sheet No. 7.

The Standard Ideal Company Ltd.

| Plate | Blm | Wth. | Deph. | Outlet | Drilling and Fit- tings | PRICES | | | |
|-------|------|------|-------|--------|----------------------------------|----------------|----------------|----------------|----------------|
| | | | | | | 4' | 4½' | 5' | 5½' |
| F1 | 3 | 30 | 17 | End. | A | \$27.00 | \$27.00 | \$30.30 | \$34.35 |
| F2 | 3 | 30 | 17 | End. | A-205 | \$27.00 | \$27.00 | \$30.30 | \$34.35 |
| F3 | 3 | 30 | 17 | End. | A-206 | \$27.00 | \$27.00 | \$30.30 | \$34.35 |
| F4 | 3 | 30 | 17 | End. | B-210 Weight | \$27.00 275 | \$27.00 300 | \$30.30 325 | \$34.35 350 |
| F5 | 3 | 30 | 17 | End. | A-206 | \$39.90 | \$39.90 | \$43.20 | \$47.25 |
| F6 | 3 | 30 | 17 | End. | B-210 Weight | \$39.90 350 | \$39.90 385 | \$43.20 420 | \$47.25 460 |
| F7 | 3-5½ | 30 | 17 | End. | B-207 | \$30.30 | \$30.30 | \$33.60 | \$37.65 |
| F8 | 3-5½ | 30 | 17 | End. | F-213 Weight | \$30.30 275 | \$30.30 300 | \$33.60 325 | \$37.65 350 |
| F9 | 3-5½ | 30 | 17 | End. | B-207 | \$43.20 | \$43.20 | \$46.50 | \$50.55 |
| F10 | 3-5½ | 30 | 17 | End. | F-213 Weight | \$43.20 350 | \$43.20 385 | \$46.50 420 | \$50.55 460 |

On Feet

On Base

On Feet

On Base

Schedule 2

Aug. 15, 1914

Above prices include regular packing charges.

For Schedule of drillings and fitting prices, see pages 15-19.

Emperors



Emperors



Empire

The Standard Ideal Company Ltd.

The Standard Ideal Company Ltd.

Page 21
BATHS
"Green and Gold"
Label Grade

On Feet

On Base

On Feet

On Feet

On Feet

On Base

Schedule 2

Aug. 15, 1914

| Plate | Rim | Wth. | Depth. | Outlet | Drilling and Fittings | Prices | | | | |
|---------|-------|--------|--------|--------|-----------------------|----------------|----------------|----------------|----------------|----------------|
| | | | | | | 4' | 4 1/2' | 5' | 5 1/2' | 6' |
| F4 1/2 | 3-5 | 30 | 17 | End. | F-213 Weight | | \$37.50 310 | \$40.25 385 | \$45.95 360 | \$53.60 430 |
| F10 1/2 | 3-5 | 30 | 17 | End. | F-213 Weight | | \$52.80 305 | \$55.55 490 | \$62.25 470 | \$68.90 555 |
| F11 | 2 1/2 | 29 1/2 | 17 1/2 | End. | A | \$25.85 | \$25.85 | \$28.50 | \$32.75 | |
| F12 | 2 1/2 | 29 1/2 | 17 1/2 | End. | A-205 | \$25.85 | \$25.85 | \$28.50 | \$32.75 | |
| F13 | 2 1/2 | 29 1/2 | 17 1/2 | End. | A-205 | \$25.85 | \$25.85 | \$28.50 | \$32.75 | |
| F14 | 2 1/2 | 29 1/2 | 17 1/2 | End. | B-210 Weight | \$25.85 275 | \$25.85 300 | \$28.50 325 | \$32.75 350 | |
| F21 | 1 1/2 | 24 1/2 | 17 1/2 | End. | A | \$25.85 | \$25.85 | \$28.50 | \$32.75 | |
| F22 | 1 1/2 | 24 1/2 | 17 1/2 | End. | A-205 Weight | \$25.85 250 | \$25.85 275 | \$28.50 300 | \$32.75 325 | |
| F31 | 3 1/2 | 31 1/2 | 17 1/2 | End. | A | | | \$40.55 | \$45.20 | |
| F32 | 3 1/2 | 31 1/2 | 17 1/2 | End. | A-205 | | | \$40.55 | \$45.20 | |
| F33 | 3 1/2 | 31 1/2 | 17 1/2 | End. | A-205 | | | \$40.55 | \$45.20 | |
| F34 | 3 1/2 | 31 1/2 | 17 1/2 | End. | B-210 Weight | | | \$40.55 360 | \$45.20 415 | |
| F35 | 3 1/2 | 31 1/2 | 17 1/2 | End. | A-205 | | | \$55.85 | \$60.50 | |
| F36 | 3 1/2 | 31 1/2 | 17 1/2 | End. | B-210 Weight | | | \$55.85 485 | \$60.50 545 | |

Above prices include regular packing charges.
For Schedule of drillings and fitting prices, see pages 15-19.

Embro



Princess



Marrot

Majestic



The Standard Ideal Company Ltd.

Page 22

BATHS

"Green and Gold"
Label Grade

Mojeaka



Monarch



Monarch



| Plate | Rim | Wth. | Dph. | Outlet | Drilling and Fittings | PRICES | | | |
|-------|---------|--------|--------|--------|-----------------------|--------|----------------|----------------|----------------|
| | | | | | | 4' | 4 1/2' | 5' | 5 1/2' |
| F37 | 3 1/2-5 | 31 1/2 | 17 1/2 | End. | E-207 | | | \$43.85 | \$48.50 |
| F38 | 3 1/2-5 | 31 1/2 | 17 1/2 | End. | F-213 Weight | | | \$43.85 360 | \$48.50 415 |
| F39 | 3 1/2-5 | 31 1/2 | 17 1/2 | End. | E-207 | | | \$59.15 | \$63.90 |
| F40 | 3 1/2-5 | 31 1/2 | 17 1/2 | End. | F-213 Weight | | | \$59.15 465 | \$63.90 545 |
| F42 | 4 | 32 1/2 | 17 1/2 | End. | A-206 | | \$47.25 | \$51.75 | \$57.20 |
| F43 | 4 | 32 1/2 | 17 1/2 | End. | A-206 | | \$47.25 | \$51.75 | \$57.20 |
| F44 | 4 | 32 1/2 | 17 1/2 | End. | F-213 Weight | | \$47.25 360 | \$51.75 430 | \$57.20 450 |
| F45 | 4 | 32 1/2 | 17 1/2 | End. | A-206 | | \$52.55 | \$57.05 | \$72.50 |
| F46 | 4 | 32 1/2 | 17 1/2 | End. | F-213 Weight | | \$52.55 475 | \$57.05 515 | \$72.50 560 |
| F47 | 4 | 32 1/2 | 17 1/2 | End. | F-213 | | \$52.25 | \$56.75 | \$62.20 |
| F48 | 4 | 32 1/2 | 17 1/2 | End. | F-213 | | \$52.25 | \$56.75 | \$62.20 |
| F49 | 4 | 32 1/2 | 17 1/2 | End. | F-213* | | \$52.25 | \$56.75 | \$62.20 |
| F50 | 4 | 32 1/2 | 17 1/2 | End. | F-213 | | \$54.25 | \$58.85 | \$64.30 |

* Includes Fittings only, without shower. Shower prices see page 19.

Above prices include regular packing charges.

For Schedule of drilling and fitting prices, see pages 18-19.

Schedule 2
Aug. 15, 1914

On Feet

On Base

On Feet

On Base

Ball Feet

Rd. Blk. Feet

Ball Feet

Sq. Blk. Feet

The Standard Ideal Company Ltd.

Page 23

BATHS

"Green and Gold"
Label Grade

Baroness



Baroness
on Base

Baroness

On Feet

On Base

Ball Feet

Rd. Blk. Feet

Ball Feet

Sq. Blk. Feet

Schedule 2

Aug. 15, 1914

| Plate | Rim | Wth. | Depth. | Outlet | Drilling and Fittings | PRICES | | | |
|---------|-----|--------|--------|--------|-----------------------|--------|--------|----|-------------|
| | | | | | | 4' | 4 1/4' | 5' | 6' |
| F41 1/2 | 4 | 32 1/2 | 17 1/2 | End. | A | | | | \$58.50 |
| F42 1/2 | 4 | 32 1/2 | 17 1/2 | End. | A-206 | | | | \$58.50 |
| F43 1/2 | 4 | 32 1/2 | 17 1/2 | End. | A-206 | | | | \$58.50 |
| F44 1/2 | 4 | 32 1/2 | 17 1/2 | End. | F-213 Weight | | | | \$58.50 450 |
| F45 1/2 | 4 | 32 1/2 | 17 1/2 | End. | A-206 | | | | \$73.50 |
| F46 1/2 | 4 | 32 1/2 | 17 1/2 | End. | F-213 Weight | | | | \$73.50 500 |
| F47 1/2 | 4 | 32 1/2 | 17 1/2 | End. | F-213 | | | | \$63.50 |
| F48 1/2 | 4 | 32 1/2 | 17 1/2 | End. | F-213 | | | | \$63.50 |
| F49 1/2 | 4 | 32 1/2 | 17 1/2 | End. | F-213* | | | | \$63.50 |
| F50 1/2 | 4 | 32 1/2 | 17 1/2 | End. | F-213 | | | | \$63.50 |

* Includes Fittings only, without shower. Shower prices see page 15.
Above prices include regular packing charges.

For Schedule of drilling and fitting prices, see pages 18-19.

The Standard Ideal Company Ltd.

Page 24

BATHS

"Green and Gold"
Label Grade

Imperial



| Plate | Rim | Wth. | Dph. | Outlet | Drillings and Fittings | PRICES | | | |
|-------|-----|------|------|--------|------------------------|--------|--------|----------------|----------------|
| | | | | | | 4' | 4 1/2' | 5' | 5 1/2' |
| F54 | 5 | 35 | 18 | End. | F-213 Weight | | | \$51.75 475 | \$57.20 550 |
| F56 | 5 | 35 | 18 | End. | F-213 Weight | | | \$57.05 525 | \$72.50 600 |
| F57 | 5 | 35 | 18 | End. | S-261† | | | \$51.75 | \$57.20 |
| F58 | 5 | 35 | 18 | End. | F-213 | | | \$55.75 | \$62.20 |
| F59 | 5 | 35 | 18 | End. | F-213 | | | \$55.75 | \$62.20 |
| F60 | 5 | 35 | 18 | End. | F-213 | | | \$55.55 | \$64.30 |

On Feet

On Base

On Feet

Half Feet

Rd. Blk. Feet

Sq. Blk. Feet

Schedule I

Aug. 15 1914

†Includes Shower and Fitting.

For Schedule of Drilling and Fitting prices see pages 15-19.

Above prices include regular packing charges.

Imperial



Page 25

The Standard Ideal Company Ltd.

The Standard Ideal Company Ltd.

Page 28

BATHS

"Green and Gold"
Label Grade

Oriental



Oriental

Victorian



Galates



| Plate | Rim | Wth. | Dph. | Outlet | Drilling and Fittings | PRICES | | | |
|-------|-------|--------|--------|--------|-----------------------|--------|--------|-----------------|-----------------|
| | | | | | | 4' | 4 1/4' | 5' | 5 1/4' |
| F61 | 4 1/4 | 34 1/4 | 18 1/4 | Center | G-214 | | | | \$70.45 |
| F62 | 4 1/4 | 34 1/4 | 18 1/4 | Center | G-214 Weight | | | | \$63.35 \$60 |
| F63 | 4 1/4 | 34 1/4 | 18 1/4 | Center | G-214 | | | | \$72.65 |
| F64 | 4 1/4 | 34 1/4 | 18 1/4 | Center | G-214* Weight | | | | \$72.65 \$70 |
| F65 | 4 1/4 | 34 1/4 | 18 1/4 | Center | B-260† | | | | \$63.30 |
| F66 | 3 1/4 | 32 1/4 | 18 1/4 | Center | M-212 Weight | | | \$41.45 \$40 | \$43.15 \$40 |
| F67 | 3 1/4 | 32 1/4 | 18 1/4 | Center | M-212 | | | | \$43.15 |
| F68 | 3 1/4 | 32 1/4 | 18 1/4 | Center | M-212 | | | | \$43.15 |
| F69 | 3 1/4 | 30 1/4 | 18 1/4 | End. | B-210 Weight | | | \$35.05 \$30 | \$34.25 \$30 |

†Includes Shower and Fitting.
* Includes Fittings only, without shower. Shower prices see page 19.
For Schedule of Drilling and Fitting prices, see pages 18-19.
Above prices include regular packing charges.

Sq. Blk. Feet

Ball Feet

On Base

Ball Feet

Reg. Feet

Ball Feet

Rd. Blk. Feet

On Base

R. or L. Cor.

Schedule 2

AUG. 15, 1914

BATHS

"Green and Gold"
Label Grade

The Standard Ideal Company Ltd.

PRICES

| Plate | Rim | Wth. | Dph. | Outlet | Drilling and Fittings | 4' | 4 1/4' | 5' | 5 1/4' | 6' |
|---------|-------|--------|--------|-------------|-----------------------|----------------|----------------|----------------|----------------|----------------|
| F70 | 3 | 30 | 17 | End. Weight | Q.O. Waste Valve. | \$33.50 400 | \$33.50 425 | \$37.50 450 | \$73.35 475 | \$78.35 545 |
| F74 | 3 1/4 | 31 1/4 | 19 1/4 | End. | A-206 | | | | \$35.15 | |
| F74 1/2 | 3 1/4 | 31 1/4 | 19 1/4 | End. | A-206 | | | | \$35.15 | |
| F74 3/4 | 3 1/4 | 31 1/4 | 19 1/4 | End. | B-210 Weight | | | | \$35.15 450 | |
| F75 | 3 1/4 | 32 | 21 | End. | A-206 | | | \$40.55 | \$45.20 | |
| F75 1/4 | 3 1/4 | 32 | 21 | End. | A-206 | | | \$40.55 | \$45.20 | |
| F75 1/2 | 3 1/4 | 32 | 21 | End. | B-210 Weight | | | \$40.55 400 | \$45.20 500 | |

Hospital



Europa



Continental



For Schedule of Drilling and Fitting prices, see pages 18-19.

Above prices include regular packing charges.

Schedule 2

Aug. 15, 1914

The Standard Ideal Company Ltd.

| PRICES | | | | | | | | | | |
|---------|-------|--------|--------|--------|----------------------------------|----------------|----------------|----------------|----------------|----------------|
| Plate | Rim. | Wth. | Dph. | Outlet | Drilling and Fit- tings | 4' | 4 1/2' | 5' | 5 1/2' | 6' |
| F71 | 3 | 30 | 17 | End. | A-205 Weight | \$19.50 275 | \$19.50 300 | \$19.50 325 | \$22.10 350 | \$25.75 450 |
| F71 1/2 | 3 | 30 | 17 | End. | A-205 Weight | \$27.00 350 | \$27.00 325 | \$29.10 420 | \$32.70 460 | \$36.75 545 |
| F72 | 2 1/2 | 28 1/2 | 17 1/2 | End. | A-205 Weight | \$19.50 275 | \$19.50 300 | \$19.50 325 | \$22.10 350 | |
| F73 | 1 1/2 | 24 1/2 | 17 1/2 | End. | A-205 Weight | \$19.50 250 | \$19.50 275 | \$19.50 300 | \$22.10 325 | |

Stanley



Stanley

Tuscan

Douglas

On Feet

On Base

On Feet

On Feet

Schedule 2
Aug. 15, 1914

For extra Drilling charges see page 1.
For Schedule of Drilling and Fitting prices, see page 15-18.
Above prices include regular packing charges.

The Standard Ideal Company Ltd

Page 20

BATHS

"Green and
Gold"
Label Grade

Receptors

Sitz Baths

Schedule 2

Aug. 15, 1914

| Plate | Rim | Length | Width | Depth | Type | Fittings | Weight | Price |
|-------|---------|--------|--------|--------|-------------------|----------|--------|---------|
| F86 | 2 | 36 | 36 | 6 | Square on Feet | | 240 | \$36.60 |
| F86 | 2 | 36 | 36 | 6 | Square on Base | | 290 | \$42.95 |
| F87 | 3-5 1/4 | 34 | 31 1/4 | 10 1/4 | Ext. Arms on Feet | W-252 | 230 | \$43.50 |
| F88 | 3-5 1/4 | 34 | 31 1/4 | 10 1/4 | Ext. Arms on Base | W-252 | 270 | \$54.05 |



Strainer and Coupling included with Receptors.
For Schedule of Fitting Prices, see page 18.
Above prices include regular packing charges.

For schedule of fitting prices, see page 18.
Above prices include regular packing charges.

Page 20

BATHS

"Green and
Gold"
Label Grade

The Standard Ideal Company Ltd.

Sitz Bath

Hospital
Sitz

Schedule 2

Aug. 13, 1914

| Plate | Rim | Length | Width | Depth | Type | Fittings | Weight | Price |
|---------|---------|--------|--------|--------|----------------------------|-------------------------|--------|---------|
| F89 | 3-5 1/4 | 34 | 31 1/4 | 10 1/4 | Extension Arms, on Feet | W-263 | 230 | \$46.75 |
| F89 1/2 | 3-5 1/4 | 34 | 31 1/4 | 10 1/4 | Extension Arms, on Base | W-263 | 270 | \$56.30 |
| F90 | | | | | Hospital, on Wheels | Q. C. Waste Valve | 350 | \$62.55 |

For Schedule of Fitting Prices, see page 18.
Above prices include regular packing charges.



The Standard Ideal Company Ltd.

Page 30

BATHS

"Green and
Gold"
Label Grade



Foot
Baths

Child's
Baths

Schedule 2

Aug. 15, 1914

| Plate | Rim | Length | Width | Depth | Type | Fittings | Weight | Price |
|-------|-------------|--------|-------|-------|-------------|----------|--------|---------|
| F91 | 2 | 22½ | 19½ | 10½ | On Feet | W-254 | 130 | \$20.30 |
| F91½ | 2 | 22½ | 19½ | 10½ | On Base | W-254 | 180 | \$26.60 |
| F92 | 2½ | 32 | 20 | 12 | On Pedestal | W-250 | 250 | \$48.16 |
| F93 | Apron 4½ | 34 | 26½ | 9 | On Pedestal | W-251 | 250 | \$54.60 |



For Schedule of Fitting Prices, see pages 17-18.

Above prices include regular packing charges.

The Standard Ideal Company Ltd.

Page 1

LAVATORIES

Drillings for Lavatories will be designated on the ensuing pages, as follows:

| | |
|--|---|
| Patent Overflow or Depressed Overflow..... | L |
| "Ideal" Waste..... | M |
| Combined Supply and Waste Fitting..... | N |
| "Perfection" Lift Waste..... | O |
| "Pop-up" Waste at Back of Overflow..... | P |
| "Open" Standing Waste..... | R |

Drillings

SPECIAL DRILLINGS.

Special Drillings in Slab, extra per slab.
Special Drillings in Back, extra per hole

\$1.50
.75

Special
Drillings

SOAP CUPS.

The Lavatories mentioned below are regularly furnished with CAST-IN ENAMELED SOAP CUPS, but, when desired, Nickel-plated Brass Soap Cups will also be furnished without extra charge:

| | | | |
|-------|-------|------|------|
| F189 | F172½ | F191 | F198 |
| F189 | F174 | F194 | F199 |
| F189½ | F174½ | F197 | F200 |
| F172 | | | F241 |

Soap Cups

Schedule 3
Aug. 15, 1914

The Standard Ideal Company Ltd

LAVATORY BOWLS

The style of Bowl furnished with the various Lavatories is indicated on the ensuing pages, as follows:—

| | | |
|---------------|--------------|-----------------|
| Oval.....O | Curved.....C | Elbowdrip.....E |
| "D" Shaped..D | Kidney.....K | Round.....R |

Lavatory
Bowls

Schedule 3
Aug. 15, 1914

The Standard Ideal Company Ltd

The Standard Ideal Company Ltd.

Page 3

BRASS FITTINGS

LAVATORY FITTING COMBINATIONS

| Fitting Number | Waste | Faucets | Supplies | Trap | Cont. Waste | Prices |
|----------------|---------------|--------------|--------------|----------|-------------|---------|
| M-300 | *F729 | F793 | F741 | F736 | | \$12.00 |
| M-301 | *F729 | F793 | F742 | F736 | | \$13.85 |
| M-300 1/2 | *F729 1/2 | F793 | F741 | F736 | | \$12.45 |
| M-301 1/2 | *F729 1/2 | F793 | F742 | F736 | | \$14.10 |
| M-305 | *F729 | F780 | F741 | F736 | | \$10.15 |
| M-306 1/2 | *F729 1/2 (2) | F780 (2 Pr.) | F741 (2 Pr.) | F736 (2) | | \$20.30 |
| M-306 | *F729 | F780 | F742 | F736 | | \$11.80 |
| M-307 | *F729 | F780 1/2 | F741 | F736 | | \$11.50 |
| M-308 | *F729 | F780 | F741 | F740 | | \$ 9.35 |
| M-310 | *F729 | F766 (L.S.) | F741 | F736 | | \$10.60 |
| M-311 | *F729 | F766 (L.S.) | F742 | F736 | | \$12.25 |
| M-310 1/2 | *F729 1/2 | F766 (L.S.) | F741 | F736 | | \$11.05 |
| M-315 | *F729 | F766 (S.S.) | F741 | F736 | | \$10.60 |
| M-316 | *F729 | F766 (S.S.) | F742 | F736 | | \$12.25 |
| M-317 | *F729 | F766 (S.S.) | F741 | F740 | | \$ 9.80 |

For Regular
Lavatories

Schedule 3
Aug. 15, 1914

(L.S.) Long Spout. (S.S.) Short Spout.
All Supplies, unless otherwise specified, are 1/2".
All Traps, unless otherwise specified, are 1 1/2".
Fittings marked with asterisk (*) are made up, especially for us from our own blue prints and patterns. ■ White Sheet No. 7.

The Standard Ideal Company Ltd.

Page 4

BRASS

FITTINGS

LAVATORY FITTING COMBINATIONS

| Fitting Number | Waste | Faucets | Supplies | Trap | Cont. Waste | Prices |
|----------------|-------|-------------|----------|------|-------------|---------|
| M-318 | *F729 | F766 (S.S.) | F742 | F740 | | \$11.45 |
| L-320 | | F793 | F741 | F740 | | \$ 7.10 |
| L-321 | | F793 | F742 | F740 | | \$ 8.75 |
| L-324 | | F780 1/4 | F741 | F740 | | \$ 6.80 |
| L-325 | | F780 | F741 | F740 | | \$ 5.25 |
| L-326 | | F780 | F742 | F740 | | \$ 6.90 |
| L-330 | | F766 (S.S.) | F741 | F740 | | \$ 5.70 |
| L-331 | | F766 (S.S.) | F742 | F740 | | \$ 7.35 |
| L-335 | | F766 (L.S.) | F741 | F740 | | \$ 5.70 |
| L-336 | | F766 (L.S.) | F742 | F740 | | \$ 7.35 |
| L-340 | | F769 1/4 | F741 | F740 | | \$ 5.10 |
| L-341 | | F769 1/4 | F742 | F740 | | \$ 6.75 |
| O-350 | F730 | F793 | F741 | F740 | | \$ 9.50 |
| O-351 | F730 | F793 | F742 | F740 | | \$11.15 |
| O-355 | F730 | F780 | F741 | F740 | | \$ 7.65 |

For Regular
Lavatories

Schedule 3
Aug. 15, 1914

(L.S.) Long Spout. (S.S.) Short Spout.
All Supplies, unless otherwise specified, are 3/4".
All Traps, unless otherwise specified, are 1 1/4".
* Fittings marked with asterisk (*) are made up especially for us from our own blue prints and patterns. See White Sheet No. 7.

The Standard Ideal Company Ltd.

Page 5

The Standard Ideal Company Ltd.

Page 6

BRASS FITTINGS

LAVATORY FITTING COMBINATIONS

| Fitting Number | Waste | Faucets | Supplies | Trap | Cont. Waste | Prices |
|----------------|-------------------------------------|-------------|----------|-------------|---------------|---------|
| O-356 | F730 | F780 | F742 | F740 | | \$ 9.80 |
| O-360 | F730 | F766 (L.S.) | F741 | F740 | | \$ 8.10 |
| O-361 | F730 | F766 (L.S.) | F742 | F740 | | \$ 9.76 |
| O-365 | F730 | F766 (S.S.) | F741 | F740 | | \$ 8.10 |
| O-366 | F730 | F766 (S.S.) | F742 | F740 | | \$ 9.76 |
| N-375 | * Compression Comb. S. & W. Ftg. | | F742 | F736 | | \$21.35 |
| N-376 | * Fuller Comb. S. & W. Ftg. | | F742 | F736 | | \$21.35 |
| R-380 | "Open" | F780 1/2 | F741 | F736 | | \$11.10 |
| R-381 | "Open" | F769 1/2 | F741 | F740 | | \$ 8.80 |
| L-385 | F731 | F780 | F741 | F740 | | \$ 7.75 |
| L-390 | | F780 1/2 | | F787-1 1/2" | 1 1/2" End. | † |
| L-391 | | F766 (L.S.) | | F787-1 1/2" | 1 1/2" End. | † |
| L-392 | | F780-F797 | F741 | F737-1 1/2" | 1 1/2" End. | † |
| L-393 | | F780 | F741 | F737-1 1/2" | 1 1/2" Center | † |
| M-394 | F726 | F780 | F741 | F737-1 1/2" | 1 1/2" Center | † |

For Sectional
Lavatories

(L.S.) Long Spout. (S.S.) Short Spout.

All Supplies, unless otherwise specified, are 1/2".

All Traps, unless otherwise specified, are 1 1/2".

* Fittings marked with asterisk (*) are made up especially for us from our own blue prints and patterns. See White Sheet No. 7.

† Prices on these fittings complete will vary according to the number of sections of waste required. For large lengths a larger size of waste and trap should be estimated on.

Schedule 3
Aug. 15, 1914

The Standard Ideal Company Ltd.

Page 6

BRASS




FITTINGS

| Plate | LAVATORY FITTINGS | Prices |
|---------------------|--|---------|
| Similar to *F724 | FULLER Combined Supply and Waste Fitting, China Lever Handles, China Knob, less Supplies and Trap. | \$16.20 |
| *F724 1/2 | Same, except COMPRESSION 4-arm China (N. P. Center) Handles and China Knob. | \$16.20 |
| *F729 | "Ideal" Waste, China Index. | \$ 4.50 |
| *F729 1/2 | "Ideal" Waste, China Knob. | \$ 4.95 |
| F730 | "Perfection" Lift Waste. | \$ 2.80 |
| F731 | "Royal" Lift Waste, China Index. | \$ 2.90 |
| F731 1/2 | Same, China Knob. | \$ 3.10 |
| | "Open" Standing Waste, China Knob, for Recessed Overflow Lavatories. | \$ 4.10 |

For
Lavatories

Schedule 3
Aug. 15, 1914

* Fittings marked with asterisk (*) are made up especially for us from our own blue prints and patterns. See White Sheet No. 7.



The Standard Ideal Company Ltd.

The Standard Ideal Company Ltd.

Page 7

BRASS FITTINGS

| Plate | LAVATORY FITTINGS | Prices |
|----------|---|--|
| F734 | Close Connection Trap, Vented, less Plug. | 1 1/4" \$ 3.50 1 1/2" \$ 4.30 |
| F736 | Same, without Vent. | 1 1/4" \$ 2.25 1 1/2" \$ 2.95 |
| | Plugs, each, extra | \$.55 |
| F735 | Elliptic Trap, Vented, with Plug. | 1 1/4" \$ 3.75 1 1/2" \$ 5.00 |
| F735 1/2 | Same, without Vent. | 1 1/4" \$ 1 1/2" \$ |
| | If without Plugs, deduct | \$.40 |
| F737 | Adjustable "S" Trap, vented, with Plug. | 1 1/4" \$ 2.50 1 1/2" \$ 2.95 2" \$ 3.65 |
| F738 | Same, without Vent. | 1 1/4" \$ 2.10 1 1/2" \$ 2.45 2" \$ 3.55 |
| | If without Plugs, deduct | \$.40 |

For
Lavatories

Schedule 3
Aug. 15, 1914



The Standard Ideal Company Ltd.

| Plate | LAVATORY FITTINGS | Prices |
|-------|---|---|
| F739 | Adjustable "P" Trap, Vented, with Plug. | 1 1/4" \$ 2.15 1 1/2" \$ 2.65 2 " \$ 5.90 |
| F740 | Same, without Vent. | 1 1/4" \$ 1.85 1 1/2" \$ 2.25 2 " \$ 5.15 |
| | If without Plug, deduct | \$.40 |
| F741 | Wall Supply, Plain. | 3/8" Pair \$ 1.25 1/2" Pair \$ 1.50 |
| F742 | Same, with Stop. | 3/8" Pair \$ 2.90 1/2" Pair \$ 3.50 |
| F747 | Floor Supply, Plain. | 3/8" Pair \$ 1.35 1/2" Pair \$ 1.85 |
| F748 | Same, with Stop. | 3/8" Pair \$ 3.00 1/2" Pair \$ 3.85 |

For
LavatoriesSchedule 3
Aug. 15, 1914

The Standard Ideal Company Ltd.



Page 9


**BRASS
FITTINGS**


| Plate | LAVATORY FITTINGS | | Price |
|----------|--|------|---------|
| F766 | Compression Faucet with S.B. Four-ball C.I. Handle. | Pair | \$ 2.60 |
| F766 1/2 | Same, with 4-Arm China Handle. (NOTE--Long or Short Spout Faucets, Same Price.) | Pair | \$ 3.10 |
| F769 1/2 | MIDGET Pattern Compression Faucet, Four-ball C.I. Handle. | Pair | \$ 2.00 |
| F780 | No. 0 Fuller Faucet, Brass Handle. | Pair | \$ 2.16 |
| F780 1/2 | Same, with China Handle and Index. | Pair | \$ 3.50 |
| F792 | Torrance Pattern Fuller Faucet, with China Base. | Pair | \$ 5.50 |
| F793 | Torrance Pattern Fuller Faucet, with China Handle and Index. | Pair | \$ 4.00 |

**For
Lavatories**

**Schedule 3
Aug. 15, 1914**








MICROCOPY RESOLUTION TEST CHART

(ANSI and ISO TEST CHART No. 2)



APPLIED IMAGE Inc

1653 East Main Street
Rochester, New York 14609 USA
(716) 482 - 0300 - Phone
(716) 288 - 5989 - Fax

The Standard Ideal Company Ltd.

| Plate | SHAMPOO FAUCETS | Prices |
|-------|--|---------|
| | Compression Double Shampoo, with Spout and Shampoo Hose and Sprinkler, Brass Handles, each | \$15.50 |
| | Same, except with Fuller Valves, each | \$17.50 |
| F791 | Fuller Double Shampoo, with Hose and Sprinkler, each | \$11.80 |

For
LavatoriesSchedule 3
Aug. 15, 1914

BRASS
FITTINGS*The Standard Ideal Company Ltd.*


| Plate | CONTINUOUS LAVATORY WASTE | Prices |
|-------|--|----------------|
| F795 | 2-Section, with Basin Plugs, for Trap at end (No Trap). | 1 1/4" \$ 4.25 |
| | | 1 1/2" \$ 4.90 |
| | | 2 " \$ 6.20 |
| | Each Additional Section, add | 1 1/4" \$ 2.35 |
| | | 1 1/2" \$ 2.75 |
| | | 2 " \$ 3.75 |
| | For CENTER OUTLET, for Waste with, 2, 4, 6 or 8 Inlets, add | 1 1/4" \$ 1.35 |
| | | 1 1/2" \$ 1.70 |
| | | 2 " \$ 2.35 |
| | For CENTER OUTLET, for Waste with 3, 5, 7, or 9 Inlets, add | 1 1/4" \$.40 |
| | | 1 1/2" \$.55 |
| | | 2 " \$.95 |
| | 2-DOUBLE SECTION (4-Bowls), with Basin Plugs for Trap at End (No Trap). | 1 1/4" \$10.85 |
| | | 2 " \$12.40 |
| | Each Additional Double Section (2-Bowls), add | 1 1/4" \$ 4.65 |
| | | 2 " \$ 6.60 |
| | For CENTER OUTLET, add same Extra Charges as for Single Waste quoted above. | |
| | IF WITHOUT BASIN PLUGS, deduct, each Plug | \$.65 |

For
LavatoriesSchedule 3
Aug. 15, 1914


The Standard Ideal Company Ltd.

| Plate | Nominal Size | Supplied with | Bowl | Drilling and Fittings | Wgt. | Prices Enameled | |
|--------------------|--------------|---------------|--------------------------------------|-----------------------|----------|-----------------|----------|
| | | | | | | Inside | All over |
| F109 | 22x27 | Pedestal | O-11 $\frac{1}{2}$ x14 $\frac{3}{4}$ | N-375 | 180 | | \$30.00 |
| F109 $\frac{1}{2}$ | 22x27 | " | " | M-301 $\frac{1}{2}$ | 180 | | \$30.00 |
| X109 | | | | L-340 | See page | 35 | |
| F110A | 19x27 | Pedestal | D-11x14 $\frac{3}{4}$ | M-300 | 160 | | \$25.55 |
| C | 22x33 | " | D-13 $\frac{1}{2}$ x18 | " | 210 | | \$31.05 |
| | 19x27 | " | D-11x14 $\frac{3}{4}$ | N-375 | 160 | | \$25.55 |
| | 22x33 | " | D-13 $\frac{1}{2}$ x18 | " | 210 | | \$31.05 |
| | 19x27 | Enam. Brkts. | D-11x14 $\frac{3}{4}$ | M-300 | 100 | \$15.80 | \$17.30 |
| F111 A | 22x33 | " | D-13 $\frac{1}{2}$ x18 | " | 150 | \$21.20 | \$22.70 |
| C | 19x27 | Center Leg | D-11x14 $\frac{3}{4}$ | " | 125 | \$21.40 | \$22.90 |
| | 22x33 | " | D-13 $\frac{1}{2}$ x18 | " | 175 | \$26.80 | \$28.30 |
| F112 A | 20x24 | Pedestal | O-11 $\frac{5}{8}$ x14 $\frac{3}{4}$ | M-310 | 200 | | \$22.10 |
| C | 22x27 | " | O-12 $\frac{5}{8}$ x16 $\frac{1}{2}$ | " | 225 | | \$26.15 |
| | 22x30 | " | O-13x19 | " | 250 | | \$28.55 |
| | 20x24 | Pedestal | O-11 $\frac{5}{8}$ x14 $\frac{3}{4}$ | N-375 | 200 | | \$22.10 |
| C | 22x27 | " | O-12 $\frac{5}{8}$ x16 $\frac{1}{2}$ | " | 225 | | \$26.15 |
| | 22x30 | " | O-13x19 | " | 250 | | \$28.55 |

Square

Schedule 3
Aug. 15, 1914


Colonial



Leighton



Leicester



Canterbury

For Schedule of Drilling and Fitting Prices, see pages 1-11.

The Standard Ideal Company Ltd.

Page 13

LAVATORIES

| Plate | Nominal Size | Supplied with | Bowl | Drilling and Fittings | Wgt. | Prices Enameled | |
|----------------------|--------------|---------------|-------------------|-----------------------|------|-----------------|----------|
| | | | | | | Inside | All over |
| F113 A O E | 20x24 | Enam. Brkts. | O-11 1/2 x 14 3/4 | M-310 | 125 | \$13.25 | \$14.75 |
| | 22x27 | " | O-12 5/8 x 16 1/2 | " | 150 | \$17.30 | \$18.80 |
| | 22x30 | " | O-13x19 | " | 175 | \$19.70 | \$21.20 |
| F113 1/4 A O E | 20x24 | Center Leg | O-11 1/2 x 14 3/4 | " | 150 | \$18.85 | \$20.35 |
| | 22x27 | " | O-12 5/8 x 16 1/2 | " | 175 | \$22.90 | \$24.40 |
| | 22x30 | " | O-13x19 | " | 200 | \$25.30 | \$26.80 |
| F114 A O E | 20x24 | Enam. Brkts. | O-11 1/2 x 14 3/4 | L-335 | 125 | \$13.25 | \$14.75 |
| | 22x27 | " | O-12 5/8 x 16 1/2 | " | 150 | \$17.30 | \$18.80 |
| | 22x30 | " | O-13x19 | " | 175 | \$19.70 | \$21.20 |
| F114 1/4 A O E | 20x24 | Center Leg | O-11 1/2 x 14 3/4 | " | 150 | \$18.85 | \$20.35 |
| | 22x27 | " | O-12 5/8 x 16 1/2 | " | 175 | \$22.90 | \$24.40 |
| | 22x30 | " | O-13x19 | " | 200 | \$25.30 | \$26.80 |

Clifton



Taylor

For Schedule of Drilling and Fitting prices see pages 1-11

Full Apron Type

Square

Schedule 3
Aug. 15, 1914

The Standard Ideal Company Ltd.

Page 14

LAVATORIES

| Plate | Nominal Size | Supplied with | Bowl | Drilling and fittings | Wgt. | Prices Enameled Inside, over | Full Apron Type |
|------------------------------------|--------------|---------------|--|-----------------------------------|------|------------------------------|----------------------|
| F115 A | 20x24x12 | Conc. Hangers | C-10 ¹ / ₂ x19 | L-325 | 145 | \$15.75 | Flat Back |
| C | 22x27x12 | " | C-10x18 ¹ / ₂ | " | 165 | \$19.95 | "Kidney" |
| F115 ¹ / ₂ A | 20x24x12 | Center L-g | C-10 ¹ / ₂ x19 | " | 170 | \$21.35 | |
| C | 22x27x12 | " | C-10x18 ¹ / ₂ | " | 190 | \$25.55 | |
| F116 A | 20x24x12 | Conc. Hangers | C-10 ¹ / ₂ x19 | M-300 | 145 | \$15.75 | |
| C | 22x27x12 | " | C-10x18 ¹ / ₂ | " | 165 | \$19.95 | |
| F116 ¹ / ₂ A | 20x24x12 | Center Leg | C-10 ¹ / ₂ x19 | " | 170 | \$21.35 | |
| C | 22x27x12 | " | C-10x18 ¹ / ₂ | " | 190 | \$25.55 | |
| F117 A | 20x25 | Enam. Brkts. | D-10 ³ / ₈ x15 ⁷ / ₈ | L-330 | 130 | \$20.25 | Ornamental Apron |
| F118 A | 20x25 | Center Leg | D-10 ³ / ₈ x15 ⁷ / ₈ | M-300 | 150 | \$25.85 | |
| F119 A | 20x25x11 | Center Leg | D-10 ³ / ₈ x15 ³ / ₄ | M-300 ¹ / ₂ | 160 | \$26.90 | |
| C | 23x30x13 | " | D-12 ⁵ / ₈ x18 ¹ / ₈ | " | 200 | \$33.35 | |
| F120 A | 20x25x11 | " | D-10 ³ / ₈ x15 ³ / ₄ | M-310 ¹ / ₂ | 160 | \$26.90 | Flat Back Ornamental |
| C | 23x30x13 | " | D-12 ⁵ / ₈ x18 ¹ / ₈ | " | 200 | \$33.35 | |
| F121 A | 20x25x11 | Conc. Hangers | D-10 ³ / ₈ x15 ³ / ₄ | M-300 | 130 | \$21.30 | |
| C | 23x30x13 | " | D-12 ⁵ / ₈ x18 ¹ / ₈ | " | 170 | \$27.75 | |
| F122 A | 20x25x11 | " | D-10 ³ / ₈ x15 ³ / ₄ | L-320 | 130 | \$21.30 | Schedule 3 |
| C | 23x30x13 | " | D-12 ⁵ / ₈ x18 ¹ / ₈ | " | 170 | \$27.75 | Aug. 15, 1914 |

For Schedule of Drilling and Fitting Prices, see pages 1-11

Eaton



Richmond

Wallingford



Idle's

Lechlade
Moulsford



Nuneham
Cliveden

The Standard Ideal Company Ad.

Full Apron
Type

| Plate | Nominal Size | Supplied with | Bowl | Drilling and Fittings | Wgt. | Prices | |
|------------------------------------|-----------------|------------------|--|-----------------------------------|------|--------------------|-------------|
| | | | | | | Enameled Inside | All Over |
| F126 A | 22x27x11 | Conc. Hangers | O-12 ³ / ₈ x17 | M-301 ¹ / ₂ | 175 | \$21.35 | \$22.85 |
| F126 ³ / ₄ A | 22x27x11 | Center Leg | O-12 ³ / ₈ x17 | " | 200 | \$26.95 | \$28.45 |
| F127 A | 22x27x11 | Conc. Hangers | O-12 ³ / ₈ x17 | L-321 | 175 | \$21.35 | \$22.85 |
| F127 ³ / ₄ A | 22x27x11 | Center Leg | O-12 ³ / ₈ x17 | " | 200 | \$26.95 | \$28.45 |
| F128 A | 20x24x12 | Conc. Hangers | O-12x14 ³ / ₈ | M-315 | 135 | \$17.55 | \$19.05 |
| F128 ³ / ₄ A | 20x24x12 | Center Leg | O-12x14 ³ / ₈ | " | 160 | \$23.15 | \$24.65 |
| F129 A | 20x24x12 | Conc. Hangers | O-12x14 ³ / ₈ | O-365 | 135 | \$19.30 | \$19.80 |
| F129 ³ / ₄ A | 20x24x12 | Center Leg | O-12x14 ³ / ₈ | " | 160 | \$23.90 | \$25.40 |
| F130 A | 20x24x12 | Conc. Hanger | O-12x14 ³ / ₈ | L-330 | 135 | \$17.55 | \$19.05 |
| F130 ³ / ₄ A | 20x24x12 | Center Leg | O-12x14 ³ / ₈ | " | 160 | \$23.15 | \$24.65 |
| F131 A | 20x24x12 | Conc. Hangers | O-12 ¹ / ₂ x17 ¹ / ₈ | R-380 | 125 | \$14.85 | \$16.35 |
| C | 22x27x12 | " | O-13x18 | " | 150 | \$18.45 | \$19.95 |
| F131 ³ / ₄ A | 20x24x12 | Center Leg | O-12 ¹ / ₂ x17 ¹ / ₈ | " | 150 | \$20.45 | \$21.95 |
| C | 22x27x12 | " | O-13x18 | " | 175 | \$24.05 | \$25.55 |

Ornamental
Flat Back

Schedule 3

Aug. 15, 1914

For Schedule of Drilling and Fitting prices, see pages 1-11.



Cayuga



Belmont



Hirondelle

The Standard Ideal Company Ltd.

Page 16
LAVATORIES

| Plate | Nominal Size | Supplied with | Bowl | Drilling and Fittings | Wgt. | Prices Enameled All over | |
|------------|--------------|---------------|-------------------|-----------------------|------|--------------------------|---------|
| | | | | | | Inside | Over |
| F132 A | 17-6 1/4 | Conc. Hangers | O-11x14 1/4 | R-381 | 100 | \$13.10 | \$14.60 |
| F132 1/2 A | " | Center Leg | " | " | 125 | \$18.70 | \$20.20 |
| F133 A | 18x21x8 1/4 | Conc. Hangers | O-11x14 1/4 | L-325 | 100 | \$11.55 | \$13.05 |
| F133 1/2 A | " | Center Leg | " | " | 125 | \$17.05 | \$18.55 |
| F133 3/4 A | " | Conc. Hangers | O-11x15 | R-380 | 100 | \$12.65 | \$14.15 |
| F133 3/4 A | " | Center Leg | " | " | 125 | \$18.25 | \$19.75 |
| F134 A | 17-6 1/4 | Conc. Hangers | O-11x14 1/4 | L-325 | 100 | \$12.15 | \$13.65 |
| F134 1/2 A | " | Center Leg | " | " | 125 | \$17.75 | \$19.25 |
| F135 A | 21x26x8 | Conc. Hangers | O-12 1/4 x 17 1/4 | M-306 | 145 | \$19.10 | \$20.60 |
| C | 21x31x8 | " | O-13x18 | " | 175 | \$24.00 | \$25.50 |
| F136 A | 21x26x8 | " | O-12 1/4 x 17 1/4 | L-326 | 145 | \$19.10 | \$20.60 |
| C | 21x31x8 | " | O-13x18 | " | 175 | \$24.00 | \$25.50 |



Otero



Iris



Varina



For Schedule of Drilling and Fitting Prices, see pages 1-11

Schedule 3
Aug. 15, 1914

The Standard Ideal Company Ltd.

The Standard Ideal Company Ltd.

Page 17

LAVATORIES

Full Apron
Type



Modern



Elbowdrip



Lotus



Chippewa

| Plate | Nominal Size | Supplied With | Bowl | Drilling and Fittings | Wgt. | Prices Enameled Inside All Over |
|------------|--------------|---------------|-------------------|-----------------------|------|---------------------------------|
| F138 A | 20x24x9 | Conc. Hangers | O-11x14 | L-326 | 140 | \$15.75 \$17.25 |
| F138 1/4 A | " | Center Leg | " | " | 165 | \$21.35 \$22.85 |
| F139A | 17x20x6 1/2 | Conc. Hangers | O-10 1/4 x 13 1/4 | L-340 | 80 | \$6.90 \$ 8.40 |
| F140 1/4 A | 22x30x9 | Center Leg | E-13x24 | L-321 | 175 | \$37.50 |
| F141 1/4 A | 22x30x6 1/2 | Center Leg | D-12 1/4 x 17 1/4 | L-321 | 175 | \$37.50 |
| F142 A | 21x24x10 | Conc. Hangers | O-12x14 1/4 | M-310 | 190 | \$16.10 \$17.60 |
| F142 1/4 A | " | Center Leg | " | " | 155 | \$21.70 \$23.20 |
| F143 A | 19x24x10 | Conc. Hangers | O-11 1/4 x 14 | O-365 | 125 | \$14.00 \$16.10 |
| F143 1/4 A | " | Center Leg | " | " | 150 | \$20.20 \$21.70 |
| F144 A | " | Conc. Hangers | " | L-330 | 125 | \$13.85 \$15.35 |
| F144 1/4 A | " | Center Leg | " | " | 150 | \$19.45 \$20.95 |

For Schedule of Drilling and Fitting Prices, see pages 1-11.

Ornamental

Schedule X

Aug. 15, 1914

The Standard Ideal Company Ltd.

| Plate | Nominal Size | Supplied with | Bowl | Drilling and Fittings | Wgt. | Prices Enameled Inside All over |
|------------|--------------|---------------|-------------------|-----------------------|------|---------------------------------|
| F145 A | 17 1/4 - 10 | Conc. Hangers | O-11 1/4 x 13 3/4 | M-317 | 145 | \$18.75 \$20.25 |
| F146 3/4 A | " | Center Leg | " | " | 170 | \$24.35 \$26.85 |
| F146 A | " | Conc. Hangers | " | O-365 | 145 | \$19.50 \$21.00 |
| F146 3/4 A | " | Center Leg | " | " | 170 | \$25.10 \$26.60 |
| F147 A | " | Conc. Hangers | " | L-330 | 145 | \$18.75 \$20.25 |
| F147 1/2 A | " | Center Leg | " | " | 170 | \$24.35 \$25.85 |
| F148 A | 22x27x12 | Conc. Hangers | O-12 3/4 x 17 1/2 | M-301 | 170 | \$19.20 \$20.70 |
| F148 3/4 A | " | Center Leg | " | " | 195 | \$24.80 \$26.30 |
| F149 A | " | Conc. Hangers | " | O-356 | 170 | \$19.95 \$21.45 |
| F149 3/4 A | " | Center Leg | " | " | 195 | \$25.55 \$27.05 |
| F150 A | " | Conc. Hangers | " | L-328 | 170 | \$19.20 \$20.70 |
| F150 3/4 A | " | Center Leg | " | " | 195 | \$24.80 \$26.30 |

Corner

Flat Back

For Schedule of Drilling and Fitting Prices, see pages 1-11.

Schedule 3
Aug. 15, 1914



Calumet



Dun-las

The Standard Ideal Company Ltd.

Dufferin



Saguenay

| Plate | Nominal Size | Supplied with | Bowl | Drilling and Fitting | Wgt. | Prices Enameled Inside All over |
|--------------------|--------------|---------------|--------------------------------------|----------------------|------|---------------------------------|
| F151 | 18x24x10 | Conc. Hangers | O-11x15 $\frac{1}{2}$ | L-326 | 125 | \$16.20 \$17.70 |
| | 20x24x12 | " | O-11x15 $\frac{1}{4}$ | M-306 | 150 | \$18.65 \$20.25 |
| | 22x27x12 | " | O-12 $\frac{1}{2}$ x17 $\frac{1}{4}$ | " | 175 | \$26.10 \$27.60 |
| F151 $\frac{1}{4}$ | 18x24x10 | Center Leg | O-11x15 $\frac{1}{2}$ | L-326 | 150 | \$21.80 \$23.30 |
| | 20x27x12 | " | O-11x15 $\frac{1}{4}$ | M-306 | 175 | \$24.25 \$25.75 |
| | 22x27x12 | " | O-12 $\frac{1}{2}$ x17 $\frac{1}{4}$ | " | 200 | \$31.70 \$33.20 |
| F152 | 18x24x10 | Conc. Hangers | O-11x15 $\frac{1}{2}$ | L-326 | 125 | \$16.20 \$17.70 |
| | 20x24x12 | " | O-11x15 $\frac{1}{4}$ | " | 150 | \$18.65 \$20.25 |
| | 22x27x12 | " | O-12 $\frac{1}{2}$ x17 $\frac{1}{4}$ | " | 175 | \$26.10 \$27.60 |
| F152 $\frac{1}{4}$ | 18x24x10 | Center Leg | O-11x15 $\frac{1}{2}$ | " | 150 | \$21.80 \$23.30 |
| | 20x24x12 | " | O-11x15 $\frac{1}{4}$ | " | 175 | \$24.25 \$25.75 |
| | 22x27x12 | " | O-12 $\frac{1}{2}$ x17 $\frac{1}{4}$ | " | 200 | \$31.70 \$33.20 |

R or L
Corner

For Schedule of Drilling and Fitting Prices, see pages 1-11.

Schedule 3

Aug. 15, 1914

The Standard Ideal Company Ltd.

Page 20
LAVATORIES

Full Apron
Type

Flat Back

Flat Back

Ornamental

Schedule 3
Aug. 15, 1914

| Plate | Nominal Size | Supplied with | Bowl | Drilling and Fittings | Wgt. | Prices Enamelled | |
|------------|--------------|---------------|-----------------|-----------------------|------|------------------|----------|
| | | | | | | Inside | All Over |
| F153 A | 18x24x10 | Conc. Hangers | O-11 1/2x14 1/4 | O-355 | 110 | \$10.95 | \$12.45 |
| F153 1/2 A | " | Center Leg | " | " | 135 | \$16.55 | \$18.05 |
| F154 A | " | Conc. Hangers | " | L-325 | 110 | \$10.20 | \$11.70 |
| F154 1/2 A | " | Center Leg | " | " | 135 | \$15.80 | \$17.30 |
| F155 A | 20x24x12 | Conc. Hangers | O-11 1/2x14 1/4 | M-305 | 150 | \$12.50 | \$14.00 |
| F155 1/2 A | " | Center Leg | " | " | 175 | \$18.10 | \$19.60 |
| F156 A | " | Conc. Hangers | " | L-325 | 150 | \$12.50 | \$14.00 |
| F156 1/2 A | " | Center Leg | " | " | 175 | \$18.10 | \$19.60 |
| F157 A | 24x33x14 | Legs | O-14 1/2x18 1/4 | M-301 | 270 | \$36.45 | |
| F158 A | " | " | " | O-351 | 270 | \$37.20 | |
| F159 A | " | Brackets | " | L-321 | 270 | \$36.45 | |
| F161 A | 19x22x9 | Conc. Hangers | O-10 1/2x13 1/4 | M-316 | 105 | \$12.00 | \$13.50 |
| F161 1/2 A | " | Center Leg | " | " | 130 | \$17.00 | \$19.10 |
| F162 A | " | Conc. Hangers | " | O-356 | 105 | \$12.75 | \$14.25 |
| F162 1/2 A | " | Center Leg | " | " | 130 | \$18.35 | \$19.85 |
| F163 A | " | Conc. Hangers | " | L-331 | 135 | \$12.00 | \$13.50 |
| F163 1/2 A | " | Center Leg | " | " | 130 | \$17.00 | \$19.10 |


Cheyenne



Chicora



Gladstone



Delaware

For Schedule of Drilling and Fitting Prices, see pages 1-11.

For Schedule of Drilling and Fitting Prices, see pages 1-11.

Delaware

The Standard Ideal Company Ltd.

Page 31

LAVATORIES

Full Apron
Type

Ornamental
Corner

Flat Back

Corner

Flat Back

Schedule 3

Aug. 15, 1914

| Plate | Nominal Size | Supplied with | Bowl | Drilling and Fittings | Wgt. | Prices Enameled Inside | All over |
|------------|-----------------|------------------|-------------------|-----------------------------|------|------------------------------|-------------|
| F164 A | 17-8 | Conc. Hangers | O-10 1/4 x 13 1/4 | M-317 | 110 | \$12.75 | \$14.25 |
| F164 1/2 A | " | Center Leg | " | " | 135 | \$18.35 | \$19.85 |
| F165 A | " | Conc. Hangers | " | O-365 | 110 | \$13.50 | \$15.00 |
| F165 1/2 A | " | Center Leg | " | " | 135 | \$19.10 | \$20.60 |
| F166 A | " | Conc. Hangers | " | L-330 | 110 | \$12.75 | \$14.25 |
| F166 1/2 A | " | Center Leg | " | " | 135 | \$18.35 | \$19.85 |
| F167 A | 19x21x9 | Conc. Hangers | O-10 1/4 x 13 | L-330 | 90 | \$9.35 | \$10.85 |
| F167 1/2 A | " | Center Leg | " | " | 115 | \$14.95 | \$16.45 |
| F167 3/4 A | " | Conc. Hangers | " | M-315 | 90 | \$9.35 | \$10.85 |
| F167 1/2 A | " | Center Leg | " | " | 115 | \$14.95 | \$16.45 |
| F168 A | 16 1/4 x 7 1/2 | Conc. Hangers | O-10 1/4 | L-330 | 95 | \$8.45 | \$9.95 |
| F168 1/2 A | " | Center Leg | " | " | 120 | \$14.05 | \$15.55 |
| F168 3/4 A | " | Conc. Hangers | " | M-317 | 95 | \$8.45 | \$9.95 |
| F168 1/2 A | " | Center Leg | " | " | 120 | \$14.05 | \$15.55 |
| F169 A | 18x21x8 | Conc. Hangers | D-10x14 | L-324 | 90 | \$8.10 | \$9.60 |
| F169 1/2 A | " | Center Leg | " | " | 115 | \$13.70 | \$15.20 |

For Schedule of Drilling and Fitting Prices, see page 1-11.



Napkins



Algoma



Corona



Chemong

The Standard Ideal Company Ltd.

Page 22

LAVATORIES

Full Apron
Type

Flat Back

Corner

Roll Rim
Flat Back

Schedule 3

Aug. 15, 1914

| Plate | Nominal Size | Supplied with | Bowl | Drilling and Fittings | Wgt. | Prices | |
|------------|-----------------|------------------|-------------------|-----------------------------|------|--------------------|----------|
| | | | | | | Enameled Insale | All over |
| F170 A | 19x24x10 | Conc. Hangers | O-11 1/4 x 14 1/8 | L-325 | 115 | \$10.70 | \$12.20 |
| F170 3/4 A | " | Center Leg | " | " | 140 | \$16.30 | \$17.80 |
| F171 A | " | Conc. Hangers | " | O-355 | 115 | \$11.45 | \$12.95 |
| F171 3/4 A | " | Center Leg | " | " | 140 | \$17.05 | \$18.55 |
| F173 A | 19-8 | Conc. Hangers | D-10x14 1/8 | L-325 | 100 | \$10.05 | \$11.55 |
| F173 3/4 A | " | Center Leg | " | " | 125 | \$15.85 | \$17.15 |
| F173 A | " | Conc. Hangers | " | M-308 | 100 | \$10.05 | \$11.55 |
| F173 3/4 A | " | Center Leg | " | " | 125 | \$15.65 | \$17.15 |
| F174 A | 20-10 | Conc. Hangers | O-11 3/8 x 14 1/2 | L-330 | 140 | \$14.00 | \$15.50 |
| F174 3/4 A | " | Center Leg | " | " | 165 | \$19.60 | \$21.10 |
| F175 A | " | Conc. Hangers | " | M-317 | 140 | \$14.00 | \$15.50 |
| F175 3/4 A | " | Center Leg | " | " | 165 | \$19.60 | \$21.10 |
| F178 A | 22x27x12 | Conc. Hangers | O-12x16 | R-380 | 150 | \$18.05 | \$19.55 |
| F179 A | " | " | D-13x20 | M-305 | 140 | \$16.95 | \$18.45 |
| F179 1/2 A | " | " | " | L-325 | 140 | \$16.95 | \$18.45 |

For Schedule of Drilling and Fitting Prices, see page 1-11.



Clinton



Cobalt



Atlas



Elsmere

The Standard Ideal Company Ltd.

The Standard Ideal Company Ltd.

Page 23

LAVATORIES

| Plate | Nominal Size | Supplied with | Bowl | Drilling and Fittings | Wgt. | Prices Enameled | | Roll Rim Type |
|--------|--------------|---------------|--|-----------------------|------|-----------------|----------|---------------|
| | | | | | | Inside | All Over | |
| F180 A | 19x24x10 | Conc. Hangers | O-11 ¹ / ₂ x14 ¹ / ₂ | L-330 | 110 | \$13.50 | \$15.00 | Flat Back |
| F181 A | " | " | " | O-365 | 110 | \$14.25 | \$15.75 | |
| F182 A | 21x24x10 | " | O-11 ¹ / ₂ x14 ¹ / ₂ | M-315 | 115 | \$14.60 | \$16.10 | |
| F183 A | 18-10 | " | O-11 ¹ / ₂ x14 | L-330 | 145 | \$14.75 | \$16.25 | Corner |
| F184 A | " | " | " | O-365 | 145 | \$15.50 | \$17.00 | |
| F185 A | " | " | " | M-317 | 145 | \$14.75 | \$16.25 | |
| F186 A | 22x24x12 | " | O-12x14 ² / ₃ | L-320 | 145 | \$15.35 | \$16.85 | Flat Back |
| F187 A | " | " | " | M-300 | 145 | \$15.35 | \$16.85 | |
| F190 A | 18x24x10 | " | O-11 ¹ / ₂ x14 ² / ₃ | L-330 | 90 | \$10.20 | \$11.70 | |

Schedule 3

Aug. 15, 1914

For Schedule of Drilling and Fitting Prices, see page 1-11.



Ivanhoe



Neplgon



Neepawa



Niagara

The Standard Ideal Company Ltd.

Roll Rim
Type

Corner

Flat Back

Corner

R. H. C.

L. H. C.

Schedule 3

Aug. 15, 1914

| Plate | Nominal Size | Supplied with | Bowl | Drilling and Fittings | Wgt. | Prices Enameled | |
|-------|-----------------|------------------|-----------|-----------------------------|------|--------------------|-------------|
| | | | | | | Inside | All over |
| F191A | 20-10 | Conc. Hangers | O-11½x14½ | L-325 | 120 | \$12.65 | \$14.15 |
| F192A | 18x24x10 | " | O-11½x14½ | L-325 | 95 | \$10.20 | \$11.70 |
| F193A | " | " | " | O-355 | 95 | \$10.95 | \$12.45 |
| F194A | 19-8 | " | D-10x14½ | L-325 | 110 | \$ 9.20 | \$10.70 |
| F195A | 19x24x10 | " | D-10½x14½ | L-335 | 125 | \$16.25 | \$17.75 |
| F196A | " | " | D-10½x14½ | L-335 | 125 | \$16.25 | \$17.75 |



Kenmore



Kenilworth



Lenox

Nipissing



Muskoka

For Schedule of Drilling and Fitting Prices, see pages 1-11.

The Standard Ideal Company Ltd.

Roll Rim
Type

| Plate | Nominal Size | Supplied with | Bowl | Drilling and Fittings | Wgt. | Prices Enameled | |
|-------|----------------|---------------|-------------------|-----------------------|------|-----------------|----------|
| | | | | | | Inside | All over |
| F197A | 18x21x8 | Conc. Hangers | D-10 1/4 x 14 1/4 | L-325 | 75 | \$ 6.65 | \$ 8.15 |
| F198A | 18 1/2 x 5 1/4 | " | O-10 1/4 x 13 1/2 | L-340 | 70 | \$ 8.70 | \$10.20 |
| F199A | 18x21x7 | " | O-13 3/4 x 10 1/4 | L-340 | 75 | \$ 6.65 | \$ 8.15 |
| F241A | 17x19x5 | " | O-10x13 1/2 | L-340 | 65 | \$ 5.45 | \$ 6.95 |
| G3225 | 14x16x5 | " | R-11" | L-340 | 45 | \$ 4.10 | \$ 5.60 |
| F200A | 17 1/2 x 5 1/4 | " | D-9 1/2 x 13 1/4 | L-340 | 75 | \$ 6.45 | \$ 7.95 |

Flat Back

Corner

Schedule 3



Killarney



Lorne



Ascot



Miami

Roll Rim
Type*The Standard Ideal Company Ltd.*

| Plate | Nominal Size | Supplied with | Bowl | Drilling and Fittings | Wgt. | Prices Enameled | |
|--------|-----------------|------------------|-----------------|-----------------------------|------|--------------------|-------------|
| | | | | | | Inside | All over |
| F201A | 18x20x4 1/4 | Conc. Hangers | O-11 1/4x14 1/4 | L-330 | 65 | \$6.35 | \$7.85 |
| F202A | 17-4 1/4 | " | O-11 1/4x14 1/4 | L-330 | 65 | \$6.15 | \$7.65 |
| F203A | 14x15x5 | " | B-11 1/4 | L-340 | 40 | \$4.10 | \$5.80 |
| C-3225 | 14x16x5 | " | R-11 | L-340 | 45 | \$4.10 | \$5.60 |

Malakawa



Nocomin



Shawinigan

For Schedule of Drilling and Fitting Prices, see pages 1-11.

Schedule 3
Aug. 15, 1914

LAVATORIES

Roll Rim

The Standard Ideal Company Ltd.

| Plate | Nominal Size | Supplied with | Bowl | Drilling and Fittings | Wgt. | Prices Enameled | |
|--------|--------------|---------------|-------|-----------------------|------|-----------------|----------|
| | | | | | | Inside | All Over |
| F204A | 15½-4½ | Conc. Hangers | R-11½ | L-340 | 45 | \$4.65 | \$6.15 |
| G-3475 | 16-5 | " | R-11 | L-340 | 55 | \$4.65 | \$6.15 |
| F205A | 14x16x4 | " | R-11½ | L-330 | 45 | \$4.70 | \$6.20 |
| F206A | 13¾-4 | " | R-11½ | L-330 | 45 | \$5.55 | \$7.05 |



Gatineau



Champlain



Soulanges

For Schedule of Drilling and Fitting Prices, see pages 1-11.

Schedule 3

Aug. 15, 1914

Flat Back

Corner

Corner

The Standard Ideal Company Ltd.

Page 28

LAVATORIES



Yarmouth



Medway



Figma



Keswick

| Plate | Sections | Nominal Size | Bowl | Drilling and Fittings | Wght. | Prices Enameled Inside | All over |
|--------|-------------------|--------------|-------------------|-----------------------|-------|------------------------|----------|
| F207 A | 2 Bowls | 21x48x12 | O-11 1/2 x 14 1/4 | M-305 1/2 | 300 | \$ 31.20 | |
| F208 A | " | 21x48 | O-11 1/2 x 14 1/4 | M-305 1/2 | 240 | \$ 27.45 | |
| F209 A | 2 Section 4 Bowls | 42x48 | O-11 1/2 x 14 1/4 | L-390 | 480 | \$ 57.65 | |
| 210A | 8 Bowls | 20x24 | O-11 1/2 x 14 3/4 | L-391 | 1080 | \$143.00 | \$155.00 |
| A 2 " | " | " | " | L-391 | 270 | \$ 35.75 | \$ 38.75 |
| C 8 " | " | 22x27 | O-12 1/2 x 16 1/2 | L-391 | 1360 | \$155.40 | \$167.40 |
| O 2 " | " | " | " | L-391 | 340 | \$ 38.65 | \$ 41.85 |

Full Apron Type

Schedule 3
Aug. 15, 1914

For Schedule of Drilling and Fitting Prices, see pages 1-11.

The Standard Ideal Company Ltd.

Page 28

The Standard Ideal Company Ltd.

Page 20
LAVATORIES

| Plate | Nominal Size | Supported on | Bowl | Drilling and Fittings | Wgt. | Prices Enamelled Inside All over |
|-------|--------------|---------------|-----------------|-----------------------|------|----------------------------------|
| F211A | 19x24x10 | Conc. Hangers | O-11 1/4x14 | L-330 | 125 | \$14.60 \$16.10 |
| F212A | 20x24x12 | " | O-11 1/2x14 3/4 | L-326 | 150 | \$12.50 \$14.00 |
| F213A | 18x21x8 | " | D-10x14 | L- | 90 | \$ 8.10 \$ 9.60 |
| F214A | 18x24x10 | " | O-11 3/4x14 1/4 | L- | 90 | \$10.20 \$11.70 |
| F215A | 18x21x8 | " | D-10 1/4x14 1/4 | L- | 75 | \$ 6.65 \$ 8.15 |



Full Apron Type

Roll Rim Type

Schedule 3
Aug. 15, 1914

Prices quoted apply for each Lavatory.
For Schedule of Drilling and Fitting Prices, see pages 1-11.

The Standard Ideal Company Ltd.

Page 30

LAVATORIES

| Plate | Section | Nominal Size | Bowl | Drilling and Fitting | Wght. | Prices Enameled | |
|-------|----------|--------------|-----------------|----------------------|-------|-----------------|----------|
| | | | | | | Inalde | All over |
| F216A | 4 Double | 18x24 | O-11 1/4x14 1/4 | L-391 | 800 | \$143.00 | \$155.00 |
| A | 1 " | " | " | " | 200 | \$ 35.75 | \$ 38.75 |
| C | 4 " | 20x24 | " | " | 880 | \$155.40 | \$167.40 |
| C | 1 " | " | " | " | 220 | \$ 38.85 | \$ 41.85 |
| F217A | 2 " | 18x24 | " | " | 400 | \$ 71.50 | \$ 77.50 |
| A | 1 " | " | " | " | 200 | \$ 35.75 | \$ 38.75 |
| C | 2 " | 20x24 | " | " | 440 | \$ 77.70 | \$ 83.70 |
| C | 1 " | " | " | " | 220 | \$ 38.85 | \$ 41.85 |

Double
Sectional
Full Apron
Type

Schedule 3
Aug. 15, 1914

For Schedule of Drilling and Fitting Prices, see pages 1-11.



Rochester



Doverdale

The Standard Ideal Company Ltd.

Page 31

The Standard Ideal Company Ltd.

Page 31

LAVATORIES

| Plate | Sections | Nominal Size | Bowl | Drilling and fittings | Wght. | Prices | |
|-------|----------|--------------|-------------------|-----------------------|-------|-----------------|----------|
| | | | | | | Enameled Inside | All over |
| F218A | 4 Double | 16x20 | O-11x13 1/4 | L-391 | 640 | \$ 22.00 | \$104.00 |
| A | 1 " | " | " | " | 135 | \$ 23.00 | \$ 26.00 |
| C | 4 " | 18x24 | O-11 1/4 x 14 1/4 | " | 640 | \$110.00 | \$122.00 |
| C | 1 " | " | " | " | 160 | \$ 27.66 | \$ 30.65 |
| E | 4 " | 22x27 | O-11 1/4 x 14 1/4 | " | 840 | \$129.00 | \$141.00 |
| E | 1 " | " | " | " | 210 | \$ 22.25 | \$ 35.25 |

Double
Sectional
Roll Rim
Type

Schedule 3

Aug. 15, 1914

For Schedule of Drilling and Fitting Prices, see pages 1-11.



Malvern

The Standard Ideal Company Ltd.

| Plate | Sections | Nominal Size | Bowl | Drilling and Fittings | Wght. | Prices Enameled | |
|--------|----------|--------------|-------------------|-----------------------|-------|-----------------|----------|
| | | | | | | Inside | All over |
| *F225A | 3 Single | 18x24 | O-11 3/4 x 14 3/4 | L-382 | 375 | \$ 60.90 | \$ 65.40 |
| A | 1 " | " | " | " | 125 | \$ 20.30 | \$ 21.80 |
| O | 3 " | 20x24 | " | " | 450 | \$ 72.45 | \$ 76.95 |
| O | 1 " | " | " | " | 150 | \$ 24.15 | \$ 25.65 |

Sectional
Full Apron
Type

*F226A-18x34. Same as F225A, except with End Piece, see page 34.

For Schedule of Drilling and Fitting Prices, see pages 1-11.

Schedule 3
Aug. 15, 1914



Sydney

The Standard Ideal Company Ltd.

| Plate | Sections | Nominal Size | Bowl | Drilling and Fittings | Wght. | Prices Enameled | |
|-------|----------|--------------|-------------------|-----------------------|-------|-----------------|----------|
| | | | | | | Inside | All Over |
| F237A | 3 Single | 18x24 | O-11 1/4 x 14 1/4 | L-393 | 375 | \$ 60.90 | \$ 65.40 |
| A | 1 " | " | " | " | 125 | \$ 20.30 | \$ 21.80 |
| C | 3 " | 20x24 | " | " | 375 | \$ 72.45 | \$ 76.95 |
| C | 1 " | " | " | " | 125 | \$ 24.15 | \$ 25.65 |



Southport

Sectional
Full Apron
Type

For Schedule of Drilling and Fitting Prices, see pages 1-11.
For End Piece, see page 34.

Schedule 3
Aug. 15, 1914

The Standard Ideal Company Ltd.

Page 34

LAVATORIES

| Plate | Sections | Size | Bowl | Drilling and Fittings | Wght. | Prices Enameled | |
|--------|----------|-------|-------------------|-----------------------|-------|-----------------|----------|
| | | | | | | Inside | All over |
| *F228A | 4 Single | 16x20 | O-11x13 1/2 | L-308 | 420 | \$ 43.80 | \$ 49.80 |
| A | 1 " | " | " | " | 100 | \$ 10.95 | \$ 12.45 |
| C | 4 " | 18x24 | O-11 1/2 x 14 1/2 | " | 490 | \$ 50.40 | \$ 56.40 |
| C | 1 " | " | " | " | 120 | \$ 12.60 | \$ 14.10 |
| E | 4 " | 22x27 | O-11 1/2 x 14 1/2 | " | 600 | \$ 74.40 | \$ 80.40 |
| E | 1 " | " | " | " | 180 | \$ 18.60 | \$ 20.10 |
| *F228A | 3 " | " | " | M-394 | 450 | \$ 55.80 | \$ 60.30 |
| A | 1 " | " | " | " | 150 | \$ 18.60 | \$ 20.10 |



Doncaster

Sectional
Roll Rim
Type

Schedule 3

Aug. 15, 1914

*F230. Same as F228-29 except with End Piece.
Add for R. or L. H. End Piece: 16x20 \$4.50; 18x24 \$4.50; 30x24 \$5.10; 22x27 \$5.60.
For Schedule of Drilling and Fitting Prices, see pages 1-11.

*F230. Same as F228-29 except with End Piece.
Add for R. or L. H. End Piece: 16x20 \$4.50; 18x24 \$4.50; 20x24 \$5.10; 22x27 \$5.60.
For Schedule of Drilling and Fitting Prices, see pages i-11.

Page 36

LAVATORIES

Roll Rim
Type

The Standard Ideal Company Ltd.

| Plate | Nominal Size | Supplied with | Bowl | Drilling and Fittings | Wgt. | Price Enameled | |
|-------|--------------|---------------|------------------|-----------------------|------|----------------|----------|
| | | | | | | Inside | All over |
| X100 | 13x25 | Conc. Hangers | O-9 1/4 x 15 1/4 | L-340 | 70 | \$ 9.00 | \$ 9.75 |
| F241 | 17x19x5 | " | O-10x13 1/4 | L-340 | 65 | \$ 5.45 | \$ 6.06 |
| G3225 | 14x16x5 | " | B-11" | L-340 | 45 | \$ 4.10 | \$ 5.00 |
| G3475 | 16"-5" | " | B-11" | L-340 | 55 | \$ 4.65 | \$ 6.15 |



Corner

For Schedule of Drilling and Fitting Prices, see pages i-11.

Schedule J

AUG. 15, 1914

at the 1.25

The Standard Ideal Company Ltd.

DRINKING FOUNTAINS

Our line of Drinking Fountains includes probably the largest variety of the various approved and accepted types of Fountains now made by any manufacturer.

Suitable Fountains may be selected to provide proper drinking accommodations to meet almost all conditions or requirements. Five different styles of bubblers are illustrated, all of which are thoroughly reliable and dependable, and equal in serviceability and sanitary efficiency to any bubblers now on the market.

All bubblers are supplied with a specially devised pressure regulator, by means of which the flow or stream can be regulated according to requirements. The No. 1 Cup is all brass, while the No. 2, 3, 4 and 5 bubblers are furnished with a vitreous china cone-shaped head. When desired, enamelled iron heads can be furnished at the same price.


For Illustrations of Bubblers, see Next Page

NOTE:—Drinking Fountains are regularly furnished with fittings as herein described. Prices on separate parts or on Fountains without fittings will be quoted on application.

The Standard Ideal Company Ltd.

Page 2

**DRINKING
FOUNTAINS**



No. 1

N. P. Brass Ring Operating Bubbler




No. 2

Vitreous China Ring Protected Push Button
Bubbler with Oscillating Lever Control



No. 3

Vitreous China Push Button
Bubbler with Oscillating
Lever Control



No. 4

Vitreous China Continuous Flow Ring
Protected Bubbler



No. 5

Vitreous China Continuous Flow Cone
Bubbler

NOTE.—The Oscillating Lever Control, as furnished with our Nos. 2 and 3 Bubblers, is a decided improvement over the ordinary Push Button. It is more convenient to operate and cannot "stick" or get out of order as easily as the ordinary Push Button Valves.

Bubblers

Schedule 4

Aug. 15, 1914

The Standard Ideal Company Ltd.

The Standard Ideal Company Ltd.

Page 3

DRINKING
FOUNTAINS

| Plate | Bubbler No. | Bowl | Supported on | 30" High | | 36" High | |
|-------|-------------|----------------------|--------------|----------|---------|----------|---------|
| | | | | Weight | Price | Weight | Price |
| F3001 | 1 | 11" Double. | Enam. Ped. | 125 | \$27.00 | | |
| F3002 | 2 | " | " | 125 | \$29.70 | | |
| F3003 | 3 | " | " | 125 | \$27.00 | | |
| F3004 | 4 | " | " | 125 | \$26.40 | | |
| F3005 | 5 | " | " | 125 | \$23.45 | | |
| F3011 | 1 | 14" Double | " | 135 | \$29.25 | 155 | \$31.50 |
| F3012 | 2 | " | " | 135 | \$31.95 | 155 | \$34.20 |
| F3013 | 3 | " | " | 135 | \$29.25 | 155 | \$31.50 |
| F3014 | 4 | " | " | 135 | \$28.65 | 155 | \$30.90 |
| F3015 | 5 | " | " | 135 | \$25.70 | 155 | \$27.95 |
| F3021 | 1 | 14" F. R. (Enam. X.) | Ptd. Ped. | 125 | \$25.90 | 140 | \$28.15 |
| F3022 | 2 | " | " | 125 | \$28.60 | 140 | \$30.85 |
| F3023 | 3 | " | " | 125 | \$25.90 | 140 | \$28.15 |
| F3024 | 4 | " | " | 125 | \$25.30 | 140 | \$27.55 |
| F3025 | 5 | " | " | 125 | \$22.35 | 140 | \$24.60 |
| | Add for | Enam. All Over | Enam. Ped. | | \$ 5.60 | | \$ 5.60 |

On
Pedestals

Schedule 4
Aug. 15, 1914

Concealed Galv. Waste Pipe to floor, connection for Exposed Supply (no Supply Pipe) and Bubbler regularly furnished with these fountains.
Enam. X means Enam. Inside. Enam. XX—Enameled All-over.



The Standard Ideal Company Ltd.

Page 4

DRINKING FOUNTAINS


On
Pedestals

On Pipe
Standard
and Base

Schedule 4
Aug. 15, 1914

| Plate | Bubbler No. | Bowl | Supported on | 30" High | | 36" High | |
|-------|----------------|----------------------|----------------|----------|---------|----------|---------|
| | | | | Weight | Price | Weight | Price |
| F8081 | 1 | 14" F. R. (Enam. X.) | Ptd. Ped. | 125 | \$25.90 | | |
| F8082 | 2 | " | " | 125 | \$20.00 | | |
| F8083 | 3 | " | " | 125 | \$25.90 | | |
| F8084 | 4 | " | " | 125 | \$25.30 | | |
| F8085 | 5 | " | " | 125 | \$23.35 | | |
| F8101 | 1 | 11" Double. | Ptd. Pipe Std. | 100 | \$24.00 | 110 | \$24.75 |
| F8102 | 2 | " | " | 100 | \$26.70 | 110 | \$27.45 |
| F8103 | 3 | " | " | 100 | \$24.00 | 110 | \$24.75 |
| F8104 | 4 | " | " | 100 | \$23.40 | 110 | \$24.15 |
| F8105 | 5 | " | " | 100 | \$20.45 | 110 | \$21.20 |
| F8111 | 1 | 11" R. R. (Enam. X.) | " | 90 | \$20.25 | 100 | \$21.00 |
| F8112 | 2 | " | " | 90 | \$22.95 | 100 | \$23.70 |
| F8113 | 3 | " | " | 90 | \$20.25 | 100 | \$21.00 |
| F8114 | 4 | " | " | 90 | \$19.65 | 100 | \$20.40 |
| F8115 | 5 | " | " | 90 | \$16.70 | 100 | \$17.45 |

Concealed Galv. Waste Pipe to floor, connection for Exposed Supply (no Supply Pipe) and Bubbler regularly furnished with these fountains.
Enam. X means Enamelled Inside. Enam. XX—Enamelled All-over.
F8111-3115, with Bowl Enamelled All-over, add \$0.40.



The Standard Ideal Company Ltd.

Page 5
DRINKING
FOUNTAINS

| Plate | Bubbler No. | Bowl | Supported on | 30" High | | 36" High | |
|-------|-------------|--------------------|----------------|----------|---------|----------|---------|
| | | | | Weight | Price | Weight | Price |
| F8121 | 1 | 14" Double. | Ptd. Pipe Std. | 110 | \$26.60 | 120 | \$27.35 |
| F8122 | 2 | " | " | 110 | \$29.30 | 120 | \$30.05 |
| F8123 | 3 | " | " | 110 | \$26.60 | 120 | \$27.35 |
| F8124 | 4 | " | " | 110 | \$26.00 | 120 | \$26.75 |
| F8125 | 5 | " | " | 110 | \$28.05 | 120 | \$28.80 |
| F8131 | 1 | 14" R.R. (Enam. X) | " | 105 | \$21.75 | 115 | \$22.50 |
| F8132 | 2 | " | " | 105 | \$24.45 | 115 | \$25.20 |
| F8133 | 3 | " | " | 105 | \$21.75 | 115 | \$22.50 |
| F8134 | 4 | " | " | 105 | \$21.15 | 115 | \$21.90 |
| F8135 | 5 | " | " | 105 | \$18.20 | 115 | \$18.95 |

On Pipe
Standard
and Base

Concealed Galv. Waste Pipe to floor, connection for Exposed Supply (no Supply Pipe) and Bubbler regularly furnished with these fountains.

F8131-8135 with Enameled All-over Bowl, add: 14", \$0.75.

Enam. X means Enameled Inside. Enam. XX—Enameled All-over.

Schedule 4
Aug. 15, 1914



The Standard Ideal Company Ltd.

Page 6
DRINKING
FOUNTAINS

| Plate | Bubbler No. | Bowl | Supported on | 30" High | | 36" High | |
|-------|-------------|---------------------|----------------|----------|---------|----------|---------|
| | | | | Weight | Price | Weight | Price |
| F3141 | 1 | 14" F. R. (Enam. X) | Ptd. Pipe Std. | 105 | \$21.75 | 115 | \$22.50 |
| F3142 | 2 | " | " | 105 | \$24.45 | 115 | \$25.20 |
| F3143 | 3 | " | " | 105 | \$21.75 | 115 | \$22.50 |
| F3144 | 4 | " | " | 105 | \$21.15 | 115 | \$21.90 |
| F3145 | 5 | " | " | 105 | \$18.20 | 115 | \$18.95 |
| F3151 | 1 | 9" F. R. (Enam. X) | " | 100 | \$19.85 | 110 | \$20.60 |
| F3152 | 2 | " | " | 100 | \$22.55 | 110 | \$23.30 |
| F3153 | 3 | " | " | 100 | \$19.85 | 110 | \$20.60 |
| F3154 | 4 | " | " | 100 | \$19.25 | 110 | \$20.00 |
| F3155 | 5 | " | " | 100 | \$16.30 | 110 | \$17.05 |


On Pipe
Standard
and Base

Concealed Galv. Waste Pipe to floor, connection for Exposed Supply (no Supply Pipe) and Bubbler regularly furnished with these fountains.

For Enameled All-over Bowl, add: 9", \$0.40; 14", \$0.75.

Enam. X means Enameled Inside. Enam. XX—Enameled All-over.

Schedule 4
Aug. 15, 1914



*The Standard Ideal Company Ltd.*On
Brackets

| Plate | Bubbler No. | Bowl | Supported on | Weight | Price |
|-------|----------------|-----------------------|------------------|--------|---------|
| F3201 | 1 | 11" Double. | Brass Wall Brkt. | 80 | \$35.45 |
| F3202 | 2 | " | " | 80 | \$38.15 |
| F3203 | 3 | " | " | 80 | \$35.45 |
| F3204 | 4 | " | " | 80 | \$34.85 |
| F3205 | 5 | " | " | 80 | \$31.90 |
| F3211 | 1 | 14" Double. | " | 85 | \$38.10 |
| F3212 | 2 | " | " | 85 | \$40.80 |
| F3213 | 3 | " | " | 85 | \$38.10 |
| F3214 | 4 | " | " | 85 | \$37.50 |
| F3215 | 5 | " | " | 85 | \$34.55 |
| F3221 | 1 | 11" R. R. (Enam. XX). | " | 70 | \$32.10 |
| F3222 | 2 | " | " | 70 | \$34.80 |
| F3223 | 3 | " | " | 70 | \$32.10 |
| F3224 | 4 | " | " | 70 | \$31.50 |
| F3225 | 5 | " | " | 70 | \$28.55 |

Brass Bracket, Br. Supply with L. K. Stop, Running Trap and Bubbler in-
cluded in above prices.

Enam. X means Enameled Inside. Enam. XX—Enameled All-over.

Schedule 4

Aug. 15, 1914



The Standard Ideal Company Ltd.

Page 3
DRINKING
FOUNTAINS

| Plate | Bubbler No. | Bowl | Supported on | Weight | Price |
|-------|-------------|-----------------------|------------------|--------|---------|
| F8281 | 1 | 14" R. R. (Enam. XX). | Brass Wall Brkt. | 75 | \$33.95 |
| F8282 | 2 | " | " | 75 | \$36.65 |
| F8283 | 3 | " | " | 75 | \$33.95 |
| F8284 | 4 | " | " | 75 | \$33.35 |
| F8285 | 5 | " | " | 75 | \$30.40 |
| F8301 | 1 | 11" Double. | Enam. Wall Brkt. | 55 | \$22.20 |
| F8302 | 2 | " | " | 55 | \$24.90 |
| F8303 | 3 | " | " | 55 | \$22.20 |
| F8304 | 4 | " | " | 55 | \$21.60 |
| F8305 | 5 | " | " | 55 | \$18.65 |
| F8311 | 1 | 14" Double. | " | 65 | \$24.85 |
| F8312 | 2 | " | " | 65 | \$27.55 |
| F8313 | 3 | " | " | 65 | \$24.85 |
| F8314 | 4 | " | " | 65 | \$24.25 |
| F8315 | 5 | " | " | 65 | \$21.30 |

On
Brackets

Schedule 4
Aug. 15, 1914

F8231-F8235 includes Brass Bracket, Brass Supply, L.K. Stop, Running Trap and Bubbler.
F8301-F8315 includes Enam. Brkt., Brass Supply, L.K. Stop and Bubbler, no Trap. Enam. X means Enameled Inside. Enam. XX-Enameled All-over.



The Standard Ideal Company Ltd.

On
BracketsSchedule 4
Aug. 15, 1914

| Plate | Bubbler No. | Bowl | Supported on | Weight | Price |
|-----------|-------------|-----------------------|--------------|--------|---------|
| F3321 | 1 | 11" R. R. (Enam. XX). | Enam. Brkt. | 45 | \$18.85 |
| F3322 | 2 | " | " | 45 | \$21.55 |
| F3323 | 3 | " | " | 45 | \$18.85 |
| F3324 | 4 | " | " | 45 | \$18.25 |
| F3325 | 5 | " | " | 45 | \$15.30 |
| F3331 | 1 | 14" R. R. (Enam. XX). | " | 50 | \$20.70 |
| F3332 | 2 | " | " | 50 | \$23.40 |
| F3333 | 3 | " | " | 50 | \$20.70 |
| F3334 | 4 | " | " | 50 | \$20.10 |
| F3335 | 5 | " | " | 50 | \$17.15 |
| F3334 1/2 | 4 | 14" R. R. (Enam. X). | Ptd. Brkt. | 50 | \$19.00 |
| F3335 1/2 | 5 | " | " | 50 | \$16.05 |

F3321 to F3335—Enam. Wall Bkt., Brass Supply, L. K. Stop and Bubbler (no Trap) included in above prices.

For Enameled Inside Bowls, Ptd. Bracket and Galv. Supply with L. K. Stop, deduct: 11" Bowl, \$1.40; 14" Bowl, \$1.75.

F3334 1/2 to F3335 1/2 includes Ptd. Brkt., Galv. Supply with L. K. Stop and Waste Pipe and Bubbler. For Enam. All-Over Bowl, Enam. Brkt., Brass Supply and L. K. Stop and Brass Waste Pipe, add \$2.60.

Enam. X means Enameled Inside. Enam. XX—Enameled All-over.



The Standard Ideal Company Ltd.

Page 10

DRINKING FOUNTAINS

| Plate | Bubbler No. | Bowl | Supported on | Weight | Price |
|-------|----------------|----------------------|----------------------|--------|---------|
| F8341 | 1 | 14" F. R. (Enam. X). | Ptd. Wall Brkt. | 50 | \$18.95 |
| F8342 | 2 | " | " | 50 | \$21.95 |
| F8343 | 3 | " | " | 50 | \$18.95 |
| F8344 | 4 | " | " | 50 | \$18.35 |
| F8345 | 5 | " | " | 50 | \$15.40 |
| F8351 | 1 | 9" F. R. (Enam. X). | " | 45 | \$17.10 |
| F8352 | 2 | " | " | 45 | \$19.80 |
| F8353 | 3 | " | " | 45 | \$17.10 |
| F8354 | 4 | " | " | 45 | \$16.50 |
| F8355 | 5 | " | " | 45 | \$13.55 |
| F8364 | 4 | 11" R. R. (Enam. X). | Galv. Pipes to Wall. | 50 | \$15.25 |
| F8365 | 5 | " | " | 50 | \$12.30 |
| F8374 | 4 | 9" F. R. (Enam. X). | Galv. Pipe to Wall. | 45 | \$14.90 |
| F8375 | 5 | " | " | 45 | \$11.95 |

On
Brackets

Galv.
Waste Pipe
to Wall

Schedule 4
Aug. 15, 1914

F8341 to F8355 includes Ptd. Bracket, Galv. Supply, L. K. Stop and Bubbler.
For Enam. All-Over Bowls with Enam. Brkt. and Brass Supply with L. K. Stop
add: 9" Bowl, \$1.40; 14" Bowl, \$1.75.
F8364 to F8375 includes Galv. Supply, L. K. Stop, Galv. Waste to Wall and
Bubbler. Enam. X means Enameled Inside. Enam. XX--Enameled All-over.



The Standard Ideal Company Ltd

| Plate | Bubbler No. | Bowl | Supported on | Height | Price |
|-------|-------------|---------------------|-----------------------|--------|---------|
| F3401 | 1 | 11" (Enam. XX). | Ext. to Wall. | 50 | \$18.10 |
| F3402 | 2 | " | " | 50 | \$20.80 |
| F3403 | 3 | " | " | 80 | \$18.10 |
| F3404 | 4 | " | " | 80 | \$17.50 |
| F3405 | 5 | " | " | 50 | \$14.55 |
| F3411 | 1 | 11" (Enam. XX). | Ext. to Corner. | 50 | \$18.10 |
| F3412 | 2 | " | " | 50 | \$20.80 |
| F3413 | 3 | " | " | 50 | \$18.10 |
| F3414 | 4 | " | " | 50 | \$17.50 |
| F3415 | 5 | " | " | 50 | \$14.55 |
| F3501 | 1 | 13 1/2" (Enam. XX). | Integral Trap to Wall | 60 | \$22.55 |
| F3502 | 2 | " | " | 60 | \$25.25 |
| F3503 | 3 | " | " | 60 | \$22.55 |
| F3504 | 4 | " | " | 60 | \$21.95 |
| F3505 | 5 | " | " | 60 | \$19.00 |

Includes Brass Supply with L. K. Stop and Bubbler.
Enam. X means Enamelled Inside. Enam. XX--Enamelled All-over.



The Standard Ideal Company Ltd.

| Plate | Bubbler No. | Style | Supported on | Weight | Price |
|-------|-------------|------------------|--------------|--------|---------|
| F3601 | 1 | 54" Long—4 Cups. | Ptd. Brkts. | 125 | \$55.00 |
| F3602 | 2 | " | " | 125 | \$67.00 |
| F3603 | 3 | " | " | 125 | \$56.20 |
| F3604 | 4 | " | " | 125 | \$53.80 |
| F3605 | 5 | " | " | 125 | \$42.00 |
| F3611 | 1 | 54" Long—3 Cups. | Ptd. Brkts. | 115 | \$45.65 |
| F3612 | 2 | " | " | 115 | \$54.65 |
| F3613 | 3 | " | " | 115 | \$46.55 |
| F3614 | 4 | " | " | 115 | \$44.75 |
| F3615 | 5 | " | " | 115 | \$36.90 |

Includes Bubbler, Brass Supply with L. K. Stop and Strainer, no Trap.
Enam. X means Enameled Inside. Enam. XX—Enameled All-over.





DRINKING
FOUNTAINS

The Standard-Ideal Company Ltd.

| Plate | No. | | | Weight | Prices |
|-------|--------|-------------------------|----------------------|--------|---------|
| F3621 | 1 | 30" Long, 2 Cups. | | | |
| F3622 | 2 | " | Ptd. Brkt. | 95 | \$32.30 |
| F3623 | 3 | " | " | " | \$38.30 |
| F3624 | 4 | " | " | " | \$32.90 |
| F3625 | 5 | " | " | " | \$31.70 |
| F3634 | 4 | 48" Long, 2 Cups. | | | \$26.80 |
| F3635 | 5 | " | Ptd. Brkt. C.W.H. | 250 | \$49.85 |
| F3637 | Bibbs. | 48" Long, 2 S.C. Bibbs. | " | " | \$43.95 |
| F3647 | " | 60" Long, 3 S.C. Bibbs. | " | " | \$33.15 |
| | | | | " | \$33.30 |

F3621 to F3635 include Bubblers, Brass Supply with L.E. Stops and Strainer.
No Trap.


F3637 to F3647 include S.C. Bibbs and Strainers. No Trap.



The Standard Ideal Company Ltd.

| Plate | Bubbler | Size | Style | Supported on | Weight | Prices |
|-------|---------------|--------------|------------|-----------------|--------|---------|
| F3707 | 2 S.C. Bibbs. | 14x24x12 | Flat Back. | Conc. Hgr. | 85 | \$24.35 |
| F3714 | No. 4 | 14x18x12 | " | " | 75 | \$25.90 |
| F3715 | No. 5. | " | " | " | " | \$22.95 |
| F3717 | S.C. Bibb. | " | " | " | " | \$18.30 |
| F3727 | S.C. Bibb. | 22x20x10 1/2 | Alcove. | " | 50 | \$12.15 |
| F3737 | " | 22x19x9 | Flat Back. | " | " | \$11.55 |

Prices include all Fittings.

Schedule 4
Aug. 15, 1914*The Standard Ideal Company Ltd.*


The Standard Ideal Company Ltd.

Page 15

DRINKING FOUNTAINS

| Plate | Supplied with | Size | Style | Weight | Price |
|-------------------------|---|----------|----------------------------|--------|----------|
| F3828 | Conc. Galv. Supply, Contr. Valves and Spouts (No Trap), Ftd. Brkts. | 18" x 5' | Trough, Separate Back, 12" | 400 | \$ 51.00 |
| | | 8' | | 620 | \$ 72.30 |
| | | 10' | | 755 | \$ 89.30 |
| | | 12' | | 900 | \$106.35 |
| | | 15' | | 1125 | \$131.85 |
| | | 18' | | 1350 | \$157.35 |
| | | 20' | | 1600 | \$174.40 |
| F3851 F3852 F3853 | Fuller Valve, No. 5 Cup, Rigid-arm. | 25' | For Slab | 1950 | \$216.90 |
| | Fuller Valve, No. 5 Cup, Swinging-arm. | | For Slab | | \$ 7.50 |
| | Fuller Faucet, No. 5 Cup, Swinging-arm. | | For Slab | | \$ 8.25 |
| F3854 | Fuller Bibb, No. 5 Cup, Swinging-arm. | | For Back | | \$ 11.25 |
| | | | | | \$ 12.75 |

Schedule 4
Aug. 15, 1914



The Standard Ideal Company, Inc.

The Standard Ideal Company Ltd.

Page 1

Backs, separate or in combination, are regularly furnished with Two Cock Holes or No Cock Holes, as follows:

Roll Rim Sinks.

F301 to F309 Inc., 8" C. to C.
F320 to F322 Inc., 10" "
F323 to F324 Inc., 9" "
F327 8" "

Sink Backs.

F403-405 20", 6 1/2" C. to C.; 36", 9" C. to C.
24", 8" " 40", 10" "
30", 9" " 48", 10" "
F408 All sizes 9" "

Slop Sink

F331, All sizes.....7 1/4" C. to C. 16x16. 5" C. to C.
F332 334, 16x20.....6 3/4" " 14x20 8" "
20x22.....7 1/4" " 16x20 8" "
20x24 11" "

Laundry Trays.

F351-2-3 and F361.....9 1/2" C. to C. F359, 1 Section.....9 1/4" C. to C.
F354-5-7-8 and F360 14" " 2 Section.....9 1/2" "
F356.....9 3/4" " F363-F364, Sink.....8 " "
F362.....9 3/4" " Tray.....8 " "
F365.....14" " F363 1/2-F364 1/2, Back.....8 " "

SPECIAL DRILLINGS FOR—

| | One-Piece | Two-Piece |
|--|-----------|-----------|
| One Cock Hole only..... | \$0.75 | \$0.40 |
| Two Cock Holes, other than regular..... | \$1.50 | \$0.75 |
| Three Cock Holes (one between regular hole)..... | \$0.75 | \$0.40 |
| Three Cock Holes, other than above..... | \$2.25 | \$1.15 |
| Four Cock Holes..... | \$3.00 | \$1.50 |
| Drilling at top edge of Back for Supply Pipes..... | \$0.75 | \$0.40 |

FLAT RIM SINKS—

| | |
|---|--------|
| Drilling Screw Holes in rim..... | \$0.08 |
| Drilling holes in rim for Supply Pipes..... | \$0.40 |

Schedule 5
Aug. 15, 1914

Drillings

BRASS
FITTINGS*The Standard Ideal Company Ltd.*

| Plate | SINK AND TRAY FITTINGS | Prices |
|-------|--|--------------|
| | 1½" N.P. Sink Bibbs. | Pair \$ 2.10 |
| | 1½" N.P. Laundry Tray Bibbs. | Pair \$ 2.10 |
| | Laundry Tray Continuous Waste, without Plugs, End Outlet, 2-Section, 1½" with 1½" Vented "S" Trap. | \$ 6.96 |
| | Without Trap. | \$ 4.40 |
| | 3-Section 1½" with 2" Vented "S" Trap. | \$13.10 |
| | Without Trap. | \$ 6.85 |
| | For F369 and F360-2 Section Tray—1½" Waste and 1½" Vented "S" Trap. | \$ 6.20 |
| | TRAPS FOR LAUNDRY TRAYS AND SINKS | |
| | 1½" Adjustable "P" Trap with Vent, (less Plugs). | \$ 2.25 |
| | Without Vent. | \$ 1.85 |
| | 2" Adjustable "P" Trap with Vent, (less Plugs). | \$ 5.50 |
| | Without Vent. | \$ 4.75 |
| | 1½" Adjustable "S" Trap with Vent, (less Plugs). | \$ 2.55 |
| | Without Vent. | \$ 2.05 |
| | 2" Adjustable "S" Trap with Vent, (less Plugs). | \$ 6.25 |
| | Without Vent. | \$ 5.15 |
| | If with Plugs, add | \$.40 |

Sink and
Laundry Tray
FittingsSchedule 5
Aug. 15, 1914

The Standard Ideal Company Ltd.

Page 3
SINKS

Adjustable Sink Legs.

FOR USE UNDER SINK

Adjustable Leg for setting sink 29½" to 33" from floor to top of rim.....Painted, Each \$0.90

Enameled, Each \$2.70

Same for setting sink 33" to 36" from floor to top of rim.....Painted, Each \$1.20

Enameled, Each \$3.20

FOR USE UNDER INTEGRAL DRAIN BOARD (F301-2)

Adjustable Leg for use under Drain Board for setting sink 29¼" to 33" from floor to top of Rim.....Painted, Each \$1.20

Enameled, Each \$3.30

Same, for setting Sink 33" to 36" from floor to top of rim.....Painted, Each \$1.50

Enameled, Each \$3.80

NOTE.—For F301 Sink one Sink Leg and one Drain-board Leg are required. For F302 one Drain-board Leg only is required.

F301-F302 are regularly furnished with adjustable Legs, Painted, for setting Sink 29¼" to 33" from floor to top of rim. If Enameled Legs or Longer Length Legs are desired add difference in price between Legs wanted and the Legs regularly furnished.

Adjustable
Sink Legs

Schedule 5
Aug. 15, 1914



Sink and
Drain-board
Mats

Schedule 5
Aug. 15, 1914

The Standard Ideal Company Ltd.

The "SANIMAT" is constructed of Hardwood Slats, held firmly together by means of tough, unbreakable fibre binding and hardwood ball joints. It is the most perfect, sanitary and inexpensive Mat on the market.
Booklet showing the "SANIMAT" for automobiles, floors and for many other purposes will be sent on request.

| "SANIMAT" for | | Size, Sink or Drain-b'd | Size of Mat | Price, Each |
|---------------------|-----------------|-------------------------------|----------------|----------------|
| F301-302 | For Sink | Inches | Inches | |
| | | | 13x21 | \$1.35 |
| F303 to F309-Sinks. | For Drain-board | | 14x20 | \$1.35 |
| | | 16x24 | | |
| | | 18x30 | 11x24 | \$1.35 |
| | | 20x30 | 13x24 | \$1.65 |
| F310-Drain-board | | 22x36 | 15x30 | \$2.30 |
| | | 22x42 | 15x36 | \$2.60 |
| | | 16x20 | 12x18 | \$1.00 |
| | | 18x24 | 14x22 | \$1.65 |
| | | 20x24 | 16x22 | \$1.65 |
| | | 22x24 | 18x22 | \$1.95 |

Prices on other sizes quoted on application.
See pages 5-7.

Durable
Flexible

May be
Rolled Up
Without
Cracking or
Breaking



The Standard Ideal Co.

The Standard Ideal Company Ltd.

Page 5





Sink and
Drain-board
Mats

| "SANIMAT" for | | Size, Sink or Drain-b'd | Size of Mat | Price, Each |
|------------------|--|-------------------------------|----------------|----------------|
| F320—Sink. | | Inches 16x24 | Inches 8x16 | \$1.95 |
| | | 18x30 | 10x22 | \$1.35 |
| | | 20x30 | 12x22 | \$1.35 |
| F321—Sink. | | 16x24 | 10x16 | \$1.00 |
| | | 18x30 | 12½x22 | \$1.35 |
| | | 18x36 | 12½x28 | \$1.65 |
| F325—Drain-board | | 20x30 | 14½x24 | \$1.65 |
| | | 20x36 | 14½x28 | \$1.95 |
| | | 20x40 | 14½x32 | \$2.30 |
| | | 16x18 | 14x16 | \$1.45 |
| | | 18x18 | 16x16 | \$1.45 |
| | | 20x18 | 18x16 | \$1.45 |
| | | 16x24 | 14x21 | \$1.80 |
| | | 18x24 | 16x21 | \$1.80 |
| | | 20x24 | 18x21 | \$2.10 |

Prices on other sizes quoted on application.
See pages 4-7.

Schedule 5
Aug. 15, 1914

Durable
Flexible
May be
Rolled Up
Without
Cracking or
Breaking





Durable
Flexible

May be

Rolled Up

Without

Cracking or

Breaking



The Standard Ideal Company Ltd.

"SANIMAT" for

| | Size, or Sink or Drain-b'd | Size of Mat | Price, Each |
|-----------------------|----------------------------------|----------------|----------------|
| | Inches | Inches | |
| F326--Drain-board. | 16x18 | 12x16 | \$1.10 |
| | 18x18 | 14x16 | \$1.45 |
| | 20x18 | 16x16 | \$1.45 |
| | 16x24 | 12x22 | \$1.45 |
| | 18x24 | 14x22 | \$1.80 |
| F327--Sink. | 20x24 | 16x22 | \$1.80 |
| | 18x30 | 11x22 | \$1.00 |
| | 20x30 | 13x22 | \$1.35 |
| F331--Slop Sink. | 22x36 | 15x28 | \$1.95 |
| | 18x22 | 11x13 | \$.65 |
| | 20x22 | 13x13 | \$1.00 |
| | 20x24 | 13x16 | \$1.00 |
| F332-3-4--Slop Sinks. | 16x20 | 10x12 | \$.65 |
| | 20x22 | 14x14 | \$1.00 |

Prices on other sizes quoted on application.
See pages 4-7.



Sink and
Drain-board
Mats

Schedule 5
Aug. 15, 1914

The Standard Ideal Company Ltd.

The Standard Ideal Company Ltd.

Page 7



Sink and
Drain-board
Mats

| "SANIMAT" for | | Size of Sink or Drain-b'd | Size of Mat | Price, Each |
|----------------------------------|--|---------------------------------|-----------------|----------------|
| F335-336 1/4-336-337—Slop Sinks. | | Inches 16x16 | Inches 11x11 | \$.65 |
| | | 14x20 | 9x14 | \$.65 |
| | | 16x20 | 11x14 | \$1.00 |
| | | 20x24 | 15x18 | \$1.35 |
| F363-4—Sink. | | | 14x24 | \$1.65 |
| | | 12x18 | 6x14 | \$.65 |
| F400—Sink. | | 14x20 | 9 1/4x16 | \$1.00 |
| | | 18x24 | 12x18 | \$1.35 |
| | | 18x36 | 12x29 | \$1.65 |
| | | 20x30 | 14x23 | \$1.65 |
| | | 20x36 | 14x29 | \$1.95 |
| F401—Sink. | | 20x40 | 14x33 | \$2.30 |
| | | 20x72 | 14x68 | \$4.55 |
| | | 22x48 | 16x42 | \$3.30 |
| | | 16x24 | 10x18 | \$1.00 |
| | | 18x30 | 12x23 | \$1.35 |
| F402—Sink. | | | | |

Prices on other sizes quoted on application.
See pages 4-6.

Schedule 5
Aug. 15, 1914



Durable
Flexible
May be
Rolled Up
Without
Cracking or
Breaking



The Standard Sdeal Company Ltd.

Page 8

SINKS

Apron Type

One-piece

| Plate | Style | Furnished W.th | Back | DIMENSIONS | | | Nom- inal Size | Wgt. | Price |
|----------------|---|---------------------------|--------|-------------|----------------------|------------|----------------------|------|---------|
| | | | | Dr.- Bd. | Over- All Wid. | Over- I | | | |
| F301A | Sink, D.B., R. or L., One-Piece. | Conc. Hgrs. Ptd. Legs. | 11 1/4 | 25 | 20 1/4 | 51 1/4 | 20x30 | 325 | \$51.00 |
| F302A | Sink, D.B. End, R. or L., One-Piece | Conc. Hgrs. Ptd. Leg. | 11 1/4 | 25 | 20 1/4 | 51 1/4 | 20x30 | 360 | \$52.50 |
| F303A | One Piece. | Conc. Hgrs. | 11 1/4 | | 18 1/4 | 30 1/4 | 18x30 | 170 | \$19.95 |
| | | | | | 20 1/4 | 30 1/4 | 20x30 | 180 | \$20.75 |
| | | | | | 22 1/4 | 36 1/4 | 22x36 | 200 | \$26.25 |
| | | | | | 22 1/4 | 42 1/4 | 22x42 | 230 | \$28.85 |
| F304A | One-Piece Sink, F310, R. and L., Dr.-Bds. | Conc. Hgrs. | 11 1/4 | 24 | 18 1/4 | 73 1/4 | 18x30 | 330 | \$36.45 |
| | | | | 24 | 20 1/4 | 73 1/4 | 20x30 | 350 | \$37.95 |
| | | | | 24 | 22 1/4 | 79 1/4 | 22x36 | 380 | \$47.25 |
| | | | | 24 | 22 1/4 | 85 1/4 | 22x42 | 410 | \$49.85 |
| F305A F306A | F310 R.H., Dr.-Bd. F310 L.H., Dr. Bd. One-Piece Sink. | Conc. Hgrs. | 11 1/4 | 24 | 18 1/4 | 52 | 18x30 | 250 | \$28.20 |
| | | | | 24 | 20 1/4 | 52 | 20x30 | 265 | \$29.35 |
| | | | | 24 | 22 1/4 | 57 1/4 | 22x36 | 290 | \$36.75 |
| | | | | 24 | 22 1/4 | 63 1/4 | 22x42 | 320 | \$39.35 |

With

Separate
Drain-board

Schedule 5

Aug. 15, 1914

For 22x36 and 22x42" size we advise the use of legs in addition to Conc. Hgrs.



The Standard Ideal Company Ltd.

Page 9

SINKS

Apron Type

One-piece

Corner Sink

Separate

Drain-board


R. or L.

| Plate | Style | Furnished With | DIMENSIONS | | | | Nom-inal Size | Wgt. | Price | |
|----------------|---|--------------------|------------|---------|---------------|---------------|---------------|-------|---------|---------|
| | | | Back | Dr.-Bd. | Over-All Wid. | Over-All Lgh. | | | | |
| F307A | R. or L.H. One Piece. | Conc. Hgrs. 11 1/2 | | | 16 1/4 | 24 1/4 | 16x24 | 140 | \$22.50 | |
| | | | | | 18 1/4 | 30 1/2 | 18x30 | 180 | \$25.10 | |
| | | | | | 20 1/4 | 30 1/2 | 20x30 | 195 | \$26.25 | |
| | | | | | 22 1/4 | 36 1/4 | 22x36 | 225 | \$32.00 | |
| F308A F309A | F310 R.H. Dr. Bd. F310 L.H. Dr. Bd. One-Piece Sink. | Conc. Hgrs. 11 1/2 | | 20 | 16 1/4 | 42 | 16x24 | 210 | \$30.00 | |
| | | | | 24 | 18 1/4 | 52 | 18x30 | 260 | \$33.35 | |
| | | | | 24 | 20 1/4 | 52 | 20x30 | 280 | \$34.85 | |
| | | | | 24 | 22 1/4 | 57 1/4 | 22x36 | 315 | \$42.50 | |
| F310 | "Sanitary" Dr. Bd. with Back. F303-309 Sinks. | 9 | | | 24 | 22 1/4 | 63 1/4 | 22x42 | 345 | \$45.15 |
| | | | | | 16 | 20 | 16x20 | 70 | \$ 7.50 | |
| | | | | | 18 1/4 | 24 | 18x24 | 80 | \$ 8.25 | |
| | | | | | 20 1/4 | 24 | 20x24 | 85 | \$ 8.60 | |
| F320A | One Piece, Center Outlet. | Conc. Hgrs. 9 1/4 | | | 22 | 24 | 22x24 | 90 | \$10.50 | |
| | | | | | 16 | 24 1/4 | 16x24 | 95 | \$ 8.60 | |
| | | | | | 18 1/4 | 30 1/4 | 18x30 | 125 | \$10.10 | |
| | | | | | 20 1/4 | 30 1/4 | 20x30 | 140 | \$10.70 | |

For Sinks over 20x36", we advise the use of Legs in addition to Conc. Hgrs.
For Enam. All-over, see page 10.

Schedule 5

Aug. 15, 1914



The Standard Sdeal Company Ltd.

Page 10

| Plate | Style | Furnished With | DIMENSIONS | | | | Price | SINKS Roll Rim One-piece |
|------------|----------------------------|----------------|------------|-------------|----------------------|---------------|-------|--------------------------------|
| | | | Back | Dr.- Bd. | Over- All Wid. | Over- Lgh. | | |
| F320 1/4 A | F320 Sink. F326 Dr. Bd. | Conc. Hgra. | 9 1/4 | 24 1/4 | 16 | 46 1/4 | 145 | \$13.20 |
| | | | 11 1/4 | 24 1/4 | 18 1/4 | 52 1/4 | 180 | \$15.10 |
| | | | 11 1/4 | 24 1/4 | 20 3/4 | 52 1/4 | 200 | \$16.10 |
| F321 A | One Piece, Rear Outlet. | Conc. Hgra. | 10 1/4 | | 18 1/4 | 24 1/4 | 100 | \$ 9.20 |
| | | | 11 1/4 | | 20 | 30 1/4 | 140 | \$10.70 |
| | | | 12 | | 22 1/4 | 30 1/4 | 150 | \$12.05 |
| | | | 12 | | 20 | 36 1/4 | 170 | \$12.65 |
| | | | 11 1/4 | | 22 1/4 | 36 1/4 | 190 | \$13.80 |
| F322 A | F321 Sink. F326 Dr. Bd. | Conc. Hgra. | 12 | | 22 | 40 1/4 | 200 | \$15.65 |
| | | | 10 1/4 | 24 1/4 | 18 1/4 | 45 1/4 | 150 | \$14.20 |
| | | | 11 1/4 | 24 1/4 | 20 | 51 | 200 | \$16.10 |
| | | | 12 | 24 1/4 | 22 1/4 | 52 1/4 | 215 | \$17.85 |
| | | | 12 | 24 1/4 | 20 | 57 1/4 | 230 | \$18.05 |
| | | | 11 1/4 | 24 1/4 | 22 1/4 | 58 1/4 | 255 | \$19.00 |
| | | | 12 | 24 1/4 | 23 | 62 | 265 | \$21.45 |

If wanted Enameled All-Over, add:

F320-F320 1/4 - \$16x24", \$3.00; 18x30", \$3.00; 20x30", \$3.00.

F321-F322-16x24", \$3.00; 18x30", \$3.00; 20x30", \$3.00; 18x36", \$3.75; 20x36", \$3.75;

20x40", \$3.75.

F321 A and F322 A can be furnished with Patent Overflow and Plug Strainer,

add extra \$2.25.

NOTE:—F321 A and F322 A are Canadian Size, or 2" wider than nominal sizes.

Schedule 5

Aug. 15, 1914



The Standard Ideal Company Ltd.





FIG. 1



The "SANISTRAINER" represents the most notable
 advance made in the improvement of sink strainers during
 recent years.

The Combined REFUSE COLLECTOR AND STRAINER
 (see Fig. 1) can be lifted from the sink for cleaning at any
 time. The liability of the sink becoming clogged is elimin-
 ated by the secondary strainer plate (see Fig. 2).

"SANI- STRAINER"

F321 — Enameled-Inside Sink, with Special End Outlet and Sanistrainer,
 \$15.25.

F321½ — Enameled-Inside Sink, with Special Center Outlet and Sanistrainer
 \$15.25.

DIMENSIONS

Actual size, 20x30¼". Back, 11¼". Roll Rim, 2¼".
 Approximate Weight 140 lbs.



The Standard Ideal Company Ltd.

Page 12

SINKS

Roll Rim

Drain-board


One-piece
Corner Sink

Schedule 5

Aug. 15, 1914

| Plate | Style | Furnished with | Nominal Size | Weight | Price |
|-------|---|-------------------|-----------------|--------|---------|
| F325A | Interchangeable Drain-board. For F321 Sinks. | Ptd. Brkt. | 16x24 | 55 | \$ 5.00 |
| | | | 18x24 | 60 | \$ 5.40 |
| | | | 20x24 | 65 | \$ 5.80 |
| F326A | For 18" Long deduct | Ptd. Brkt. | 18" Long | 10 | \$ 0.40 |
| | | | 16x24 | 50 | \$ 4.80 |
| | | | 18x24 | 55 | \$ 5.00 |
| F327 | For 18" Long deduct | Conc. Hgrs. | 20x24 | 60 | \$ 5.40 |
| | | | 18" Long | 10 | \$ 0.40 |
| | | | 18x30 | 140 | \$15.75 |
| F329 | "Anti-Slip" Drain-board. | | 20x30 | 150 | \$16.70 |
| | | | 22x36 | 185 | \$20.15 |
| | | | 18x18 | 50 | \$ 8.10 |
| | | | 16x24 | 50 | \$ 8.60 |
| | | | 18x24 | 60 | \$ 9.00 |
| | | | 20x24 | 65 | \$ 9.35 |
| | | | 22x24 | 70 | \$ 9.75 |

If wanted Enameled All-Over, add:
F327—18x30", \$3.00; 20x30", \$3.00; 22x36", \$3.75.
NOTE:—F325 is Canadian size, or 2" wider than Nominal size.



NOTE:—F326 is Canadian size, or 2" wider than Nominal size.

The Standard Ideal Company Ltd.

Page 13




SLOP
SINKS

Roll Rim

One-piece

Separate Back




| Plate | Style | Outlet | Dph. | Back | Size | Wgt. | PRICE | |
|-----------------|--|--------|------|------|-------|------|--------------------|----------------------|
| | | | | | | | Enameled Inside | Enameled All-over |
| F331A C E | R.R., Piece, on Trap Std. | Center | 12 | 12 | 18x22 | 150 | \$21.00 | \$26.60 |
| | | | | | 20x22 | 165 | \$22.25 | \$28.60 |
| | | | | | 20x24 | 185 | \$23.60 | \$29.95 |
| F332A C | R.R., Separate Back on Trap Std. | Center | 12 | 13 | 16x20 | 130 | \$18.50 | \$24.10 |
| | | | | | 20x22 | 150 | \$22.25 | \$28.60 |
| F333A C | R.R. 'Trap Std. | Center | 12 | | 16x20 | 100 | \$16.55 | \$22.15 |
| | | | | | 20x22 | 115 | \$19.70 | \$26.05 |



Schedule 5

Aug. 15, 1914

The Standard Ideal Company Ltd.



Page 14

**SLOP
SINKS**

**Roll Rim
Separate
Back and End**

**Flat Rim
Separate Back**

**Schedule 5
Aug. 15, 1914**

| Plate | Style | Outlet | Dph. | Back | Size | Wgt. | PRICE | |
|------------|---|--------|--------|------|--------|------|-----------------|-------------------|
| | | | | | | | Enameled Inside | Enameled All-over |
| F334A C | R. R. Corner, R. or L. Back, on Trap Std. | Center | 12 | 13 | 16x20 | 140 | \$20.70 | \$26.30 |
| | | | | | 20x22 | 175 | \$26.20 | \$31.55 |
| F385 1/2 | F.R., Separate Back, on Trap Std. | Center | 10 | 15 | 16x16 | 105 | \$14.45 | \$20.05 |
| | | | | | 11 1/2 | 145 | \$15.65 | \$21.25 |
| | | | | | 11 1/2 | 150 | \$16.10 | \$21.70 |
| | | | | | 12 1/2 | 185 | \$20.05 | \$26.40 |
| F335 | F.R. on Trap Std. | Center | 10 | | 16x16 | 85 | \$11.45 | \$17.05 |
| | | | | | 14x20 | 120 | \$12.30 | \$17.90 |
| | | | | | 16x20 | 125 | \$12.75 | \$18.35 |
| | | | | | 20x24 | 145 | \$16.25 | \$22.60 |
| F336 | F.R. | Center | 10 1/2 | | 16x16 | 50 | \$ 5.15 | \$ 8.65 |
| | | | 12 1/2 | | 14x20 | 60 | \$ 6.90 | \$ 9.40 |
| | | | 12 1/2 | | 16x20 | 65 | \$ 6.95 | \$10.45 |
| | | | 13 1/2 | | 20x24 | 100 | \$ 8.40 | \$13.25 |
| F337 | F.R. | End. | 10 1/2 | | 16x16 | 50 | \$ 5.15 | \$ 8.65 |
| | | | 12 1/2 | | 14x20 | 60 | \$ 6.90 | \$ 9.40 |
| | | | 12 1/2 | | 16x20 | 65 | \$ 6.95 | \$10.45 |
| | | | 13 1/2 | | 20x24 | 100 | \$ 8.40 | \$13.25 |

Note—F336-37 can be furnished with back if desired, prices upon application.

77 Standard Ideal Co

Note F336-37 can be furnished with back if desired, prices upon application.

1 3/4 20x24 100 \$ 8.40 \$13.25

The Standard Ideal Company Ltd.

Page 15


TRAP STANDARDS

| Plate | Style | Weight | PRICE | |
|-------|---|--------|-----------------|-------------------|
| | | | Enameled Inside | Enameled All-over |
| F340 | Trap Standard, "G" Pattern, Iron Cleanout-Hub, Vent. | 50 | \$5.60 | \$7.70 |
| F341 | Trap Standard, "G" Pattern, Iron Cleanout-Brass Vent Com. | 35 | \$5.60 | \$7.70 |
| F342 | Trap Standard, "Half "G" Pattern. | 30 | \$5.60 | \$7.70 |

Slop Sink Traps

Schedule 5
Aug. 15, 1914

All traps having Brass Vents are furnished with Washer Joint Connection. For Ground Joint Vent, add \$1.05.
Tapping inlet of trap for 3" strainer, extra \$1.45.
Furnished with or without 2" Hub Vent at same price.



The Standard Ideal Company Ltd.

Page 16

LAUNDRY

TRAYS

Roll Rim

Integral
Backs

Separate
Back

All Roll Rim

Flat Rim
Separate
Back

Schedule 5

Aug. 15, 1914

| Plate | Style | Drilled Back | Depth | Width | Lgth. | No. Sec-tions | Wgt. Wringer Holders | Without Wringer Holders |
|----------------------|---|--------------|--------|--------|--------|---------------|----------------------|-------------------------|
| F365 | Integral Backs, Roll Rim. | Back | 8 | 14 1/2 | 26 | 28 | 1 | 210 |
| | | | | | | 55 1/2 | 2 | 420 |
| | | | | | | 84 | 3 | 630 |
| F351 F352 F353 | Roll Rim, Separate Backs. | Back | 12 | 14 1/4 | 27 | 28 1/2 | 1 | 210 |
| | | | | | | 55 1/2 | 2 | 420 |
| | | | | | | 83 1/2 | 3 | 630 |
| F354-5 | Roll Rim, Less Backs. | Tray | | 14 1/4 | 27 | 28 1/2 | 1 | 175 |
| | | | | | | 55 1/2 | 2 | 350 |
| | | | | | | 83 1/2 | 3 | 525 |
| F356 | Flat Rim, Separate Backs. | Back | 12 1/4 | 14 1/4 | 25 1/4 | 25 1/4 | 1 | 210 |
| | | | | | | 52 | 2 | 420 |
| | | | | | | 78 1/4 | 3 | 630 |
| F357 | Flat Rim, Less Backs, with Brass Union Strips | Tray | | 14 1/4 | 25 1/4 | 25 1/4 | 1 | 175 |
| | | | | | | 52 | 2 | 350 |
| | | | | | | 79 1/4 | 3 | 525 |

F357 Trays are furnished with Brass Union Strips, when Wringer Holders are not wanted.

NOTE:—Wringer Holders will be furnished unless otherwise ordered.



NOTE:—Wringer Holders will be furnished unless otherwise ordered.

Aug. 15, 1914

The Standard Ideal Company Ltd.

Page 17

LAUNDRY TRAYS

Flat Rim

| Plate | Style | Drilled | Back | Depth | Width | Lgth. | No. Sec-tions | Wgt. | With Wringer Holders | Without Wringer Holders |
|----------|------------------------------------|---------|--------|--------|--------|--------|---------------|------|----------------------|-------------------------|
| F358 | Flat Rim, Less Backs. | Tray | | 14 1/4 | 25 1/4 | 25 1/4 | 1 | 175 | \$15.75 | \$12.75 |
| | | | | | | | 2 | 350 | \$31.50 | \$26.50 |
| | | | | | | | 3 | 525 | \$47.25 | \$38.25 |
| F369 | Regular F.R. | Tray | | 13 1/4 | 22 1/4 | 24 1/4 | 1 | 125 | \$11.15 | \$10.65 |
| | | | | | | | 2 | 250 | \$22.30 | \$21.30 |
| | | | | | | | 3 | 375 | \$33.45 | \$31.95 |
| F369 1/2 | Regular F.R., with Separate Backs. | Back | 10 | 13 1/4 | 22 1/4 | 24 1/4 | 1 | 170 | \$13.75 | \$13.25 |
| | | | | | | | 2 | 340 | \$27.50 | \$26.50 |
| | | | | | | | 3 | 510 | \$41.25 | \$39.75 |
| F359 | Flat Rim, One Piece, Separate Back | Back | 12 1/4 | 14 1/4 | 26 | 48 1/2 | 2 | 380 | \$31.50 | |
| | | | | | | | 1 | 190 | \$15.75 | |
| | | | | | | | | | | |


With Separate Back

One-piece Separate Back

If F369 is wanted with Brass Strip and Wringer Holder between tray, add extra, \$1.85.

NOTE:—Wringer Holders will be furnished unless otherwise ordered.

Schedule 5
Aug. 15, 1914



LAUNDRY
TRAYS*The Standard Ideal Company Ltd.*

Flat Rim

One-piece

One-piece
Separate
BackSchedule 5
Aug. 15, 1914



| Plate | Style | Drilled | Back | Depth | Width | Length | No. Sec- tions | Wgt. | With Wringer Holders | Without Wringer Holders |
|-------|---|---------|--------|--------|--------|--------|-------------------|------|----------------------------|-------------------------------|
| F360 | Flat Rim. One Piece. | Tray | | 14 1/4 | 25 | 48 1/2 | 2 | 285 | | \$27.00 |
| | | | | 14 | 24 1/4 | 24 1/4 | 1 | 180 | | \$13.50 |
| F361 | Flat Rim. One Piece, Separate Backs. | Back | 12 1/4 | 14 1/4 | 24 1/4 | 71 1/4 | 3 | 550 | | \$63.00 |
| F362 | Flat Rim. One Piece. | Tray | | 14 1/4 | 24 1/4 | 71 1/4 | 3 | 400 | | \$51.50 |



SINK AND TRAY COM- BINATIONS

The Standard Sdeal Company Ltd.

| Plate | Style | Drilling | Back | TRAY | | SINK | | Lgth. Over All | Wgt. | Price |
|-------|---|--------------|--------|-----------------|--------|-------------|-------|----------------------|------|---------|
| | | | | Size | Depth | Size | Depth | | | |
| F363 | Roll Rim. Separate Back. | Tray Sink | 14 1/4 | 26 1/2 x 17 1/4 | 14 1/4 | 21 x 29 1/4 | 6 1/4 | 59 3/4 | 385 | \$44.00 |
| F364 | Roll Rim. Separate Back and End. | Tray Sink | 14 1/4 | 26 1/2 x 29 3/4 | 14 1/4 | 21 x 29 1/4 | 6 1/4 | 59 3/4 | 400 | \$48.00 |
| F370 | Flat Rim. Separate Back | Tray Sink | 12 | 22 1/4 x 24 1/4 | 13 1/4 | 18 x 30 | 6 | 54 3/4 | 270 | \$27.75 |
| | | | " | " | " | 20 x 30 | " | " | 285 | \$29.25 |



F365—See page 16

F369—See page 17


F369 1/2—See page 17

F363 1/4 and F364 1/4 same as F363 and F364 except openings for Bibbs are drilled in the back for both tray and sink.

Schedule 5
Aug. 15, 1914

The Standard Sodeal Company Ltd.

"Hercules" Enamel Laundry Trays



A cheap, durable and Sanitary Black Enameled Cast-iron Laundry Tray to take the place of the brittle, water-logged, unsanitary Cement Tray.

It is very durable for Laundry Equipment and is thoroughly capable of withstanding the rough usage to which such fixtures are subjected.

The Cast-in Washboard

as supplied with FH368 and FH368½ Trays, places these fixtures in a class by themselves. The old-fashioned separate board is extremely unsatisfactory in use and must frequently be repaired or replaced. In the new Hercules Tray the washboard is there forever.

**"HERCULES"
ENAMEL**

**Schedule
Aug. 15, 1914**

The Standard Ideal Company Ltd.

Page 21

LAUNDRY TRAYS


CAST-IN WASH BOARDS

"HERCULES" ENAMEL

Schedule 5
Aug. 15, 1914

| Plate | Style | Drilled | Back | Depth | Width | Lgth. | No. Sec- tions | Wgt. | Prices | |
|-----------|---|---------|--------|--------|--------|--------|-------------------|------|---------------------------|------------------------------|
| | | | | | | | | | With Wringer Blocks | Without Wringer Blocks |
| FH368 | With Cast-in Washboard. | Tray | | 13 1/4 | 22 1/4 | 24 1/4 | Each | 130 | \$10.55 | \$10.06 |
| FH369 | Without Washboard. | Tray | | 13 1/4 | 22 1/4 | 24 1/4 | Each | 125 | \$ 9.05 | \$ 8.55 |
| FH368 1/2 | With Back and Cast-in Washboard. | Back | 10 | 13 1/4 | 22 1/4 | 24 1/4 | Each | 155 | \$12.65 | \$12.15 |
| FH369 1/2 | With Back, without Washboard. | Back | 10 | 13 1/4 | 22 1/4 | 24 1/4 | Each | 150 | \$11.15 | \$10.65 |
| FH359 | One Piece, with Sepa- rate Back, without Washboard. | Back | 12 1/4 | 14 1/4 | 25 | 48 1/4 | 2 | 350 | | \$25.20 |
| FH360 | One Piece, without Back and Washboard. | Tray | | 14 1/4 | 25 | 48 1/4 | 2 | 275 | | \$21.60 |

Any number of sections of FH368-9-368 1/2-9 1/4 can be furnished.



The Standard Ideal Company Ltd.

| Plate | Outlet | Depth | Sizes | Number in Bundles | Weight, Crated, Per Sink | Price, Per Sink, Crated |
|-------|---------|-------|-------|-------------------------|--------------------------------|-------------------------------|
| F400 | End. | 6 | 12x18 | 3 | 25 | \$ 2.60 |
| | | | 14x20 | 3 | 30 | \$ 3.30 |
| | | | 18x24 | 3 | 47 | \$ 3.60 |
| | | | 18x36 | 3 | 65 | \$ 5.25 |
| | | | 20x30 | 3 | 67 | \$ 5.00 |
| | | | 20x36 | 3 | 75 | \$ 5.75 |
| | | | 20x40 | 3 | 85 | \$ 7.70 |
| | | | 20x72 | 1 | 200 | \$41.60 |
| F402 | End. | 6 | 16x24 | 3 | 40 | \$ 3.50 |
| F401 | Center. | 6 | 18x30 | 3 | 54 | \$ 3.80 |
| | | | 22x48 | 2 | 140 | \$11.60 |

Flat Rim
Square

Round
Corner

F400—F401 Sinks take F405 Backs. F402 Sinks take 403 Backs.

NOTE:—Flat Rim Sinks are always shipped crated.

Schedule 5

Aug. 15, 1914



The Standard Ideal Company Ltd.

Page 23



SINKS

Sink Backs

Grease
Traps

Schedule 5
Aug. 15, 1914

| Plate | Style | Height | Number in Bundle | Size | Wgt. per Back Crated | | Price Each |
|----------|----------------------------------|--------|--|--------------|-------------------------------|----------------|-------------------------------|
| | | | | | (3) | (6) | |
| F403 | Shallow. F402 Sink. | 12 | 3-6 | 24 | 27 | 28 | \$2.75 |
| | | | | 30 | 33 | 30 | \$3.35 |
| F405 | Shallow. For F400-1 Sinks. | 12 | 3-6 | 20 | 22 | 20 | \$2.25 |
| | | | | 24 | 27 | 23 | \$2.75 |
| | | | | 30 | 33 | 30 | \$3.35 |
| | | | | 36 | 46 | 40 | \$4.25 |
| | | | | 40 | 55 | 50 | \$4.70 |
| | | | | 48 | 70 | 65 | \$6.20 |
| Plate | Size | Hgt. | Style | Enam. Inside | | Enam. All Over | |
| | | | | Wgt. | Price | Wgt. | Price |
| F410 | 16 1/2 | 12 1/2 | Removable Top, Swivel Bolts, Hand-hole Cover. | 100 | \$16.85 | 100 | \$24.95 |
| F410 1/2 | 16 1/2 | 12 1/2 | Removable Top, Swivel Bolts, No. H.H. Cover. | 100 | \$13.65 | 100 | \$21.30 |
| F411 | 10 1/2 | 10 1/2 | Removable Top, Swivel Bolts, Brass Inlet and Outlet Connection For 2" Conn. add For N.P. Conn. add | 70 | \$16.10 \$ 3.35 \$ 1.85 | 100 | \$19.95 \$ 3.35 \$ 1.85 |



The Standard Ideal Company Ltd

Page 24

WASH
SINKS

| Plate | Style | Back | Depth | Width | Lgth. | Cock Holes, Tees, or Crosses | | Wgt. | Price |
|-------|--|------|-------|-------|-----------|------------------------------------|--------|------|----------|
| | | | | | | No. | U to C | | |
| F455 | Roll Rim, Separate Back, Wall Brkts, Overflow Waste Plug, N.P. Soap Cups. | 12 | 8 1/4 | 18 | Feet 6 | 4 | 30 | 380 | \$ 32.75 |
| | | | | | 8 | 4 | 24 | 600 | \$ 52.85 |
| | | | | | 10 | 4 | 30 | 735 | \$ 65.60 |
| | | | | | 12 | 6 | 24 | 870 | \$ 77.75 |
| | | | | | 15 | 6 | 30 | 1095 | \$ 97.20 |
| | | | | | 18 | 9 | 24 | 1310 | \$116.60 |
| | | | | | 20 | 10 | 24 | 1550 | \$128.75 |
| F456 | Same as above, ex- cept with Ptd. Floor Brkts. | 12 | 8 1/4 | 18 | 25 | 10 | 30 | 1900 | \$161.60 |
| | | | | | 6 | 2 | 30 | 400 | \$ 35.25 |
| | | | | | 8 | 4 | 24 | 620 | \$ 57.75 |
| | | | | | 10 | 4 | 30 | 755 | \$ 70.50 |
| | | | | | 12 | 6 | 24 | 900 | \$ 82.65 |
| | | | | | 15 | 6 | 30 | 1125 | \$102.05 |
| | | | | | 18 | 9 | 24 | 1350 | \$123.95 |
| | | | | | 20 | 10 | 24 | 1600 | \$136.05 |
| | | | | | 25 | 10 | 30 | 1950 | \$171.30 |

Schedule 5
Aug. 15, 1914



27 The Standard Ideal Company Ltd

Page 24

The Standard Ideal Company Ltd.

Page 25

WASH
SINKS

| Plate | Style | Back | Depth | Width | Lgth. | Cock Holes, Teas, or Crosses | | Wgt. | Price |
|-------|---|------|-------|-------|-----------|------------------------------------|---------|------|----------|
| | | | | | | No. | Cl to C | | |
| F457 | Roll Rim, Ptd. Floor Brkts, Brass Sup- ply, Wall Straps, Teas, L.K. Stops, O'flow, Waste Plug, N.P. Soap Cups. | | 8 1/2 | 18 | Feet 5 | 2 | 30 | 300 | \$ 48.20 |
| | | | | | 8 | 4 | 24 | 460 | \$ 67.40 |
| | | | | | 10 | 4 | 30 | 555 | \$ 80.15 |
| | | | | | 12 | 6 | 24 | 660 | \$102.05 |
| | | | | | 15 | 6 | 30 | 825 | \$120.90 |
| | | | | | 18 | 9 | 24 | 990 | \$141.50 |
| F458 | Roll Rim, Separate Backs, Ptd. Wall Brkts, Galv. Spray Pipe, L.K. Stops, Waste Plug, O'flow, N.P. Soap Cups. | 12 | 8 1/2 | 18 | 20 | 10 | 24 | 1200 | \$155.55 |
| | | | | | 25 | 17 | 30 | 1450 | \$195.60 |
| | | | | | 5 | 2 | 30 | 380 | \$ 37.65 |
| | | | | | 8 | 4 | 24 | 600 | \$ 58.85 |
| | | | | | 10 | 4 | 30 | 735 | \$ 72.35 |
| | | | | | 12 | 6 | 24 | 870 | \$ 85.25 |
| | | | | | 15 | 6 | 30 | 1095 | \$105.80 |
| | | | | | 18 | 9 | 24 | 1310 | \$126.35 |
| | | | | | 20 | 10 | 24 | 1550 | \$139.25 |
| | | | | | 25 | 10 | 30 | 1900 | \$189.00 |

Schedule 5
Aug. 15, 1914



The Standard Sdeal Company Ltd.

| Plate | Style | Back | Depth | Width | Lgth. | Cock Holes, Tees, or Crosses | | Wgt. | Price |
|-------|--|------|-------|-------|-------|------------------------------------|--------|------|----------|
| | | | | | | No. | Q to C | | |
| F459 | Roll Rim, Separate Backs, Ptd. Wall Brkt., Galv. Sup- ply, N.P. Spouts, Controlling Valve, O'flow, Waste Plug. | 12 | 8½ | 18 | Feet | 4 | 15 | 400 | \$ 51.00 |
| | | | | | 6 | 8 | 12 | 620 | \$ 72.30 |
| | | | | | 10 | 8 | 15 | 755 | \$ 89.30 |
| | | | | | 12 | 12 | 12 | 900 | \$106.35 |
| | | | | | 15 | 12 | 15 | 1125 | \$131.85 |
| | | | | | 18 | 18 | 12 | 1350 | \$157.35 |
| | | | | | 20 | 20 | 12 | 1600 | \$174.40 |
| | | | | | 25 | 20 | 15 | 1950 | \$216.90 |
| F460 | Roll Rim, Double, Separate Backs, Conc. Galv. Sup- ply, Galv. Spray Pipes, Contr. Valves, O'flow, Waste Plugs, Enam. Soap Cups. | 12 | 8½ | 36 | 6 | 2 | 30 | 760 | \$ 95.60 |
| | | | | | 8 | 4 | 24 | 1150 | \$143.85 |
| | | | | | 10 | 4 | 30 | 1430 | \$180.00 |
| | | | | | 12 | 6 | 24 | 1720 | \$211.50 |
| | | | | | 15 | 6 | 30 | 2150 | \$256.10 |
| | | | | | 18 | 9 | 24 | 2580 | \$313.50 |
| | | | | | 20 | 10 | 24 | 2860 | \$336.00 |
| | | | | | 25 | 10 | 30 | 3730 | \$409.85 |

Schedule 5
Aug. 15, 1914*The Standard Sdeal Company Ltd.*

The Standard Ideal Company Ltd.

Page 27

**WASH
SINKS**

| Plate | Style | Back Depth | Width | Lgth. | Cock Holes, Tees, or Crosses | | Wgt. | Price |
|-------|---|------------|-------|-----------|------------------------------------|--------|------|----------|
| | | | | | No. | C to C | | |
| F461 | Roll Rim, Double, Onflow, Waste Plug, Enam. Union Strip and Soap Cups. | 8 1/2 | 36 | Feet 5 | 2 | 30 | 500 | \$ 66.35 |
| | | | | 8 | 2 | 30 | 800 | \$104.60 |
| | | | | 10 | 4 | 24 | 1000 | \$130.10 |
| | | | | 12 | 4 | 30 | 1200 | \$153.00 |
| | | | | 15 | 6 | 30 | 1500 | \$187.50 |
| | | | | 18 | 6 | 30 | 1800 | \$228.00 |
| F462 | Inside Corner Sec- tion, with Outlet. | 12 | 18 | 20 | 8 | 30 | 2000 | \$244.85 |
| | | | | 25 | 10 | 30 | 2600 | \$302.25 |
| | | | | 2x2 | | | 275 | \$ 30.35 |
| F463 | Outside Corner Sec- tion, with Outlet. | 12 | 18 | 2x2 | | | 275 | \$ 30.35 |

Schedule 5
Aug. 15, 1914



The Standard Sdeal Company Ltd.

| Plate | Style | Back Depth | Width | Lgth. | Cock Holes, Tees, or Crosses | | Wgt. | Price |
|-------|---|------------|-------|-------|------------------------------------|--------|------|----------|
| | | | | | No. | C to C | | |
| F464 | Roll Rim, Separate Back, O'flow, Waste Plug, N.P. Soap Cup. | 12 | 6 1/4 | 22 | 2 | 20 1/4 | 370 | \$ 32.75 |
| | | | | | | | | |
| F465 | Roll Rim, Ptd. Floor Brkts, Galv. Iron Supply Pipe Sup- ports, L.K. Stop, Waste Plug, Enam. Soap Cups. | 7 1/4 | 32 | 6 | 2 | 36 | 600 | \$ 71.25 |
| | | | | 12 | 4 | 36 | 1100 | \$134.00 |
| | | | | 15 | 5 | 36 | 1425 | \$166.65 |
| | | | | 18 | 6 | 36 | 1650 | \$199.25 |
| | | | | 21 | 7 | 36 | 1975 | \$231.90 |
| | | | | 24 | 8 | 36 | 2200 | \$264.50 |
| | | | | 27 | 9 | 36 | 2525 | \$297.15 |
| | | | | 30 | 10 | 36 | 3300 | \$329.75 |

Schedule 5
Aug. 15, 1914





**WASH
SINKS**

The Standard Ideal Company Ltd.

| Plate | Style | Back | Depth | Width | Lgth. | Cock Holes, Tees, or Crosses | | Wgt. | Price |
|-------|---|------|-------|--------|-------|------------------------------------|--------|------|----------|
| | | | | | | No. | C to C | | |
| F466 | Roll Rim, Ptd. Floor Brkts., Hot and Cold Galv. Supply Pipes, Pipe Sup- ports, L.K. Stops, Waste Plugs and Enam. Soap Cups. | | 7 1/2 | 32 | Feet | 2 | 36 | 600 | \$ 74.85 |
| | | | | | 6 | 4 | 36 | 1100 | \$141.20 |
| | | | | | 12 | 5 | 36 | 1425 | \$175.65 |
| | | | | | 15 | 6 | 36 | 1650 | \$210.05 |
| | | | | | 18 | 7 | 36 | 1975 | \$244.50 |
| | | | | | 21 | 8 | 36 | 2200 | \$278.90 |
| | | | | | 24 | 9 | 36 | 2525 | \$313.35 |
| | | | | | 27 | 10 | 36 | 3300 | \$347.75 |
| | | | | | 30 | | | | |
| | | | | | | | | | |
| F467 | Roll Rim, Ptd. Floor Brkts., Galv. Spray Pipe, Pipe Sup- ports, Waste Plug, Enam. Soap Cups. | | 7 1/2 | 32 | 6 | | | 600 | \$ 70.35 |
| | | | | | 12 | | | 1100 | \$132.20 |
| | | | | | 15 | | | 1425 | \$164.40 |
| | | | | | 18 | | | 1650 | \$196.55 |
| | | | | | 21 | | | 1975 | \$228.75 |
| | | | | | 24 | | | 2200 | \$260.90 |
| | | | | | 27 | | | 2525 | \$293.10 |
| F469 | Roll Rim, Integral Back, Conc. Hang- er, Ptd. Brkt., Waste Plug and N.P. Soap Cup. | 8 | 7 | 18 1/2 | 3 | 2 | 18 | 160 | \$ 21.90 |
| | | | | | 4 | 2 | 24 | 210 | \$ 27.85 |
| | | | | | 6 | 2 | 30 | 260 | \$ 32.75 |
| | | | | | | | | | |
| | | | | | | | | | |

Schedule 5
Aug. 15, 1914





The Standard Ideal Company Ltd.

Complying with the request of our trade, we have decided to furnish Painted Cast-iron Tanks hereafter with all Range Closets and Range Urinals unless otherwise ordered.

However, we can arrange to furnish Wood Copper-lined Tanks, as formerly supplied, without extra charge, but when so desired specific mention to this effect should be made on all orders or enquiries.

The Standard Ideal Company Ltd.

Page 2

**RANGE
CLOSETS**

RANGE CLOSET PARTS—Additions and Deductions

REGULAR PARTITIONS

| FOR OPEN STALLS | | Each | FOR PRIVATE ENCLOSURES | | Each |
|--|----------|----------|------------------------|----------|---------|
| F501-506 | 26" Wide | \$ 8.45 | F501-506 | 36" Wide | \$15.65 |
| F509-510 | 36" Wide | \$ 10.95 | F509-510 | 42" Wide | \$17.60 |
| F516-517 | 26" Wide | \$ 9.75 | F516-517 | 36" Wide | \$16.40 |
| F521-527 | 26" Wide | \$ 8.45 | F521-527 | 36" Wide | \$15.65 |
| F531-535 | 26" Wide | \$ 8.45 | F531-535 | 36" Wide | \$15.65 |
| 36" Wide Partition for OPEN Stalls, suitable for use with F501-506, F516-517, F521-527, F531-535 | | | | | |
| 42" Wide Partition for PRIVATE ENCLOSURES, suitable for use with F501-506, F516-517, F521-527, F531-535 | | | | | |
| BACKS, Single or Double, for all styles of Range Closets. Each, 24" \$7.85; 27" \$8.45; 30" \$ 9.05 | | | | | |
| DOORS, for Private Enclosures, complete, including one Stile, Hinges, Lock and Pull. | | | | | |
| | | | | | \$19.50 |

NOTE:—Prices quoted apply for the various individual parts if sold SEPARATELY. If Range Closets are wanted fitted up OTHER THAN AS SHOWN OR DESCRIBED ON THE ENSUING PAGE, DEDUCT amounts quoted above for PARTS NOT WANTED or ADD amounts quoted above for PARTS DESIRED.

**Additions and
Deductions**

Schedule 6

Aug. 15, 1914

The Standard Ideal Company Ltd.

Page 3

RANGE CLOSETS

RANGE CLOSET PARTS—Additions and Deductions (Continued)

| | |
|---|--------------|
| SEATS, F501, Wood Seat with Hinges and Reinforcement. | \$ 8.50 |
| F509, Wood Top Plate and Back Strip, with Seats, Hinges, and Reinforcements. Per Seat, 24" \$4.50; 27" \$5.00; 30" | \$ 5.50 |
| F516, Wood Seats with Hinges and Seat Covers | \$ 4.50 |
| F521, Wood Top Plate, with Back Strip Seats, Hinges, and Reinforcement. Per Seat, 24" \$4.50; 27" \$5.00; 30" | \$ 5.50 |
| F531, Wood Top Plate, with Back Strip Seats, Hinges and Reinforcements. Per Seat, 24 in. \$4.50; 27 in. \$5.00; 30 in. | \$ 5.50 |
| STATIONARY WOOD SEATS for F501-506 | \$ 2.70 |
| STATIONARY ENAMELED SEATS (F504) for F501-506 | \$ 5.10 |
| HINGED ENAMELED SEATS AND FRAME STRIPS, (F523) for F521-527; F531-535. Per Seat, 24" \$10.55; 27" \$11.05; 30" | \$11.55 |
| ENAMELED TOP PLATE WITH WOOD SEAT, Less Covers, (F524) for F521-27; F531-35. Per Seat, 24" \$8.45; 27" \$8.95; 30" | \$ 9.45 |
| SEAT COVERS | \$ 1.10 |
| SEAT REINFORCEMENTS, (Enameled) | \$ 1.70 |
| VENTS, Tapping for 2" IRON VENT PIPE, for F501-506; F521-527; F531-535. Per Seat | \$ 1.85 |
| 5x2 VENT CONNECTION FOR SHEET IRON PIPE, for F501-506. Per Seat | \$ 1.85 |
| VENTILATING EXTENSION for 14" Pipe, (Pipe to flue not included) (F525) for F521-27; F509-10; F531-35. | \$10.35 |
| URINAL PARTITIONS, F551 to F560 Inc. | Each \$ 6.05 |

NOTE:—Prices quoted apply for the various individual parts if sold SEPARATELY. If Range Closets are wanted fitted up OTHER THAN AS SHOWN OR DESCRIBED ON THE ENSUING PAGES, DEDUCT amounts quoted above for PARTS NOT WANTED or ADD amounts quoted above for PARTS DESIRED.

Additions and
Deductions

Schedule 6
Aug. 15, 1914

The Standard Ideal Company Ltd

7501



| No. of Seats | 24" | | 27" | | 30" | |
|-----------------|--------|----------|--------|----------|--------|-----------|
| | Weight | Price | Weight | Price | Weight | Price |
| 2 | | \$ 83.85 | | \$ 87.00 | | \$ 90.60 |
| 3 | 750 | \$ 99.60 | 795 | \$104.30 | 830 | \$109.70 |
| 4 | 850 | \$119.00 | 905 | \$125.30 | 950 | \$132.50 |
| 5 | 960 | \$138.40 | 1015 | \$146.30 | 1075 | \$155.30 |
| 6 | 1065 | \$157.80 | 1135 | \$167.30 | 1200 | \$178.10 |
| 7 | 1160 | \$177.20 | 1235 | \$188.30 | 1315 | \$200.90 |
| 8 | 1260 | \$196.60 | 1355 | \$209.30 | 1445 | \$223.70 |
| 9 | 1370 | \$215.00 | 1465 | \$230.30 | 1575 | \$246.50 |
| 10 | 1470 | \$235.40 | 1585 | \$251.30 | 1705 | \$269.30 |
| 11 | 1580 | \$254.80 | 1705 | \$272.30 | 1830 | \$292.10 |
| 12 | 1680 | \$274.20 | 1815 | \$293.30 | 1960 | \$314.90. |


Square
Bowl

Syphonic
Action

Page 6
RANGE
CLOSETS

The Standard Ideal Company Ltd

F502



| No. of Seats | 24" | | 27" | | 30" | |
|--------------|--------|----------|--------|----------|--------|----------|
| | Weight | Price | Weight | Price | Weight | Price |
| 2 | | \$109.20 | | \$112.35 | | |
| 3 | 1085 | \$133.40 | 1130 | \$138.10 | | \$116.95 |
| 4 | 1235 | \$161.25 | 1290 | \$167.55 | 1165 | \$143.50 |
| 5 | 1400 | \$189.10 | 1455 | \$197.00 | 1340 | \$174.75 |
| 6 | 1555 | \$216.95 | 1625 | \$226.45 | 1515 | \$206.00 |
| 7 | 1805 | \$244.80 | 1885 | \$255.90 | 1690 | \$237.25 |
| 8 | 1950 | \$272.65 | 2045 | \$285.35 | 1960 | \$268.50 |
| 9 | 2110 | \$300.50 | 2210 | \$314.80 | 2135 | \$299.75 |
| 10 | 2255 | \$328.35 | 2375 | \$344.25 | 2315 | \$331.00 |
| 11 | 2425 | \$356.20 | 2550 | \$373.70 | 2490 | \$362.25 |
| 12 | 2570 | \$384.05 | 2705 | \$403.15 | 2675 | \$393.50 |
| | | | | | 2850 | \$424.75 |

Square
Bowl

Synthetic
Action


With
Partitions

Schedule 6
Aug. 15, 1914

NOTE:—The Shipping Weights given above are for PARTITIONS constructed of SHEET STEEL.
Weights of CAST IRON PARTITIONS will be given on application.

The Standard Ideal Company Ltd.

F503



| No. of Seats | 24" | | 27" | | 30" | |
|--------------|--------|----------|--------|----------|--------|----------|
| | Weight | Price | Weight | Price | Weight | Price |
| 4 | | \$286.50 | | \$244.00 | | \$252.40 |
| 6 | 2245 | \$298.95 | 2840 | \$305.15 | 2425 | \$317.75 |
| 8 | 2595 | \$358.70 | 2715 | \$373.70 | 2825 | \$390.50 |
| 10 | 2995 | \$423.45 | 3125 | \$442.25 | 3260 | \$463.25 |
| 12 | 3335 | \$488.20 | 3495 | \$510.80 | 3640 | \$536.00 |
| 14 | 3695 | \$552.95 | 3875 | \$579.35 | 4060 | \$608.75 |
| 16 | 4085 | \$617.70 | 4305 | \$647.90 | 4520 | \$681.50 |
| 18 | 4305 | \$682.45 | 4535 | \$716.45 | 4805 | \$754.25 |
| 20 | 4300 | \$747.20 | 5070 | \$785.00 | 5375 | \$837.00 |
| 22 | 5200 | \$811.95 | | | | |
| 24 | 5565 | \$876.70 | | | | |

Square Bowl

DOUBLE RANGE With Partitions and Backs

Synthetic Action

Schedule 6
Aug. 15, 1914


F504—Same as F501, except with Stationary Enameled Backs. Add to F501 price, extra, per seat, \$1.00.

NOTE:—The Shipping Weights given above are for PARTITIONS constructed of SHEET STEEL. Weights of CAST IRON PARTITIONS will be given on application.

The Standard Ideal Company Inc.

Page 7.-
RANGE
CLOSETS

F805



| No. of Seats | 24" | | 27" | | 30" | |
|--------------|--------|----------|--------|----------|--------|----------|
| | Weight | Price | Weight | Price | Weight | Price |
| 2 | | \$148.70 | | \$150.25 | | \$152.05 |
| 3 | 1305 | \$174.00 | 1335 | \$177.10 | 1365 | \$180.70 |
| 4 | 1455 | \$202.95 | 1500 | \$207.65 | 1535 | \$213.05 |
| 5 | 1615 | \$231.90 | 1665 | \$238.20 | 1715 | \$245.40 |
| 6 | 1775 | \$260.85 | 1830 | \$268.75 | 1885 | \$277.75 |
| 7 | 2025 | \$289.80 | 2090 | \$299.30 | 2155 | \$310.10 |
| 8 | 2165 | \$318.75 | 2255 | \$329.85 | 2335 | \$342.45 |
| 9 | 2325 | \$347.70 | 2415 | \$360.40 | 2515 | \$374.80 |
| 10 | 2485 | \$376.65 | 2585 | \$390.95 | 2685 | \$407.15 |
| 11 | 2645 | \$405.60 | 2755 | \$421.50 | 2875 | \$439.50 |
| 12 | 2790 | \$434.55 | 2915 | \$452.05 | 3050 | \$471.85 |

Square
Bowl

One 30-inch
Enclosure
and Regular
Partitions
Seat Covers

Synthetic
Action


Schedule 6

Aug. 15, 1914

NOTE:—The Shipping Weights given above are for PARTITIONS constructed of SHEET STEEL.
Weights of CAST IRON PARTITIONS will be given on application.

The Standard Ideal Company Ltd

F506




| No. of Seats | 27" | | 30" | |
|-----------------|--------|----------|--------|----------|
| | Weight | Price | Weight | Price |
| 2 | | \$172.95 | | \$176.55 |
| 3 | 1455 | \$225.40 | 1490 | \$230.80 |
| 4 | 1695 | \$281.55 | 1745 | \$288.75 |
| 5 | 1990 | \$337.70 | 2045 | \$346.70 |
| 6 | 2255 | \$392.85 | 2315 | \$404.65 |
| 7 | 2495 | \$450.00 | 2375 | \$462.80 |
| 8 | 2750 | \$506.15 | 2835 | \$520.55 |
| 9 | 2995 | \$562.30 | 3105 | \$578.50 |
| 10 | 3325 | \$618.45 | 3435 | \$636.45 |
| 11 | 3645 | \$674.60 | | \$694.40 |
| 12 | | \$730.75 | | \$752.35 |

NOTE:—The Shipping Weights given above are for PARTITIONS constructed of SHEET STEEL.
Weights of CAST IRON PARTITIONS will be given on application.

The Standard Ideal Company Ltd

FD09



FD10

Same as FD09, except with Regular Partitions.

| No. of Beams | 34" | | 27" | | 30" | |
|--------------|--------|----------|--------|----------|--------|----------|
| | Weight | Price | Weight | Price | Weight | Price |
| 2 | 635 | \$ 95.75 | 660 | \$ 99.35 | 695 | \$102.95 |
| 3 | 835 | \$113.00 | 870 | \$118.40 | 910 | \$123.80 |
| 4 | 1035 | \$134.00 | 1085 | \$141.20 | 1130 | \$148.40 |
| 5 | 1235 | \$155.00 | 1290 | \$164.00 | 1345 | \$178.00 |
| 6 | 1435 | \$176.00 | 1500 | \$186.80 | 1570 | \$197.60 |
| 7 | 1640 | \$197.00 | 1720 | \$209.60 | 1795 | \$222.20 |
| 8 | 1855 | \$218.00 | 1945 | \$232.40 | 2030 | \$246.80 |
| 9 | 2060 | \$239.00 | 2160 | \$255.20 | 2260 | \$271.40 |
| 10 | 2270 | \$260.00 | | | | |
| 2 | 865 | \$128.60 | 885 | \$132.20 | 905 | \$135.80 |
| 3 | 1120 | \$156.80 | 1155 | \$162.20 | 1195 | \$167.60 |
| 4 | 1375 | \$188.75 | 1425 | \$195.95 | 1475 | \$208.15 |
| 5 | 1705 | \$220.70 | 1755 | \$229.70 | 1815 | \$238.70 |
| 6 | 1945 | \$252.65 | 2010 | \$265.45 | 2080 | \$274.25 |
| 7 | 2205 | \$284.60 | 2285 | \$297.20 | 2360 | \$309.80 |
| 8 | 2485 | \$316.55 | 2575 | \$330.95 | 2660 | \$345.35 |
| 9 | 2750 | \$348.50 | 2850 | \$364.70 | 2950 | \$380.90 |
| 10 | 3080 | \$380.45 | | | | |
| | | | | E | | |

NOTE—The Shipping Weights given above are for PARTITIONS constructed of SHEET STEEL. Weights of CAST IRON PARTITIONS will be given on application.

Page 9
RANGE CLOSETS
Center Outlet
Syphonic Action
With Regular Partitions
Schedule 6
AUG. 15, 1914



The Standard Ideal Company Ltd

Page 10
RANGE
CLOSETS

Individual
Bow
Flushing Rim

With
Regular
Partitions

Schedule 6
Aug. 15, 1914

| | No. of Seats | 24" | | 27" | | 30" | |
|--|-----------------|--------|----------|--------|----------|--------|----------|
| | | Weight | Price | Weight | Price | Weight | Price |
|  F616 | 2 | | \$108.20 | | \$108.20 | | \$108.20 |
| | 3 | 825 | \$122.70 | 845 | \$127.20 | 865 | \$131.70 |
| | 4 | 1010 | \$147.00 | 1040 | \$153.00 | 1065 | \$158.00 |
| | 5 | 1195 | \$171.30 | 1225 | \$178.80 | 1260 | \$186.30 |
| | 6 | 1375 | \$195.60 | 1410 | \$204.60 | 1455 | \$213.60 |
| | 7 | 1570 | \$219.90 | 1615 | \$230.40 | 1655 | \$240.90 |
| | 8 | 1750 | \$244.20 | 1795 | \$256.20 | 1845 | \$266.20 |
| | 9 | 1980 | \$268.50 | 1985 | \$282.00 | 2030 | \$295.50 |
| | | | | | | | |
|  F617 | 2 | | \$132.45 | | \$135.45 | | \$138.45 |
| | 3 | 1125 | \$161.70 | 1145 | \$166.20 | 1165 | \$170.70 |
| | 4 | 1365 | \$195.75 | 1395 | \$201.75 | 1420 | \$207.75 |
| | 5 | 1600 | \$229.80 | 1625 | \$237.30 | 1665 | \$244.80 |
| | 6 | 1825 | \$268.85 | 1860 | \$272.85 | 1905 | \$281.85 |
| | 7 | 2120 | \$297.90 | 2165 | \$308.40 | 2205 | \$318.90 |
| | 8 | 2350 | \$331.95 | 2395 | \$343.95 | 2445 | \$355.95 |
| | 9 | 2580 | \$366.00 | 2635 | \$379.50 | 2685 | \$393.00 |
| | | | | | | | |

NOTE: The Shipping Weights given above are for PARTITIONS constructed of SHEET STEEL.
Weights of CAST IRON PARTITIONS will be given on application.

The Standard Ideal Company Ltd.

F621



| No. of Seats | 24" | | 27" | | 30" | |
|--------------|--------|----------|--------|----------|--------|----------|
| | Weight | Price | Weight | Price | Weight | Price |
| 2 | 555 | \$ 93.80 | 610 | \$ 96.60 | 660 | \$100.50 |
| 3 | 700 | \$109.35 | 765 | \$114.75 | 840 | \$120.15 |
| 4 | 835 | \$129.15 | 925 | \$136.35 | 1015 | \$143.55 |
| 5 | 975 | \$148.95 | 1080 | \$157.95 | 1190 | \$166.95 |
| 6 | 1110 | \$168.75 | 1235 | \$179.55 | 1375 | \$190.35 |
| 7 | 1265 | \$188.55 | 1415 | \$201.15 | 1565 | \$213.75 |
| 8 | 1410 | \$208.35 | 1580 | \$222.75 | 1750 | \$237.15 |
| 9 | 1545 | \$228.15 | 1735 | \$244.35 | 1935 | \$260.55 |
| 10 | 1685 | \$247.95 | 1895 | \$265.95 | 2115 | \$283.95 |
| 11 | 1825 | \$267.75 | 2055 | \$287.55 | 2290 | \$307.35 |
| 12 | 1965 | \$287.55 | 2210 | \$309.15 | 2465 | \$330.75 |
| 13 | 2100 | \$307.35 | | | | |
| 14 | 2235 | \$327.15 | | | | |
| 15 | 2370 | \$346.95 | | | | |

Syphonic Action

NOTE:—The Shipping Weights given above are for PARTITIONS constructed of SHEET STEEL.
Weights of CAST IRON PARTITIONS will be given on application.

Page 11
RANGE
CLOSETS

Schedule 6
Aug. 15, 1914

The Standard Ideal Company Ltd.

Page 13


RANGE
CLOSETS

Syphonic
Action

With
Regular
Partitions

Schedule 6
Aug. 15, 1914

F522



| No. of Seats | 24" | | 27" | | 30" | |
|-----------------|--------|----------|--------|----------|--------|----------|
| | Weight | Price | Weight | Price | Weight | Price |
| 2 | 740 | \$118.65 | 785 | \$122.25 | 830 | \$125.85 |
| 3 | 920 | \$143.15 | 985 | \$148.55 | 1060 | \$153.95 |
| 4 | 1100 | \$171.40 | 1190 | \$178.60 | 1280 | \$185.80 |
| 5 | 1290 | \$199.65 | 1395 | \$208.55 | 1505 | \$217.65 |
| 6 | 1470 | \$227.90 | 1595 | \$238.70 | 1730 | \$249.50 |
| 7 | 1715 | \$256.15 | 1865 | \$268.75 | 2015 | \$281.35 |
| 8 | 1895 | \$284.40 | 2065 | \$298.80 | 2240 | \$313.20 |
| 9 | 2080 | \$312.65 | 2270 | \$329.85 | 2470 | \$345.05 |
| 10 | 2265 | \$340.90 | 2475 | \$358.90 | 2695 | \$376.90 |
| 11 | 2450 | \$369.15 | 2680 | \$388.95 | 2920 | \$408.75 |
| 12 | 2640 | \$397.40 | 2885 | \$419.00 | 3140 | \$440.60 |
| 13 | 2820 | \$425.65 | | | | |
| 14 | 3045 | \$453.90 | | | | |
| 15 | 3265 | \$482.15 | | | | |

F523—Same as F521, except with Enamelled Seats and Frame Strips, add to F521 price, per seat \$6.05.
F524—Same as F521, except with Enamelled Top Plates, Wood Seats and Covers, add to F521 price, per unit \$5.05.

NOTE:—The Shipping Weights given above are for PARTITIONS constructed of SHEET STEEL. Weights of CAST IRON PARTITIONS will be given on application.

The Standard Ideal Company Ltd

Page 18
RANGE
CLOSETS

F626



| No. of Seats | 24" | | 27" | | 30" | |
|--------------|--------|----------|--------|----------|--------|----------|
| | Weight | Price | Weight | Price | Weight | Price |
| 2 | 740 | \$113.75 | 825 | \$117.35 | 920 | \$120.95 |
| 3 | 925 | \$134.85 | 1050 | \$140.25 | 1190 | \$145.65 |
| 4 | 1105 | \$159.70 | 1275 | \$166.90 | 1460 | \$174.10 |
| 5 | 1295 | \$184.55 | 1500 | \$193.55 | 1725 | \$202.55 |
| 6 | 1480 | \$209.40 | 1725 | \$220.20 | 2000 | \$231.00 |
| 7 | 1680 | \$234.35 | 1970 | \$246.85 | 2285 | \$259.45 |
| 8 | 1870 | \$259.10 | 2200 | \$273.50 | 2560 | \$287.90 |
| 9 | 2055 | \$283.95 | 2425 | \$300.15 | 2830 | \$316.35 |
| 10 | 2245 | \$308.80 | 2665 | \$326.80 | 3105 | \$344.80 |
| 11 | 2430 | \$333.65 | 2885 | \$353.45 | 3370 | \$373.25 |
| 12 | 2620 | \$358.50 | 3110 | \$380.10 | 3640 | \$401.70 |
| 13 | 2800 | \$383.35 | | | | |
| 14 | 3085 | \$408.20 | | | | |
| 15 | 3170 | \$433.05 | | | | |

Syphonic
Action


Enameled
Top Plates
Wood Seats
and Covers

Ventilating
Extension

Schedule 6
Aug. 15, 1914

The Standard Ideal Company Ltd

F526



| No. of Seats | 24" | | 27" | | 30" | |
|--------------|--------|----------|--------|----------|--------|----------|
| | Weight | Price | Weight | Price | Weight | Price |
| 2 | 1275 | \$176.60 | 1315 | \$178.40 | 1370 | \$180.20 |
| 3 | 1490 | \$206.15 | 1575 | \$209.75 | 1675 | \$213.35 |
| 4 | 1720 | \$239.45 | 1845 | \$244.85 | 1990 | \$250.25 |
| 5 | 1960 | \$272.75 | 2120 | \$279.95 | 2305 | \$287.15 |
| 6 | 2185 | \$306.05 | 2390 | \$315.05 | 2620 | \$324.05 |
| 7 | 2320 | \$339.35 | 2570 | \$350.15 | 2840 | \$360.95 |
| 8 | 2555 | \$372.65 | 2840 | \$385.25 | 3155 | \$397.85 |
| 9 | 2820 | \$405.95 | 3150 | \$420.35 | 3515 | \$434.75 |
| 10 | 3040 | \$439.25 | 3410 | \$455.45 | 3820 | \$471.65 |
| 11 | 3275 | \$472.55 | 3685 | \$490.55 | 4130 | \$508.55 |
| 12 | 3500 | \$505.85 | 3950 | \$525.65 | 4435 | \$545.45 |
| 13 | 3725 | \$539.15 | | | | |
| 14 | 4055 | \$572.45 | | | | |
| 15 | 4375 | \$605.75 | | | | |

NOTE:—The Shipping Weights given above are for PARTITIONS constructed of SHEET STEEL. Weights of CAST IRON PARTITIONS will be given on application.

Page 14
RANGE
CLOSETS

Synphonic
Action

Enameled
Top Plates
Wood Seats
and Covers

One 30-inch
Enclosure
and Regular
Partitions

Ventilating
Extension


Schedule 6
Aug. 15, 1914

Aug. 15, 1914

Page 15
RANGE
CLOSETS

The Standard Ideal Company Ltd.

P527



| No. of Seats | 27" | | 30" | |
|-----------------|--------|----------|--------|----------|
| | Weight | Price | Weight | Price |
| 2 | 1810 | \$208.80 | 1895 | \$206.90 |
| 3 | 1670 | \$261.80 | 1810 | \$266.75 |
| 4 | 2020 | \$328.10 | 2205 | \$330.35 |
| 5 | 2440 | \$384.90 | 2665 | \$398.95 |
| 6 | 2795 | \$446.70 | 3070 | \$457.55 |
| 7 | 3170 | \$508.50 | 3585 | \$521.15 |
| 8 | 3545 | \$570.30 | 3900 | \$584.75 |
| 9 | 3905 | \$632.10 | 4810 | \$648.35 |
| 10 | 4340 | \$698.90 | 4790 | \$711.95 |
| 11 | 4765 | \$765.70 | 5255 | \$775.55 |
| 12 | 5105 | \$817.50 | 5760 | \$839.15 |

Syphonic
Action

All Private
Enclosures

Enameled
Top Plates
Wood Seats
and Covers

Ventilating
Extension

Schedule 6
Aug. 15, 1914

NOTE:—The Shipping Weights given above are for PARTITIONS constructed of SHEET STEEL.
Weights of CAST IRON PARTITIONS will be given on application.

The Standard Ideal Company Ltd.

Page 16

RANGE
CLOSETS


Washout

With
Regular
Partitions

Schedule 6

Aug. 15, 1914

F631



F632



| No. of Bays | 24" | | 27" | | 30" | |
|----------------|--------|-----------|--------|-----------|--------|-----------|
| | Weight | Price | Weight | Price | Weight | Price |
| 2 | 520 | \$ 75.35 | 565 | \$ 79.70 | 610 | \$ 83.80 |
| 3 | 685 | \$ 90.50 | 750 | \$ 97.05 | 815 | \$ 102.45 |
| 4 | 850 | \$ 106.30 | 935 | \$ 118.05 | 1020 | \$ 125.25 |
| 5 | 1010 | \$ 128.10 | 1115 | \$ 139.05 | 1225 | \$ 148.05 |
| 6 | 1170 | \$ 146.90 | 1300 | \$ 160.05 | 1425 | \$ 170.85 |
| 7 | 1335 | \$ 165.70 | 1480 | \$ 181.05 | 1625 | \$ 193.65 |
| 8 | 1495 | \$ 184.50 | 1660 | \$ 202.05 | 1800 | \$ 216.45 |
| 9 | 1655 | \$ 203.30 | 1845 | \$ 223.05 | | |
| 10 | 1820 | \$ 222.10 | | | | |
| 2 | 695 | \$ 100.70 | 740 | \$ 105.05 | 785 | \$ 108.65 |
| 3 | 905 | \$ 124.40 | 970 | \$ 130.95 | 1035 | \$ 136.35 |
| 4 | 1115 | \$ 151.65 | 1200 | \$ 160.40 | 1285 | \$ 167.60 |
| 5 | 1325 | \$ 178.90 | 1440 | \$ 189.85 | 1540 | \$ 198.85 |
| 6 | 1530 | \$ 206.15 | 1660 | \$ 219.30 | 1785 | \$ 230.10 |
| 7 | 1785 | \$ 238.40 | 1930 | \$ 248.75 | 2075 | \$ 261.35 |
| 8 | 1980 | \$ 260.65 | 2145 | \$ 278.20 | 2285 | \$ 292.60 |
| 9 | 2190 | \$ 287.90 | 2380 | \$ 307.65 | | |
| 10 | 2400 | \$ 315.15 | | | | |

NOTE: The Shipping Weights given above are for PARTITIONS constructed of SHEET STEEL.
Weights of CAST IRON PARTITIONS will be given on application.

97 Standard 101-102

The Standard Ideal Company Ltd.


Page 17

F633



| No. of Seats | 24" | | 27" | | 30" | |
|--------------|--------|----------|--------|----------|--------|----------|
| | Weight | Price | Weight | Price | Weight | Price |
| 2 | 690 | \$ 95.80 | 715 | \$100.15 | 740 | \$103.75 |
| 3 | 895 | \$116.00 | 930 | \$122.55 | 965 | \$127.95 |
| 4 | 1100 | \$139.85 | 1145 | \$148.60 | 1190 | \$155.80 |
| 5 | 1300 | \$168.70 | 1355 | \$174.65 | 1415 | \$183.65 |
| 6 | 1500 | \$187.55 | 1570 | \$200.70 | 1635 | \$211.50 |
| 7 | 1705 | \$211.40 | 1780 | \$226.75 | 1855 | \$239.35 |
| 8 | 1905 | \$235.25 | 1990 | \$252.80 | 2080 | \$267.20 |
| 9 | 2105 | \$259.10 | 2205 | \$278.85 | | |
| 10 | 2310 | \$282.95 | | | | |

F634



| No. of Seats | 24" | | 27" | | 30" | |
|--------------|--------|----------|--------|----------|--------|----------|
| | Weight | Price | Weight | Price | Weight | Price |
| 2 | 1140 | \$159.05 | 1165 | \$161.20 | 1190 | \$163.00 |
| 3 | 1375 | \$187.70 | 1410 | \$192.05 | 1445 | \$195.65 |
| 4 | 1680 | \$220.00 | 1675 | \$226.55 | 1720 | \$231.95 |
| 5 | 1875 | \$252.30 | 1935 | \$261.05 | 1995 | \$268.25 |
| 6 | 2125 | \$284.60 | 2195 | \$295.55 | 2260 | \$304.55 |
| 7 | 2375 | \$316.90 | 2450 | \$330.05 | 2525 | \$340.85 |
| 8 | 2620 | \$349.20 | 2705 | \$364.55 | 2795 | \$377.15 |
| 9 | 2910 | \$381.50 | 2910 | \$399.05 | | |
| 10 | 3260 | \$418.80 | | | | |

NOTE: The Shipping Weights given above are for PARTITIONS constructed of SHEET STEEL. Weights of CAST IRON PARTITIONS will be given on application.

RANGE CLOSETS

Washout

Enameled Top Plates Wood Seats and Covers Ventilating Extension


One 30-inch Enclosure and Regular Partitions

Schedule 6

Aug. 15, 1914

The Standard Ideal Company Ltd.

F585



| No. of Seats | 27" | | 30" | |
|-----------------|--------|----------|--------|----------|
| | Weight | Price | Weight | Price |
| 2 | 910 | \$178.20 | 955 | \$181.80 |
| 3 | 1175 | \$231.80 | 1240 | \$237.20 |
| 4 | 1450 | \$289.05 | 1535 | \$296.25 |
| 5 | 1720 | \$346.80 | 1830 | \$355.80 |
| 6 | 2000 | \$408.55 | 2125 | \$414.35 |
| 7 | 2285 | \$460.80 | 2430 | \$473.40 |
| 8 | 2560 | \$518.05 | 2700 | \$522.45 |
| 9 | 2890 | \$575.30 | | |

NOTE:—The Shipping Weights given above are for PARTITIONS constructed of SHEET STEEL.
Weights of CAST IRON PARTITIONS will be given on application.

Page 19

URINALS

The Standard Ideal Company Ltd

F661



| Length | Weight | Price |
|--------|--------|----------|
| 4' | 470 | \$ 85.05 |
| 5' | 515 | \$ 96.65 |
| 6' | 580 | \$108.25 |
| 7' | 630 | \$119.85 |
| 8' | 690 | \$131.45 |
| 9' | 740 | \$143.05 |
| 10' | 800 | \$154.65 |
| 11' | 855 | \$166.25 |
| 12' | 910 | \$177.85 |
| 13' | 965 | \$189.45 |
| 14' | 1025 | \$201.05 |
| 15' | 1080 | \$212.65 |
| 16' | 1135 | \$224.25 |

Syphonic
Action

Plain
Trough


Schedule 8

AUG. 15, 1914

The Standard Ideal Company Ltd

Page 20
ORIGINALS

F552



| Length | Weight | Price |
|--------|--------|----------|
| 4' | 560 | \$108.20 |
| 6' | 696 | \$132.45 |
| 8' | 836 | \$161.70 |
| 10' | 970 | \$190.95 |
| 12' | 1105 | \$220.20 |
| 14' | 1250 | \$249.45 |
| 16' | 1395 | \$278.70 |

Synthetic
Action

Plain
Trough

With
Partitions

F553



| Length | Weight | Price |
|--------|--------|----------|
| 4' | 600 | \$ 92.45 |
| 6' | 620 | \$119.35 |
| 8' | 745 | \$146.25 |
| 10' | 870 | \$173.15 |
| 12' | 995 | \$200.15 |
| 14' | 1120 | \$226.95 |
| 16' | 1245 | \$253.85 |

Lipped
Trough

NOTE: The Shipping Weights given above are for PARTITIONS constructed of SHEET STEEL.
Weights of CAST IRON PARTITIONS will be given on application.


Schedule 6
Aug. 15, 1914

Page 21

URINALS

The Standard Ideal Company Ltd.

F554




| Length | Weight | Price | Syphonic Action |
|--------|--------|----------|-----------------|
| 4' | 590 | \$110.80 | |
| 6' | 740 | \$143.55 | |
| 8' | 890 | \$176.50 | |
| 10' | 1040 | \$209.45 | |
| 12' | 1190 | \$242.40 | Lipped Trough |
| 14' | 1350 | \$275.35 | |
| 16' | 1505 | \$308.30 | With Partitions |

NOTE:—The Shipping Weights given above are for PARTITIONS constructed of SHEET STEEL.
Weights of CAST IRON PARTITIONS will be given on application.


Schedule 6

Aug. 14, 1914



MICROCOPY RESOLUTION TEST CHART

(ANSI and ISO TEST CHART No. 2)




APPLIED IMAGE Inc

165 1/2 East Main Street
Rochester, New York 14609 USA
(716) 482 - 0300 - Phone
(716) 288 - 5989 - Fax

The Standard Ideal Company Ltd.

F555



F555

Same as F555 except with plain trough.

| Length | Weight | Price |
|--------|--------|----------|
| 4' | 1150 | \$238.50 |
| 6' | 1500 | \$306.60 |
| 8' | 1860 | \$377.70 |
| 10' | 2215 | \$449.80 |
| 12' | 2575 | \$521.90 |
| 14' | 2940 | \$594.00 |
| 16' | 3320 | \$666.10 |

| Length | Weight | Price |
|--------|--------|----------|
| 4' | 1100 | \$218.70 |
| 6' | 1420 | \$283.40 |
| 8' | 1750 | \$348.10 |
| 10' | 2075 | \$412.80 |
| 12' | 2405 | \$477.50 |
| 14' | 2750 | \$542.20 |
| 16' | 3100 | \$606.90 |

Page 23

URINALS

Double
Syphonic
Action

Lipped
Trough

Partitions
and Backs

Plain
Trough

Schedule 6

Aug. 15, 1914

NOTE:—The Shipping Weights given above are for PARTITIONS constructed of SHEET STEEL.
Weights of CAST IRON PARTITIONS will be given on application.


NOTE:—The Shipping Weights given above are for PARTITIONS constructed of SHEET STEEL.
Weights of CAST IRON PARTITIONS will be given on application.

Aug. 13, 1914

The Standard Ideal Company Ltd.

Page 23

7557




| Length | Weight | Price | Length | Weight | Price |
|--------|--------|----------|--------|--------|----------|
| 4' | 300 | \$ 74.10 | 12' | 690 | \$171.80 |
| 6' | 335 | \$ 86.25 | 14' | 795 | \$195.60 |
| 8' | 385 | \$ 98.40 | 16' | 895 | \$219.90 |
| 7' | 435 | \$110.55 | 18' | 995 | \$244.20 |
| 8' | 490 | \$122.70 | 20' | 1105 | \$268.50 |
| 10' | 590 | \$147.00 | | | |

URINALS

Washout
Flushing Rim

7558



| | | | | | |
|-----|-----|----------|-----|------|----------|
| 4' | 400 | \$ 92.25 | 14' | 1025 | \$244.00 |
| 6' | 500 | \$122.60 | 16' | 1155 | \$274.85 |
| 8' | 635 | \$152.95 | 18' | 1280 | \$304.70 |
| 10' | 760 | \$183.30 | 20' | 1415 | \$335.05 |
| 12' | 885 | \$213.65 | | | |

With
Partitions

Centre Tank

Schedule 6

Aug. 13, 1914

NOTE:—The Shipping Weights given above are for PARTITIONS constructed of SHEET STEEL.
Weights of CAST IRON PARTITIONS will be given on application.

The Standard Ideal Company Ltd.

Page 24

URINALS

| Length | Weight | Price | Length | Weight | Price |
|--------|--------|----------|--------|--------|----------|
| 4' | 320 | \$ 74.10 | 10' | 626 | \$147.00 |
| 5' | 370 | \$ 86.25 | 12' | 726 | \$171.30 |
| 6' | 420 | \$ 98.40 | 14' | 880 | \$196.60 |
| 7' | 470 | \$110.55 | 16' | 930 | \$219.90 |
| 8' | 525 | \$122.70 | | | |
| 4' | 440 | \$ 92.25 | 12' | 920 | \$213.65 |
| 6' | 535 | \$122.60 | 14' | 1055 | \$244.00 |
| 8' | 670 | \$152.95 | 16' | 1190 | \$274.35 |
| 10' | 795 | \$183.30 | | | |

F559



F580



Washout
Flushing Rim

End Tank

With
Partitions

Schedule 6

Aug. 15, 1914

NOTE:—The Shipping Weights given above are for PARTITIONS constructed of SHEET STEEL.
Weights of CAST IRON PARTITIONS will be given on application.

NOTE:—The Shipping Weights given above are for PARTITIONS constructed of SHEET STEEL.
Weights of CAST IRON PARTITIONS will be given on application.


Aug. 15, 1914

The Standard Ideal Company Ltd.

Page 25
URINALS

Corner
Sections
Schedule 6
Aug. 15, 1914

| Plate | Style | Weight | Price |
|-------|---|--------|---------|
| F571 | Flat Back Lipped Urinal, with inlet and outlet couplings. Enameled all-over. | 70 | \$14.55 |
| F572 | Corner Lipped Urinal, with inlet and outlet couplings. Enameled all-over. | 70 | \$14.55 |
| F573 | Inside Corner Section, for Roll Rim Urinals. | 225 | \$24.00 |
| F573½ | Outside Corner Section, for Roll Rim Urinals. | 225 | \$24.00 |



The Standard Ideal Company Ltd.

Page 28

URINALS

| Plate | Style | Length | Less Pipe-Stop and Trap | | Extra for Pipe and Stop | | Lipped |
|--------------|-------------------------------|--------|----------------------------|---------|----------------------------|---------|-------------------|
| | | | Weight | Price | Weight | Price | |
| F574 F575 | Lipped Separate Backs | 2' | 180 | \$17.20 | 15 | \$ 2.55 | Separate Backs |
| | | 4' | 240 | \$28.65 | 15 | \$ 4.05 | |
| | | 6' | 355 | \$44.55 | 20 | \$ 5.55 | On Brackets |
| | | 8' | 475 | \$61.05 | 20 | \$ 7.05 | |
| | | 10' | 600 | \$77.55 | 25 | \$ 8.55 | |
| | | 12' | 785 | \$94.05 | 35 | \$10.05 | Plain Trough |
| F575 1/2 | Plain Separate Backs | 2' | 180 | \$13.40 | 15 | \$ 2.55 | Separate Back |
| | | 3' | 185 | \$17.25 | 15 | \$ 3.30 | On Brackets |
| | | 4' | 240 | \$21.05 | 15 | \$ 4.05 | |
| | | 5' | 295 | \$26.75 | 20 | \$ 4.80 | |
| | | 6' | 355 | \$33.15 | 20 | \$ 5.55 | |
| | | 7' | 415 | \$39.50 | 20 | \$ 6.30 | |
| | | 8' | 475 | \$45.85 | 20 | \$ 7.05 | |
| | | 9' | 535 | \$52.20 | 25 | \$ 7.80 | |
| | | 10' | 600 | \$58.55 | 25 | \$ 8.55 | |
| | | 12' | 660 | \$71.25 | 35 | \$10.05 | |
| | | 14' | 785 | \$83.95 | 35 | \$11.55 | |
| F576 F577 | Plain Trough Integral Back | 15' | 860 | \$90.80 | 40 | \$12.30 | Plain Trough |
| | | 2' | 140 | \$18.40 | 15 | \$ 2.55 | Integral Back |
| | | 3' | 200 | \$15.30 | 15 | \$ 3.30 | On Hangers |
| | | 4' | 250 | \$17.25 | 15 | \$ 4.05 | Schedule 6 |
| | | 5' | 310 | \$19.10 | 20 | \$ 4.80 | Aug. 15, 1914 |
| | | 6' | 375 | \$21.05 | 20 | \$ 5.55 | |



On Ranges
Schedule 6
Aug. 15, 1914

The Standard Ideal Company Ltd.

P 20 27

CLOSET TANKS

Low Pattern
Square Front


Low
Round Front

Low
Serpentine
Front

High Tank

Schedule 6
Aug. 15, 1914

| Plate | Style | Weight | Enam. Inside | Enam. All over |
|----------|-------------------------------------|------------------|-----------------|-------------------|
| F585 | Low Pattern, Square Front. | With Fittings | \$14.45 | \$16.10 |
| | | Without Fittings | \$ 8.25 | \$ 9.90 |
| F586 | Low Pattern, Round Front. | With Fittings | \$14.45 | \$16.10 |
| | | Without Fittings | \$ 8.25 | \$ 9.90 |
| F586 1/4 | Low Pattern, Ser- pentine Front. | With Fittings | \$16.45 | \$18.10 |
| | | Without Fittings | \$10.25 | \$11.90 |
| F587 | High Pattern. | With Fittings | \$ 9.95 | \$11.45 |
| | | Without Fittings | \$ 5.75 | \$ 7.25 |



The Standard Ideal Company Ltd.



Page 24

UPPERALS

Hoppers

Flushing
Rim

Philadelphia
Pattern

Traps

Schedule 6
Aug 15, 1914

| Plate | Style | Weight | Emam. Inside | Emam. All Over |
|----------|---------------------------|--------|-----------------|-------------------|
| F590 | Long Flushing Rim. | 50 | \$ 5.25 | \$6.95 |
| F591 | " " with S. A. | 50 | \$ 5.45 | \$7.15 |
| F592 | Short Flushing Rim. | 35 | \$5.25 | \$6.95 |
| F593 | " " with H. A. | 35 | \$5.45 | \$7.15 |
| F594 | New Pattern Philadelphia. | 35 | \$2.60 | \$4.10 |
| F594 1/2 | " " with S. A. | 35 | \$2.80 | \$4.30 |
| F595 | Old Pattern Philadelphia. | 30 | \$2.40 | \$3.90 |
| F595 1/2 | " " with S. A. | 30 | \$2.60 | \$4.10 |
| F596 | 1/4 "g" Trap | 20 | \$1.95 | \$3.05 |
| F597 | Full "g" Trap. | 25 | \$2.00 | \$3.10 |

Drilling Hoppers for Stationary Seat, extra \$1.10.

The Standard Ideal Company Ltd

CAR LOAD FREIGHT RATES—ENAMELED IRON WARE To Northern and Northwestern Points

| PORT: HOPE To | BATH TUBS | LAUNDRY TRAYS | SINKS | LAVATORIES |
|-----------------------|-------------|------------------|-------------|-------------|
| Calgary | \$1.33 cwt. | \$1.33 cwt. | \$1.33 cwt. | \$1.33 cwt. |
| Edmonton | 1.33 " | 1.33 " | 1.33 " | 1.33 " |
| New Westminster | 1.35 " | 1.35 " | 1.35 " | 1.50 " |
| Saskatoon | 1.09 " | 1.09 " | 1.09 " | 1.09 " |
| Vancouver | 1.35 " | 1.35 " | 1.35 " | 1.50 " |
| Victoria | 1.35 " | 1.35 " | 1.35 " | 1.50 " |
| Winnipeg | .69 " | .69 " | .69 " | .69 " |

| PORT HOPE TO | NET RATES—Above Rates less Freight Allowances. | | | |
|-----------------------|--|-------------|-------------|-------------|
| Calgary | \$1.27 cwt. | \$1.27 cwt. | \$1.27 cwt. | \$1.27 cwt. |
| Edmonton | 1.27 " | 1.27 " | 1.27 " | 1.27 " |
| New Westminster | 1.30 " | 1.30 " | 1.30 " | 1.45 " |
| Saskatoon | 1.03 " | 1.03 " | 1.03 " | 1.03 " |
| Vancouver | 1.30 " | 1.30 " | 1.30 " | 1.45 " |
| Victoria | 1.30 " | 1.30 " | 1.30 " | 1.45 " |
| Winnipeg | .63 " | .63 " | .63 " | .63 " |

Drilling Hoppers for Stationary Seat, extra \$1.10.

The Standard Ideal Company Ltd.

ALBERTA

| FREIGHT RATES TO TOWN | FROM JOBBER POINT | CLASSES | |
|--------------------------|------------------------|---------------|-------------|
| | | 3rd L.C.L. | 5th O.L. |
| Aliz. | Edmonton. | 23 | 19 |
| Banff. | Calgary. | 25 | 17 |
| Blairmore. | Calgary. | 26 | 25 |
| Bassano. | Calgary. | 25 | 17 |
| Castor. | Edmonton. | 28 | 26 |
| Cardston. | Calgary. | 57 | 40 |
| Coleman. | Calgary. | 38 | 26 |
| Camrose. | Edmonton. | 25 | 18 |
| Carstairs. | Calgary. | 18 | 13 |
| Crossfield. | Calgary. | 14 | 10 |
| Clareholme. | Calgary. | 25 | 17 |
| Calgary. | Jobbing Point. | .. | .. |
| Coronation. | Edmonton. | 40 | 27 |
| Edmonton. | Jobbing Point. | .. | .. |
| For Saskatoon. | Edmonton. | .. | .. |
| Frank. | Calgary. | 26 | 25 |
| Gleichen. | Calgary. | 20 | 14 |
| High River. | Calgary. | 16 | 11 |
| Innisfail. | Calgary. | 24 | 17 |
| Lacombe. | Calgary. | 27 | 18 |
| Lonebutt. | .. | .. | .. |
| Lloydminster. | Edmonton. | .. | .. |
| Lethbridge. | Calgary. | 33 | 23 |
| Medicine Hat. | Calgary. | 29 | 20 |
| MacLeod. | Calgary. | 26 | 18 |
| Olds. | Calgary. | 20 | 14 |
| Okotoks. | Calgary. | 14 | 10 |
| Pincher Creek. | Calgary. | 31 | 24 |
| Ponoka. | Edmonton. | 22 | 15 |
| Raymond. | Calgary. | 49 | 34 |
| Red Deer. | Calgary. | 27 | 18 |

Schedule 7. Aug. 15, 1914

The Standard Ideal Company Ltd.

ALBERTA—Continued

| FREIGHT RATES TO TOWN | FROM LOADING POINT | CLASSES | |
|--------------------------|-----------------------|-------------|-------------|
| | | 3rd C.L. | 5th C.L. |
| Sedgewick. | Calgary | 45 | 29 |
| Stettler. | Calgary | 37 | 24 |
| Strathmore. | Calgary | 14 | 10 |
| Strathcona. | Calgary | 42 | 28 |
| Taber. | Calgary | 38 | 20 |
| Vegreville. | Edmonton | .. | .. |
| Vermilion. | Edmonton | .. | .. |
| Wainwright. | .. | .. | .. |
| Wetaskiwin. | Calgary | 27 | 18 |

Schedule 7. Aug. 15, 1914

The Standard Ideal Company Ltd.

BRITISH COLUMBIA

| FREIGHT RATES TO TOWN | FROM JOBING POINT | CLASSES | |
|--------------------------|----------------------|---------------|-------------|
| | | 3rd L.C.L. | 5th O.L. |
| Alberni. | Vancouver. | 41 | 28 |
| Armstrong. | Vancouver. | 95 | 65 |
| Ashcroft. | Vancouver. | 63 | 42 |
| Canbrook. | Vancouver. | 131 | 89 |
| Coquitlam. | Vancouver. | 14 | 10 |
| Collingwood. | Vancouver. | 19 | 07 |
| Duncan's. | Vancouver. | 24 | 16 |
| Esquimalt. | Vancouver. | 32 | 24 |
| Edmonds Station. | | .. | .. |
| Fernie. | Vancouver. | 140 | 94 |
| Greenwood. | Vancouver. | 144 | 96 |
| Grand Forks. | Vancouver. | 139 | 93 |
| Golden. | Vancouver. | 108 | 73 |
| Haselton. | Vancouver. | 76 | 52 |
| Haney. | Vancouver. | 13 | 13 |
| Hollyburn. | | .. | .. |
| Kamloops. | Vancouver. | 73 | 48 |
| Kaslo. | Vancouver. | 124 | 83 |
| Kelowna. | Vancouver. | 105 | 69 |
| Ladner. | | .. | .. |
| Ladysmith. | Vancouver. | 21 | 13 |
| Michel. | Vancouver. | 142 | 96 |
| Mission. | Vancouver. | 22 | 16 |
| Merritt. | Vancouver. | 73 | 49 |
| Nanaimo. | Vancouver. | 24 | 16 |
| Nelson. | Vancouver. | 1.15 | 77 |
| New Denver. | Vancouver. | 1.15 | 77 |
| New Westminster. | Vancouver. | 12 | 8 |
| North Vancouver. | Vancouver. | .. | .. |
| Nakusp. | Vancouver. | 1.15 | 77 |
| Phoenix. | Vancouver. | 1.44 | 96 |
| Prince Rupert. | Vancouver Boat, | | |
| Penticton. | Vancouver. | 103 | 71 |
| Princeton. | Vancouver. | 159 | 115 |

Schedule 7. Aug. 15, 1914

The Standard Ideal Company Ltd.

BRITISH COLUMBIA—Continued

| FREIGHT RATES TO TOWN | FROM JOBING POINT | CLASSES | |
|--------------------------|------------------------|---------------|-------------|
| | | 3rd L.O.L. | 5th O.L. |
| Revelstoke. | Vancouver. | .9 | 67 |
| Rossland. | Vancouver. | 1.15 | 77 |
| Salmon Arm. | Vancouver. | 86 | 59 |
| Summerland. | Vancouver. | 1.05 | 69 |
| Steveston. | Vancouver. | .. | .. |
| Trail. | Calgary. | 1.15 | 77 |
| Vernon. | Vancouver. | 99 | 57 |
| Vancouver. | Jobbing Point. | .. | .. |
| Victoria. | Vancouver. | 33 | 25 |

Schedule 7. Aug. 15, 1914

The Standard Ideal Company Ltd.

MANITOMA

| FREIGHT RATES TO TOWN | FROM JOBING POINT | CLASSES | |
|--------------------------|----------------------|---------------|-------------|
| | | 3rd L.O.L. | 5th O.L. |
| Altona. | Winnipeg. | 18 | 13 |
| Brandon. | Winnipeg. | 30 | 21 |
| Beausejour. | Winnipeg. | 14 | 10 |
| Baldur. | Winnipeg. | 27 | 19 |
| Binscarth. | Winnipeg. | 40 | 27 |
| Birtle. | Winnipeg. | 36 | 25 |
| Boissevain. | Winnipeg. | 36 | 25 |
| Carberry. | Winnipeg. | 26 | 18 |
| Carman. | Winnipeg. | 16 | 11 |
| Cartwright. | Winnipeg. | 31 | 22 |
| Crystal City. | Winnipeg. | 29 | 20 |
| Cypress River. | Winnipeg. | 25 | 17 |
| Dauphin. | Winnipeg. | 35 | 24 |
| Darlingford. | Winnipeg. | 25 | 17 |
| Deloraine. | Winnipeg. | 38 | 26 |
| Elk Horn. | Winnipeg. | 36 | 25 |
| Elm Creek. | Winnipeg. | 16 | 11 |
| Emerson. | Winnipeg. | 20 | 14 |
| Gilbert Plains. | Winnipeg. | 36 | 25 |
| Gimli. | Winnipeg. | 18 | 13 |
| Gladstone. | Winnipeg. | 24 | 17 |
| Glenboro. | Winnipeg. | 26 | 18 |
| Grand View. | Winnipeg. | 33 | 26 |
| Gretna. | Winnipeg. | 21 | 15 |
| Hamiota. | Winnipeg. | 34 | 24 |
| Hartney. | Winnipeg. | 34 | 24 |
| Holland. | Winnipeg. | 24 | 17 |
| Kenton. | Winnipeg. | 35 | 24 |
| Killarney. | Winnipeg. | 34 | 24 |
| Manitou. | Winnipeg. | 26 | 18 |
| Melita. | Winnipeg. | 36 | 25 |
| Minnedosa. | Winnipeg. | 30 | 21 |
| MacGregor. | Winnipeg. | 22 | 16 |
| Miniota. | Winnipeg. | 36 | 25 |
| Morden. | Winnipeg. | 22 | 16 |
| Morris. | Winnipeg. | 14 | 10 |

Schedule 7. Aug. 15, 1914

The Standard Ideal Company Ltd.

MANITOBA—Continued

| FREIGHT RATES TO TOWN | FROM JOBING POINT | CLASSES | |
|-----------------------------|------------------------|---------------|-------------|
| | | 3rd L.C.L. | 5th C.L. |
| Norwood. | Winnipeg. | .. | .. |
| Napinka. | Winnipeg. | 36 | 25 |
| Neepawa. | Winnipeg. | 27 | 19 |
| Oak Lake. | Winnipeg. | 34 | 24 |
| Portage la Prairie. | Winnipeg. | 20 | 14 |
| Pilot Mound. | Winnipeg. | 29 | 20 |
| Plum Coulee. | Winnipeg. | 20 | 14 |
| Rapid City. | Winnipeg. | 31 | 22 |
| Reston. | Winnipeg. | 36 | 25 |
| Rivers. | Winnipeg. | 33 | 23 |
| Roblin. | Winnipeg. | 43 | 29 |
| Roland. | Winnipeg. | 20 | 14 |
| Rosburn. | Winnipeg. | 36 | 25 |
| Russell. | Winnipeg. | 40 | 27 |
| Selkirk. | Winnipeg. | 10 | 07 |
| Shoal Lake. | Winnipeg. | 35 | 24 |
| Sidney. | Winnipeg. | 25 | 17 |
| Somerset. | Winnipeg. | 25 | 17 |
| Souris. | Winnipeg. | 33 | 23 |
| Stonewall. | Winnipeg. | 10 | 07 |
| Swan Lake. | Winnipeg. | 25 | 17 |
| Swan River. | Winnipeg. | 46 | 31 |
| St. Boniface. | Winnipeg. | .. | .. |
| St. Jean Baptiste. | Winnipeg. | 16 | 11 |
| Transcona. | Winnipeg. | 09 | 06 |
| Treherne. | Winnipeg. | 21 | 15 |
| Virden. | Winnipeg. | 36 | 25 |
| Winnipeg. | Jobbing Point. | .. | .. |
| Waskada. | Winnipeg. | 40 | 27 |
| Winkler. | Winnipeg. | 21 | 15 |

The Standard Ideal Company Ltd.

NEW BRUNSWICK

| FREIGHT RATES TO TOWN | FROM JOBING POINT | CLASSES | |
|-----------------------------|------------------------|---------------|-------------|
| | | 3rd L.O.L. | 5th O.L. |
| Chatham. | Amherst. | 24 | 16 |
| Campbellton. | St. John. | 29 | 19 |
| Dalhousie. | St. John. | 29 | 19 |
| East Florenceville. | St. John. | 30 | 20 |
| Edmundston. | St. John. | 35 | 21 |
| Fredericton. | St. John. | 29 | 19 |
| Grand Falls. | St. John. | 35 | 33 |
| Hillsborough. | | .. | .. |
| Moncton. | Amherst. | 15 | 10 |
| Newcastle. | Amherst. | 24 | 16 |
| New Florenceville. | St. John. | 30 | 20 |
| Petitcodiac. | St. John. | 17 | 11 |
| Perth. | St. John. | 32 | 21 |
| Sackville. | Amherst. | 7 | 5 |
| St. John. | Jobbing Point. | .. | .. |
| St. Andrews. | St. John. | 13 | 09 |
| St. Stephen. | St. John. | 13 | 09 |
| Shediac. | Amherst. | 17 | 11 |
| Sussex. | St. John. | 14 | 09 |
| St. George. | St. John. | 18 | 12 |
| Woodstock. | St. John. | 29 | 19 |

The Standard Ideal Company Ltd.

NOVA SCOTIA

| FREIGHT RATES TO TOWN | FROM JOBING POINT | CLASSES | |
|--------------------------|------------------------|---------------|-------------|
| | | 3rd L.O.L. | 5th O.L. |
| Annapolis. | St. John. | 16 | 11 |
| Antigonish. | Halifax. | 23 | 16 |
| Amherst. | Jobbing Point. | .. | .. |
| Bridgewater. | Halifax. | 17 | 11 |
| Chester. | Halifax. | 15 | 10 |
| Dartmouth. | Halifax. | 11 | 07 |
| Digby. | St. John. | 14 | 10 |
| Glace Bay. | Sydney. | 00 | 06 |
| Halifax. | Jobbing Point. | .. | .. |
| Kentville. | Halifax. | 18 | 12 |
| Lunenburg. | Halifax. | 11 | 07 |
| Liverpool. | Halifax. | 14 | 09 |
| Mahone Bay. | Halifax. | 17 | 11 |
| New Glasgow. | Halifax. | 22 | 15 |
| North Sydney. | Sydney. | 09 | 06 |
| Pictou. | Halifax. | 22 | 15 |
| Sydney. | Jobbing Point. | .. | .. |
| Shelburne. | Halifax. | 18 | 12 |
| Springhill. | Amherst. | 11 | 07 |
| Stellarton. | Halifax. | 22 | 15 |
| Sydney Mines. | Sydney. | 09 | 06 |
| Truro. | Halifax. | 17 | 11 |
| Windsor. | Halifax. | 15 | 09 |
| Westville. | Halifax. | 22 | 15 |
| Yarmouth. | St. John. | 16 | 12 |

Schedule 7. Aug. 15, 1914

The Standard Ideal Company Ltd.

ONTARIO

| FREIGHT RATES TO TOWN | FROM JOBING POINT | CLASSES | |
|--------------------------|----------------------|---------------|-------------|
| | | 3rd L.O.L. | 5th O.L. |
| Acton. | Hamilton. | 14 | 9 |
| Alexandria. | Montreal. | 17 | 11 |
| Alliston. | Toronto. | 15 | 10 |
| Almonte. | Ottawa. | 14 | 09 |
| Amherstburg. | Windsor. | 14 | 9 |
| Arnprior. | Ottawa. | 14 | 9 |
| Aurora. | Toronto. | 11 | 7 |
| Aylmer. | London. | 18 | 12 |
| Barrie. | Toronto. | 18 | 12 |
| Beamsville. | Hamilton. | 11 | 7 |
| Belleville. | Port Hope. | 15 | 10 |
| Berlin. | Galt. | 9 | 6 |
| Blenheim. | London. | 18 | 12 |
| Bobcaygeon. | Port Hope. | 14 | 9 |
| Bowmanville. | Port Hope. | 11 | 7 |
| Bracebridge. | Toronto. | 24 | 16 |
| Brampton. | Toronto. | 12 | 8 |
| Brantford. | Galt. | 11 | 7 |
| Bridgeburg. | Hamilton. | 18 | 12 |
| Brighton. | Port Hope. | 12 | 8 |
| Brockville. | Ottawa. | 26 | 17 |
| Bruce Mines. | Toronto. | 40 | 32 |
| Brussels. | London. | 20 | 13 |
| Burlington. | Hamilton. | 7 | 5 |
| Bothwell. | London. | 15 | 10 |
| Caledonia. | Hamilton. | 11 | 7 |
| Campbellford. | Port Hope. | 18 | 12 |
| Cardinal. | Montreal. | 23 | 15 |
| Carleton Place. | Ottawa. | 12 | 08 |
| Chatham. | Windsor. | 15 | 10 |
| Cayuga. | Hamilton. | 14 | 09 |
| Chippawa. | Hamilton. | 18 | 12 |
| Chapleau. | Toronto. | 57 | 38 |
| Clinton. | London. | 17 | 11 |
| Cobalt. | Toronto. | 50 | 33 |
| Cobourg. | Port Hope. | 7 | 5 |
| Cochrane. | Toronto. | 57 | 38 |
| Colborne. | Port Hope. | 12 | 8 |
| Coldwater. | Toronto. | 21 | 14 |
| Collingwood. | Toronto. | 21 | 14 |
| Copper Cliff. | Toronto. | 42 | 28 |
| Cornwall. | Montreal. | 18 | 12 |

Schedule 7. Aug. 15, 1914

The Standard Ideal Company Ltd.

ONTARIO—Continued

| FREIGHT RATES TO TOWN | FROM JOBGING POINT | CLASSES | |
|--------------------------|------------------------|---------------|-------------|
| | | 3rd L.O.L. | 5th O.L. |
| Delhi. | London. | 18 | 12 |
| Deseronto. | Port Hope. | 21 | 14 |
| Drayton. | Galt. | 15 | 10 |
| Dresden. | London. | 23 | 15 |
| Dundas. | Hamilton. | 6 | 4 |
| Dunnville. | Hamilton. | 14 | 9 |
| Durham. | Toronto. | 23 | 15 |
| Eganville. | Ottawa. | 20 | 13 |
| Eglinton. | Toronto. | 6 | 4 |
| Elmira. | Galt. | 12 | 8 |
| Elora. | Galt. | 14 | 09 |
| Embro. | London. | .. | .. |
| Embran. | Ottawa. | 12 | 8 |
| Essex. | Windsor. | 11 | 7 |
| Exeter. | London. | 12 | 8 |
| Fenelon Falls. | Port Hope. | 17 | 11 |
| Fergus. | Galt. | 14 | 9 |
| Forest. | London. | 18 | 12 |
| Fort Erie. | Hamilton. | 17 | 11 |
| Fort Frances. | Winnipeg. | 38 | 26 |
| Fort William. | Toronto. | 70 | 42 |
| Galt. | Jobbing Point. | .. | .. |
| Gananoque. | Port Hope. | 24 | 16 |
| Georgetown. | Toronto. | 12 | 8 |
| Glencee. | London. | 12 | 8 |
| Goderich. | London. | 18 | 12 |
| Grimsby. | Hamilton. | 11 | 7 |
| Guelph. | Galt. | 9 | 6 |
| Haileybury. | Toronto. | 50 | 33 |
| Hamilton. | Jobbing Point. | .. | .. |
| Hanover. | Galt. | 21 | 14 |
| Harriaton. | Galt. | 18 | 12 |
| Harrow. | London. | 23 | 15 |
| Havelock. | Port Hope. | 12 | 8 |
| Hespeler. | Galt. | 7 | 5 |
| Humberstone. | Hamilton. | 17 | 11 |
| Hawkesbury. | Montreal. | 20 | 13 |
| Huntsville. | Toronto. | 26 | 17 |
| Ingersoll. | London. | 11 | 7 |
| Iroquois. | Montreal. | 23 | 15 |

Schedule 7. Aug. 15, 1914

The Standard Ideal Company Ltd.

ONTARIO—Continued

| FRIEGHT RATES TO TOWN | FROM JOBING POINT | CLASSES | |
|--------------------------|------------------------|---------------|-------------|
| | | 3rd L.O.L. | 5th C.L. |
| Kemptville. | Ottawa. | 12 | 08 |
| Kenora. | Winnipeg. | 29 | 20 |
| Kincardine. | London. | 23 | 15 |
| Kingston. | Port Hope. | 23 | 16 |
| Lakefield. | Port Hope. | 14 | 9 |
| Lansdowne. | Port Hope. | 24 | 16 |
| Leamington. | Windsor. | 14 | 09 |
| Lindsay. | Port Hope. | 15 | 10 |
| Listowel. | Galt. | 18 | 12 |
| London. | Jobbing Point. | .. | .. |
| Madoc. | Port Hope. | 20 | 13 |
| Meaford. | Toronto. | 24 | 16 |
| Markdale. | Toronto. | 21 | 14 |
| Merrickville. | Ottawa. | 15 | 10 |
| Midland. | Toronto. | 24 | 16 |
| Millbrook. | Port Hope. | 11 | 7 |
| Milton. | Hamilton. | 12 | 8 |
| Mitchell. | London. | 15 | 10 |
| Mimico. | Toronto. | 7 | 5 |
| Morrisburg. | Montreal. | 21 | 14 |
| Mount Forest. | Galt. | 18 | 12 |
| Napanee. | Port Hope. | 26 | 13 |
| New Liskard. | Toronto. | 51 | 34 |
| Newmarket. | Toronto. | 12 | 8 |
| Niagara Falls. | Hamilton. | 15 | 10 |
| North Bay. | Toronto. | 29 | 19 |
| Norwich. | London. | 15 | 10 |
| Oakville. | Hamilton. | 11 | 7 |
| Oil Springs. | London. | 18 | 12 |
| Orangeville. | Toronto. | 15 | 10 |
| Orillia. | Port Hope. | 21 | 14 |
| Oshawa. | Port Hope. | 12 | 8 |
| Ottawa. | Jobbing Point. | .. | .. |
| Owen Sound. | Toronto. | 24 | 16 |
| Paisley. | Galt. | 23 | 15 |
| Palmerston. | Galt. | 17 | 11 |
| Paris. | Galt. | 11 | 7 |
| Parkhill. | London. | 17 | 11 |
| Parry Sound. | Toronto. | 29 | 19 |

Schedule 7. Aug. 15, 1914

The Standard Ideal Company Ltd.

ONTARIO—Continued

| FREIGHT RATES TO TOWN | FROM JOBING POINT | CLASSES | |
|---------------------------|----------------------|---------------|-------------|
| | | 3rd L.O.L. | 5th O.L. |
| Pembroke. | Ottawa. | 23 | 15 |
| Penetanguishene. | Toronto. | 23 | 15 |
| Perth. | Ottawa. | 18 | 12 |
| Peterboro. | Port Hope. | 14 | 9 |
| Petrolia. | London. | 17 | 11 |
| Pictou. | Port Hope. | 18 | 12 |
| Port Arthur. | Toronto. | 70 | 42 |
| Port Burwell. | London. | 15 | 10 |
| Port Colborne. | Hamilton. | 17 | 11 |
| Port Dover. | Hamilton. | 15 | 10 |
| Port Elgin. | Hamilton. | 26 | 17 |
| Port Hope. | Manufacturing Point | | |
| Port Perry. | Toronto. | 15 | 10 |
| Port Rowan. | London. | 20 | 13 |
| Porcupine. | Toronto. | 57 | 38 |
| Port Stanley. | London. | 12 | 8 |
| Prescott. | Ottawa. | 26 | 17 |
| Preston. | Galt. | 6 | 4 |
| | | | |
| Rainy River. | Winnipeg. | 33 | 23 |
| Benfrew. | Ottawa. | 17 | 11 |
| Ridgetown. | London. | 17 | 11 |
| Ridgeway. | Hamilton. | 18 | 12 |
| Ripley. | London. | 21 | 14 |
| Russell. | Ottawa. | 11 | 7 |
| Rodney. | London. | 15 | 10 |
| | | | |
| St. Catharines. | Hamilton. | 14 | 9 |
| St. Marys. | London. | 12 | 8 |
| St. Thomas. | London. | 17 | 11 |
| Sarnia. | London. | 18 | 12 |
| Sault Ste. Marie. | Toronto. | 48 | 32 |
| Seaforth. | London. | 17 | 11 |
| Shelburne. | Toronto. | 18 | 12 |
| Simcoe. | Hamilton. | 15 | 10 |
| Smith's Falls. | Ottawa. | 17 | 11 |
| Stayner. | Toronto. | 21 | 14 |
| Stirling. | Port Hope. | 18 | 11 |
| Stouffville. | Toronto. | 12 | 8 |
| Stratford. | Galt. | 14 | 9 |
| Strathroy. | London. | 12 | 8 |
| Sturgeon Falls. | Toronto. | 26 | 24 |
| Sudbury. | Toronto. | 26 | 24 |
| Sydenham. | Port Hope. | 24 | 16 |

Schedule 7. Aug. 15, 1914

The Standard Ideal Company Ltd.

ONTARIO—Continued

| FREIGHT RATES TO TOWN | FROM JOBING POINT | CLASSES | |
|--------------------------|----------------------|---------------|-------------|
| | | 2nd L.O.L. | 5th O.L. |
| Sombra. | Windsor. | 21 | 14 |
| Steekton. | Toronto. | 50 | 23 |
| Tavistock. | Oak. | 15 | 10 |
| Thamesville. | London. | 15 | 10 |
| Thessalon. | Toronto. | 47 | 31 |
| Thorold. | Hamilton. | 14 | 9 |
| Tillsonburg. | London. | 17 | 11 |
| Trenton. | Port Hope. | 14 | 9 |
| Tweed. | Port Hope. | 22 | 15 |
| Toronto. | Jobbing Point. | 22 | 15 |
| Uxbridge. | Toronto. | 14 | 9 |
| Walkerton. | Oak. | 21 | 14 |
| Walkerville. | Windsor. | 6 | 4 |
| Wallaceburg. | Windsor. | 20 | 13 |
| Waterdown. | Hamilton. | 6 | 4 |
| Welland. | Hamilton. | 14 | 9 |
| Whitby. | Toronto. | 12 | 8 |
| Warton. | London. | 24 | 16 |
| Windsor. | London. | 20 | 13 |
| Wingham. | London. | 20 | 13 |
| Woodstock. | London. | 12 | 8 |

The Standard Ideal Company Ltd

PRINCE EDWARD ISLAND

| FREIGHT RATES TO TOWN | FROM JOBING POINT | CLASSES | |
|---------------------------|----------------------|---------------|-------------|
| | | 3rd L.O.L. | 5th O.L. |
| Charlottetown, P.E.I..... | Amherst..... | 30. | 21 |
| Summerside, P.E.I..... | Amherst..... | 24 | 17 |

The Standard Ideal Company Ltd.

SASKATCHEWAN

| FREIGHT RATES TO TOWN | FROM LOADING POINT | CLASSES | |
|--------------------------|-----------------------|---------------|-------------|
| | | 3rd L.O.L. | 5th O.L. |
| Arcola | Winnipeg | 48 | 32 |
| Battleford | Saskatoon | .. | .. |
| Broadview | Winnipeg | 49 | 33 |
| Canora | Winnipeg | 54 | 36 |
| Carlyle | Winnipeg | 46 | 31 |
| Carnduff | Winnipeg | 44 | 30 |
| Davidson | Saskatoon | 24 | 17 |
| DeLisle | Saskatoon | 14 | 10 |
| Dundurn | Saskatoon | 14 | 10 |
| Estevan | Winnipeg | 54 | 36 |
| Francis | Winnipeg | 57 | 38 |
| Fleming | Winnipeg | 40 | 27 |
| Govan | Saskatoon | 31 | 22 |
| Gleichen | Calgary | 20 | 14 |
| Grenfell | Winnipeg | 52 | 35 |
| Gull Lake | Winnipeg | 30 | 54 |
| Hague | Saskatoon | 14 | 10 |
| Hanley | Saskatoon | 16 | 11 |
| Herbert | Winnipeg | 73 | 49 |
| Humboldt | Saskatoon | 25 | 17 |
| Indian Head | Winnipeg | 55 | 37 |
| Kindersley | Saskatoon | 33 | 23 |
| Lumsden | Saskatoon | 36 | 25 |
| Lang | Winnipeg | 59 | 40 |
| Langham | Saskatoon | 16 | 11 |
| Lanigan | Saskatoon | 25 | 17 |
| Lipton | Winnipeg | 60 | 40 |
| Moose Jaw | Winnipeg | 64 | 43 |
| Moosomin | Winnipeg | 42 | 28 |
| Mortlach | Winnipeg | 66 | 45 |
| Macklin | Saskatoon | 40 | 27 |
| Macoun | Winnipeg | 55 | 37 |
| Maple Creek | Winnipeg | 33 | 57 |
| Melfort | Saskatoon | 38 | 26 |

Schedule 7. Aug. 15, 1914

The Standard Ideal Company Ltd

SASKATCHEWAN—Continued

| FREIGHT RATES TO TOWN | FROM JOBBER POINT | CLASSES | |
|---------------------------|------------------------|---------------|-------------|
| | | 3rd L.O.L. | 5th O.L. |
| Melville. | Winnipeg. | 51 | 34 |
| Milestone. | Winnipeg. | 60 | 41 |
| Montmartre. | Winnipeg. | 54 | 36 |
| North Battleford. | Saskatoon. | 29 | 20 |
| Outlook. | Winnipeg. | 76 | 52 |
| Orbow. | Winnipeg. | 48 | 32 |
| Prince Albert. | Saskatoon. | 27 | 19 |
| Qu'Appelle. | Winnipeg. | 55 | 37 |
| Rosetham. | Saskatoon. | 16 | 11 |
| Regina. | Winnipeg. | 60 | 40 |
| Rosetown. | Saskatoon. | 61 | 41 |
| Rouleau. | Winnipeg. | 61 | 41 |
| Sanderson. | Winnipeg. | 61 | 41 |
| Saskatoon. | Jobbing Point. | .. | .. |
| Swift Current. | Winnipeg. | 76 | 52 |
| Saltcoats. | Winnipeg. | 48 | 32 |
| Strasbourg. | Saskatoon. | 33 | 26 |
| Sutherland. | Saskatoon. | 60 | 40 |
| Vonda. | Saskatoon. | 16 | 11 |
| Wadena. | Saskatoon. | 24 | 24 |
| Wapella. | Winnipeg. | 46 | 31 |
| Whitewood. | Winnipeg. | 49 | 32 |
| Wilcox. | Winnipeg. | 60 | 41 |
| Wilkie. | Saskatoon. | 27 | 19 |
| Windthorst. | Winnipeg. | 51 | 34 |
| Wynyard. | Winnipeg. | 60 | 40 |
| Wolsley. | Winnipeg. | 54 | 36 |
| Weyburn. | Winnipeg. | 55 | 37 |
| Watrous. | Winnipeg. | .. | .. |
| Yellow Grass. | Winnipeg. | 57 | 39 |
| Yorkton. | Winnipeg. | 51 | 34 |
| Zealandia. | Saskatoon. | 22 | 15 |

Schedule 7. Aug. 13, 1914

The Standard Ideal Company Ltd.

QUEBEC

| FREIGHT RATES TO TOWN | FROM JOBBER POINT | CLASSES | |
|--------------------------|----------------------|---------------|-------------|
| | | 2nd L.C.L. | 5th C.L. |
| Aston Vale..... | Sherbrooke..... | 17 | 21 |
| Amqui..... | Quebec..... | 26 | 17 |
| Andenne Lorette..... | Quebec..... | 07 | 05 |
| Aylmer..... | Ottawa..... | 07 | 05 |
| Beauceville..... | Quebec..... | 24 | 16 |
| Beauharnois..... | Montreal..... | 15 | 10 |
| Beauport..... | Quebec..... | 06 | 08 |
| Bedford..... | Montreal..... | 18 | 12 |
| Beebe..... | Sherbrooke..... | .. | .. |
| Bic..... | Quebec..... | 23 | 15 |
| Buckingham..... | Ottawa..... | 12 | 08 |
| Cape St. Ignace..... | Quebec..... | 12 | 08 |
| Cookshire..... | Sherbrooke..... | 12 | 08 |
| Chambly..... | Montreal..... | 14 | 09 |
| Chicoutimi..... | Quebec..... | 26 | 24 |
| Cowansville..... | Sherbrooke..... | 20 | 13 |
| Coaticook..... | Sherbrooke..... | 11 | 07 |
| Danville..... | Sherbrooke..... | 14 | 09 |
| Deschambault..... | Quebec..... | 15 | 10 |
| D'Israeli..... | Sherbrooke..... | 20 | 13 |
| Drummondville..... | Montreal..... | 20 | 13 |
| Farnham..... | Montreal..... | 18 | 12 |
| Granby..... | Montreal..... | 20 | 13 |
| Grand Mere..... | Quebec..... | 21 | 14 |
| Hall..... | Ottawa..... | 06 | 04 |
| Hemmingford..... | Montreal..... | 17 | 11 |
| Huntingdon..... | Montreal..... | 18 | 12 |
| Iberville..... | Montreal..... | 12 | 08 |
| Joliette..... | Montreal..... | 15 | 10 |
| Jonquières..... | Quebec..... | 26 | 24 |
| Knowlton..... | Sherbrooke..... | 18 | 12 |
| Lachute..... | Montreal..... | 17 | 11 |
| Laprairie..... | Montreal..... | 09 | 06 |
| Levis..... | Quebec..... | .. | .. |
| Lachine..... | Montreal..... | .. | .. |

Schedule 7. Aug. 15, 1914

The Standard Ideal Company Ltd.

QUEBEC—Continued

| FREIGHT RATES TO TOWN | FROM JOBGING POINT | CLASSES | |
|-----------------------------------|------------------------|---------------|-------------|
| | | 2nd L.C.L. | 5th C.L. |
| L'Assomption. | Montreal. | 11 | 07 |
| LaTuque. | Quebec. | 24 | 16 |
| Laurentides. | Quebec. | 21 | 14 |
| Lennoxville. | Sherbrooke. | 06 | 04 |
| L'Epiphanie. | Montreal. | 12 | 08 |
| Longueuil. | Montreal. | 12 | 08 |
| Lorette. | Quebec. | 06 | 04 |
| Louiseville. | Montreal. | 20 | 13 |
| Montreal. | Jobbing Point. | .. | .. |
| Magog. | Sherbrooke. | 11 | 07 |
| Marieville. | Montreal. | 17 | 11 |
| Mascouche. | Montreal. | 12 | 08 |
| Matapedia. | Quebec. | 27 | 18 |
| Montmagny. | Quebec. | 11 | 07 |
| Montreal. | Montreal. | .. | .. |
| N. St. | Quebec. | 20 | 13 |
| Orma. | Montreal. | 17 | 11 |
| Papineauville. | Montreal. | 20 | 13 |
| Pierreville. | Montreal. | 20 | 13 |
| Plessisville. | Quebec. | 18 | 12 |
| Port Neuf. | Quebec. | 14 | 09 |
| Quebec. | Jobbing Point. | .. | .. |
| Rawdon. | Montreal. | 18 | 12 |
| Richmond. | Sherbrooke. | 12 | 08 |
| Rigaud. | Montreal. | 15 | 10 |
| Rimouski. | Quebec. | 23 | 15 |
| Riviere du Loup. | Quebec. | 18 | 12 |
| Roberval. | Quebec. | 25 | 23 |
| Rock Island. | Quebec. | .. | .. |
| Roxton Falls. | Sherbrooke. | 21 | 14 |
| St. Hyacinthe. | Montreal. | 15 | 10 |
| Sherbrooke. | Jobbing Point. | .. | .. |
| Stamstead. | Sherbrooke. | .. | .. |
| St. Agathe des Monts. | Montreal. | 18 | 12 |
| St. Aime. | Montreal. | 18 | 12 |
| St. Anne de Bellevue. | Montreal. | 11 | 07 |
| St. Anne de la Parade. | Quebec. | 18 | 12 |
| St. Anne de la Pocatiere. | Quebec. | 15 | 10 |

Schedule 7. Aug. 15, 1914

The Standard Ideal Company Ltd.

QUEBEC—Continued

| FREIGHT RATES TO TOWN | FROM JOBING POINT | CLASSES | |
|-------------------------------------|----------------------|---------------|-------------|
| | | 2nd L.O.L. | 5th C.L. |
| St. Casimir. | Quebec. | 17 | 11 |
| St. Cecaire. | Montreal. | 18 | 12 |
| St. Fabien. | Quebec. | 21 | 14 |
| St. George East. | Quebec. | 25 | 17 |
| St. Jacques. | Montreal. | 15 | 10 |
| St. Jerome. | Montreal. | 15 | 10 |
| St. Johna. | Sherbrooke. | 20 | 15 |
| St. Lambert. | Sherbrooke. | 23 | 15 |
| St. Marie Beauce. | Quebec. | 21 | 14 |
| St. Romuald D'Etchemin. | Quebec. | 08 | 06 |
| Sta. Scholastique. | Montreal. | 15 | 10 |
| Ste. Therese de Blainville. | Montreal. | 11 | 07 |
| Shawinigan. | Quebec. | 21 | 14 |
| Shawinigan Falls. | Quebec. | 21 | 14 |
| Sorel. | Montreal. | 17 | 11 |
| Stanford. | Sherbrooke. | 18 | 12 |
| Sutton. | Sherbrooke. | 20 | 13 |
| | | | |
| Terrebonne. | Montreal. | 11 | 07 |
| Thetford Mines. | Sherbrooke. | 21 | 14 |
| Trois Pistoles. | Quebec. | 21 | 14 |
| Three Rivers. | Quebec. | 18 | 12 |
| | | | |
| Victoriaville. | Sherbrooke. | 17 | 11 |
| Valleyfield. | Montreal. | 17 | 11 |
| | | | |
| Waterloo. | Sherbrooke. | 18 | 12 |

